

1 Supplemental material submitted for the paper

2

3

4 **Bergen earth system model (BCM-C): Model description and regional**
5 **climate–cycle feedbacks assessment**

6

7 J. F. Tjiputra, K. Assmann, M. Bentsen, I. Bethke, O. H. Otterå, C. Sturm,
8 and C. Heinze

9

10

11 **Introduction:**

12

13 This supplemental material contains two figures. Figure 1 shows time-series
14 of annual land-air CO₂ fluxes, terrestrial vegetation, soil, and litter carbon con-
15 tent simulated by the terrestrial component of the BCM-C. Figure 2 shows
16 time-series of annual air-sea CO₂ fluxes, net primary production, particle or-
17 ganic carbon export, and calcite export simulated by the ocean component of
18 the BCM-C. Both model outputs are from the last 400 years simulation of the
19 REF simulation.

20

21

22

23




Figure 1: Time-series of annual sea-air carbon fluxes, net primary production, organic carbon export, and calcium carbonate export simulated by the BCM-C. The period represents the last 400 year projections from the REF simulation.




Figure 2: Time-series of annual land-air carbon fluxes, terrestrial vegetation, soil, and litter carbon content simulated by the BCM-C. The period represents the last 400 year projections from the REF simulation.