Inorganic compounds

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
HO_x chemistry					
$O_3 + h\nu \rightarrow H_2O_2 + O_2 - H_2O$	R(1)	Calculated		Graedel and Weschler, 1981	
$H_2O_2 + h\nu \rightarrow 2\ HO^\bullet$	R(2)	Calculated		Graedel and Weschler, 1981	
$HO^\bullet + HO^\bullet \rightarrow H_2O_2$	R(3)	$3.6\ 10^9$	930	Elliot and McCracken, 1989	
$HO^\bullet + HO_2^\bullet \rightarrow O_2 + H_2O$	R(4)	$2.8\ 10^{10}$	0	Elliot and Buxton, 1992	
$HO^\bullet + O_2^{\bullet-} \rightarrow O_2 + OH^-$	R(5)	$3.5\ 10^{10}$	720	Elliot and Buxton, 1992	
$HO^\bullet + O_3 \rightarrow HO_2^\bullet + O_2$	R(6)	$1.0\ 10^8$		Sehested et al., 1984	
$H_2O_2 + HO^\bullet \rightarrow HO_2^\bullet + H_2O$	R(7)	$3.2\ 10^7$	1700	Christensen et al., 1982	
$HO_2^\bullet + HO_2^\bullet \rightarrow H_2O_2 + O_2$	R(8)	$8.3\ 10^5$	2700	Bielski et al., 1985	
$HO_2^\bullet + O_2^{\bullet-} \rightarrow H_2O_2 + O_2 + OH^- - H_2O$	R(9)	$9.6\ 10^7$	910	Christensen and Sehested, 1988	
$O_3 + HO_2^\bullet \rightarrow HO^\bullet + 2\ O_2$	R(10)	$<1.0\ 10^4$		Sehested et al., 1984	1
$O_3 + O_2^{\bullet-} \rightarrow HO^\bullet + 2\ O_2 + OH^- - H_2O$	R(11)	$1.5\ 10^9$	2200	Sehested et al., 1983	
$HSO_3^- + HO^\bullet \rightarrow SO_3^{\bullet-} + H_2O$	R(12)	$2.7\ 10^9$		Buxton et al., 1996b	
$SO_3^{2-} + HO^\bullet \rightarrow SO_3^{\bullet-} + OH^-$	R(13)	$4.6\ 10^9$		Buxton et al., 1996b	
TMI chemistry					
$Fe^{3+} + h\nu \rightarrow Fe^{2+} + HO^\bullet + H^+ - H_2O$	R(14)	Calculated		Benkelberg and Warneck, 1995	
$[Fe(OH)]^{2+} + h\nu \rightarrow Fe^{2+} + HO^\bullet$	R(15)	Calculated		Benkelberg and Warneck, 1995	
$[Fe(OH)_2]^+ + h\nu \rightarrow Fe^{2+} + HO^\bullet + OH^-$	R(16)	Calculated		Benkelberg et al., 1991; Weschler et al., 1986	
$[Fe(SO_4)]^+ + h\nu \rightarrow Fe^{2+} + SO_4^{\bullet-}$	R(17)	Calculated		Benkelberg and Warneck, 1995	
$H_2O_2 + Fe^{2+} \rightarrow Fe^{3+} + HO^\bullet + OH^-$	R(18)	$5.2\ 10^1$	5050	Christensen et al., 1993; Kremer, 2003	
$H_2O_2 + FeO^{2+} \rightarrow Fe^{3+} + HO_2^\bullet + OH^-$	R(19)	$9.5\ 10^3$	2800	Jacobsen et al., 1997a	
$O_2^{\bullet-} + Fe^{2+} \rightarrow Fe^{3+} + H_2O_2 - 2\ H^+$	R(20)	$1.0\ 10^7$		Rush and Bielski, 1985	
$O_2^{\bullet-} + Fe^{3+} \rightarrow Fe^{2+} + O_2$	R(21)	$1.5\ 10^8$			$= k(O_2^{\bullet-} + [Fe(OH)]^{2+})$
$O_2^{\bullet-} + [Fe(OH)]^{2+} \rightarrow Fe^{2+} + O_2 + OH^-$	R(22)	$1.5\ 10^8$		Rush and Bielski, 1985	
$O_2^{\bullet-} + [Fe(OH)_2]^+ \rightarrow Fe^{2+} + O_2 + 2\ OH^-$	R(23)	$1.5\ 10^8$			$= k(O_2^{\bullet-} + [Fe(OH)]^{2+})$

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
$HO_2^\bullet + Fe^{2+} \rightarrow Fe^{3+} + H_2O_2 - H^+$	R(24)	$1.2\ 10^6$	5050	Jayson et al., 1973a	
$HO_2^\bullet + FeO^{2+} \rightarrow Fe^{3+} + O_2 + OH^-$	R(25)	$2.0\ 10^6$		Jacobsen et al., 1997a	
$HO^\bullet + Fe^{2+} \rightarrow [Fe(OH)]^{2+}$	R(26)	$4.6\ 10^8$	1100	Christensen and Sehested, 1981	
$HO^\bullet + FeO^{2+} \rightarrow Fe^{3+} + H_2O_2 - H^+$	R(27)	$1.0\ 10^7$		Logager et al., 1992	
$O_3 + Fe^{2+} \rightarrow FeO^{2+} + O_2$	R(28)	$8.2\ 10^5$		Logager et al., 1992	
$FeO^{2+} \rightarrow Fe^{3+} + HO^\bullet + OH^- - H_2O$	R(29)	$1.3\ 10^{-2}$	4100	Jacobsen et al., 1997a	
$FeO^{2+} + Fe^{2+} \rightarrow 2\ Fe^{3+} + 2\ OH^- - H_2O$	R(30)	$7.2\ 10^4$	840	Jacobsen et al., 1997a	
$FeO^{2+} + Fe^{2+} \rightarrow Fe(OH)_2Fe^{4+} - H_2O$	R(31)	$1.8\ 10^4$	5050	Jacobsen et al., 1997a	
$Fe(OH)_2Fe^{4+} \rightarrow 2\ Fe^{3+} + 2\ OH^-$	R(32)	$4.9\ 10^{-1}$	8800	Jacobsen et al., 1997a	
$Fe(OH)_2Fe^{4+} + H^+ \rightarrow 2\ Fe^{3+} + 2\ H_2O - H^+$	R(33)	2.0	5650	Jacobsen et al., 1997a	
$Cl_2^{\bullet-} + Fe^{2+} \rightarrow Fe^{3+} + 2\ Cl^-$	R(34)	$1.0\ 10^7$	3060	Thornton and Laurence, 1973	
$Cl_2^{\bullet-} + Fe^{2+} \rightarrow [FeCl]^{2+} + Cl^-$	R(35)	$4.0\ 10^6$	3700	Thornton and Laurence, 1973	
$Cl^- + Fe(O)^{2+} \rightarrow Fe^{3+} + ClOH^- - H^+$	R(36)	$1.0\ 10^2$		Jacobsen et al., 1998b	
$NO_3^\bullet + Fe^{2+} \rightarrow Fe^{3+} + NO_3^-$	R(37)	$8.0\ 10^6$		Pikaev et al., 1974	
$NO_2 + Fe^{2+} \rightarrow Fe^{3+} + NO_2^-$	R(38)	$3.1\ 10^4$		Epstein et al., 1982	
$HNO_2 + FeO^{2+} \rightarrow Fe^{3+} + NO_2 + OH^-$	R(39)	$1.1\ 10^4$	4150	Jacobsen et al., 1998b	
$NO_2^- + FeO^{2+} \rightarrow Fe^{3+} + NO_2 + OH^- - H^+$	R(40)	$<1.0\ 10^5$		Jacobsen et al., 1998b	
$HSO_3^- + [Fe(OH)]^{2+} \rightarrow Fe^{2+} + SO_3^{\bullet-} - H_2O$	R(41)	$3.0\ 10^1$		Ziajka et al., 1994	
$SO_5^{\bullet-} + Fe^{2+} \rightarrow [Fe(OH)]^{2+} + HSO_5^- - H_2O$	R(42)	$2.6\ 10^7$		Williams, 1996	
$HSO_5^- + Fe^{2+} \rightarrow [Fe(OH)]^{2+} + SO_4^{\bullet-}$	R(43)	$3.0\ 10^4$		Gilbert and Stell, 1990	
$SO_4^{\bullet-} + Fe^{2+} \rightarrow Fe^{3+} + SO_4^{2-}$	R(44)	$4.1\ 10^9$	-2165	Buxton et al., 1997	
$O_2^{\bullet-} + [Fe(SO_4)]^+ \rightarrow Fe^{2+} + SO_4^{2-} + O_2$	R(45)	$1.5\ 10^8$		Rush and Bielski, 1985	
$S_2O_8^{2-} + Fe^{2+} \rightarrow Fe^{3+} + SO_4^{\bullet-} + SO_4^{2-}$	R(46)	$1.7\ 10^1$		Buxton et al., 1997	
$HSO_3^- + FeO^{2+} \rightarrow Fe^{3+} + SO_3^{\bullet-} + OH^-$	R(47)	$2.5\ 10^5$		Jacobsen et al., 1998b	
$Fe^{3+} + SO_4^{2-} \rightarrow [Fe(SO_4)]^+$	R(48)	$3.2\ 10^3$		Jayson et al., 1973c	
$[Fe(SO_4)]^+ \rightarrow Fe^{3+} + SO_4^{2-}$	R(49)	$2.7\ 10^1$		Jayson et al., 1973c	
$Fe^{3+} + Cl^- \rightarrow [FeCl]^{2+}$	R(50)	4.8		Xu et al., 1985	
$[FeCl]^{2+} \rightarrow Fe^{3+} + Cl^-$	R(51)	$9.2\ 10^{-1}$		Estimated following Nadtochenko and Kiwi, 1998	2
$HO^\bullet + Cu^+ \rightarrow Cu^{2+} + OH^-$	R(52)	$3.0\ 10^9$		Goldstein et al., 1992	
$O_3 + Cu^+ \rightarrow Cu^{2+} + HO^\bullet + O_2 - H^+$	R(53)	$3.0\ 10^7$		Hoigné and Bühler, 1996	
$O_2 + Cu^+ \rightarrow Cu^{2+} + O_2^{\bullet-}$	R(54)	$4.6\ 10^5$		Bjergbakke et al., 1976	
$H_2O_2 + Cu^+ \rightarrow Cu^{2+} + HO^\bullet + OH^-$	R(55)	$7.0\ 10^3$		Berdnikov, 1973	
$HO_2^\bullet + Cu^+ \rightarrow Cu^{2+} + H_2O_2 - H^+$	R(56)	$3.5\ 10^9$		Berdnikov, 1973	

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
$O_2^{\bullet-} + Cu^+ \rightarrow Cu^{2+} + H_2O_2$ - 2 H^+	R(57)	9.4 10^9		Piechowski et al., 1993	
$HO_2^{\bullet} + Cu^{2+} \rightarrow Cu^+ + O_2 + H^+$	R(58)	1.0 10^8		Rabani et al., 1973	
$O_2^{\bullet-} + Cu^{2+} \rightarrow Cu^+ + O_2$	R(59)	8.0 10^9		Rabani et al., 1973	
$Cl_2^{\bullet-} + Cu^+ \rightarrow Cu^{2+} + 2\ Cl^-$	R(60)	1.0 10^7	3060		= k($Cl_2^{\bullet-}$ + Fe^{2+})
$SO_4^{\bullet-} + Cu^+ \rightarrow Cu^{2+} + SO_4^{2-}$	R(61)	4.1 10^9	-2165		= k($SO_4^{\bullet-}$ + Fe^{2+})
$Cu^{2+} + HO^{\bullet} \rightarrow [Cu(OH)]^{2+}$	R(62)	3.5 10^8		Meyerstein, 1971	
$[Cu(OH)]^{2+} \rightarrow Cu^{2+} + HO^{\bullet}$	R(63)	3.0 10^4		Meyerstein, 1971	
$Fe^{3+} + Cu^+ \rightarrow Fe^{2+} + Cu^{2+}$	R(64)	1.3 10^7		Buxton et al., 1995	
$[Fe(OH)]^{2+} + Cu^+ \rightarrow Fe^{2+} + Cu^{2+} + OH^-$	R(65)	1.3 10^7			= k(Fe^{3+} + Cu^+)
$[Fe(OH)_2]^+ + Cu^+ \rightarrow Fe^{2+} + Cu^{2+} + 2\ OH^-$	R(66)	1.3 10^7			= k(Fe^{3+} + Cu^+)
$HO^{\bullet} + Mn^{2+} \rightarrow [Mn(OH)]^{2+}$	R(67)	2.0 10^7		Jacobsen et al., 1997b	
$O_3 + Mn^{2+} \rightarrow MnO^{2+} + O_2$	R(68)	1.6 10^3	4750	Jacobsen et al., 1998a	
$MnO^{2+} + Mn^{2+} \rightarrow 2\ Mn^{3+} + H_2O$ - 2 H^+	R(69)	1.0 10^5		Jacobsen et al., 1998a	
$MnO_2^+ + MnO_2^+ \rightarrow 2\ Mn^{2+} + H_2O_2 + O_2$ - 2 H^+	R(70)	6.0 10^6		Jacobsen et al., 1997b	
$HO_2^{\bullet} + MnO_2^+ \rightarrow Mn^{2+} + H_2O_2 + O_2$ - H^+	R(71)	1.0 10^7		Jacobsen et al., 1997b	
$H_2O_2 + Mn^{3+} \rightarrow Mn^{2+} + HO_2^{\bullet} + H^+$	R(72)	7.3 10^4		Davies, 1969	
$H_2O_2 + [Mn(OH)]^{2+} \rightarrow MnO_2^+ + H^+ + H_2O$	R(73)	2.8 10^3		Jacobsen et al., 1997b	
$H_2O_2 + Mn^{4+} \rightarrow Mn^{2+} + O_2 + 2\ H^+$	R(74)	1.2 10^8		Jacobsen et al., 1998a	
$NO_3^{\bullet} + Mn^{2+} \rightarrow Mn^{3+} + NO_3^-$	R(75)	1.1 10^6		Neta and Huie, 1986	
$Cl_2^{\bullet-} + Mn^{2+} \rightarrow Mn^{3+} + 2\ Cl^-$	R(76)	8.5 10^6	4090	Laurence and Thornton, 1973	
$Cl_2^{\bullet-} + Mn^{2+} \rightarrow MnCl_2^+$	R(77)	2.0 10^7	4090	Laurence and Thornton, 1973	
$[MnCl_2]^+ \rightarrow Mn^{2+} + Cl_2^{\bullet-}$	R(78)	3.0 10^5		Laurence and Thornton, 1973	
$[MnCl_2]^+ \rightarrow Mn^{3+} + 2\ Cl^-$	R(79)	2.1 10^5	2100	Laurence and Thornton, 1973	
$HSO_5^- + Mn^{2+} \rightarrow Mn^{3+} + SO_4^- + OH^-$	R(80)	3.0 10^4			= k(HSO_5^- + Fe^{2+})
$SO_4^{\bullet-} + Mn^{2+} \rightarrow Mn^{3+} + SO_4^{2-}$	R(81)	1.8 10^7	4100	Buxton et al., 1997	
$SO_5^{\bullet-} + Mn^{2+} \rightarrow Mn^{3+} + HSO_5^- + OH^-$ - H_2O	R(82)	1.0 10^8		Fronaeus et al., 1998	
$[MnHSO_3]^+ + Mn^{3+} \rightarrow 2\ Mn^{2+} + SO_3^- + H^+$	R(83)	1.3 10^6		Berglund et al., 1993	
$CO_3^{\bullet-} + Mn^{2+} \rightarrow Mn^{3+} + CO_3^{2-}$	R(84)	1.5 10^7		Cope et al., 1978	
$Mn^{3+} + Fe^{2+} \rightarrow Mn^{2+} + Fe^{3+}$	R(85)	1.3 10^4		Davies, 1969	
$[Mn(OH)]^{2+} + Fe^{2+} \rightarrow Mn^{2+} + [Fe(OH)]^{2+}$	R(86)	2.1 10^4		Davies, 1969	
$Mn^{2+} + FeO^{2+} \rightarrow Mn^{3+} + Fe^{3+} + H_2O$ - 2 H^+	R(87)	1.0 10^4	2700	Jacobsen et al., 1998a	
$Mn^{2+} + O_2^{\bullet-} \rightarrow MnO_2^+$	R(88)	9.5 10^7		Jacobsen et al., 1997b	
$MnO_2^+ \rightarrow Mn^{2+} + O_2^{\bullet-}$	R(89)	7.5 10^3		Jacobsen et al., 1997b	
$Mn^{2+} + HO_2^{\bullet} \rightarrow MnO_2^+ + H^+$	R(90)	1.4 10^6		Jacobsen et al., 1997b	

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
$MnO_2^+ + H^+ \rightarrow Mn^{2+} + HO_2^\bullet$	R(91)	$1.4\ 10^7$		Jacobsen et al., 1997b	
$Mn^{3+} + Mn^{3+} \rightarrow Mn^{2+} + Mn^{4+}$	R(92)	$1.0\ 10^7$			3
$Mn^{2+} + Mn^{4+} \rightarrow Mn^{3+} + Mn^{3+}$	R(93)	$1.0\ 10^7$			3
$Mn^{2+} + HSO_3^- \rightarrow [MnHSO_3]^+$	R(94)	$3.0\ 10^7$		Berglund et al., 1993	
$[MnHSO_3]^+ \rightarrow Mn^{2+} + HSO_3^-$	R(95)	$1.0\ 10^3$		Berglund et al., 1993	
Chlorine chemistry					
$HO^\bullet + Cl^- \rightarrow OHCl^-$	R(96)	$4.3\ 10^9$		Jayson et al., 1973b	
$OHCl^- \rightarrow Cl^- + HO^\bullet$	R(97)	$6.1\ 10^9$		Jayson et al., 1973b	
$Cl^\bullet \rightarrow OHCl^- + H^+ - H_2O$	R(98)	$1.7\ 10^5$		Yu, 2004	
$OHCl^- + H^+ \rightarrow Cl^\bullet + H_2O$	R(99)	$3.3\ 10^{10}$		Yu and Barker, 2003	
$Cl^\bullet + Cl^- \rightarrow Cl_2^{\bullet-}$	R(100)	$7.8\ 10^9$		Yu and Barker, 2003	
$Cl_2^{\bullet-} \rightarrow Cl^\bullet + Cl^-$	R(101)	$5.7\ 10^4$		Yu and Barker, 2003	
$Cl_2^{\bullet-} \rightarrow OHCl^- + Cl^- + H^+ - H_2O$	R(102)	$1.3.10^3$		Yu, 2004	
$Cl_2^{\bullet-} + OH^- \rightarrow OHCl^- + Cl^-$	R(103)	$2.0\ 10^7$		Grigor'ev et al., 1987	
$OHCl^- + Cl^- \rightarrow Cl_2^{\bullet-} + OH^-$	R(104)	$1.0\ 10^4$		Grigor'ev et al., 1987	
$Cl_2^{\bullet-} + Cl_2^{\bullet-} \rightarrow Cl_2 + 2\ Cl^-$	R(105)	$9.0\ 10^8$		Yu, 2004	
$Cl_2^{\bullet-} + Cl^\bullet \rightarrow Cl_2 + Cl^-$	R(106)	$2.1\ 10^9$		Yu, 2004	
$Cl_2 \rightarrow Cl^- + HOCl + H^+ - H_2O$	R(107)	$2.2\ 10^1$	7600	Wang and Margerum, 1994	
$Cl^- + HOCl + H^+ \rightarrow Cl_2 + H_2O$	R(108)	$2.1\ 10^4$	3500	Wang and Margerum, 1994	
$HOCl + HO_2^\bullet \rightarrow Cl^\bullet + O_2 + H_2O$	R(109)	$7.5\ 10^6$			= k($HOCl + O_2^{\bullet-}$)
$HOCl + O_2^{\bullet-} \rightarrow Cl^\bullet + O_2 + OH^-$	R(110)	$7.5\ 10^6$		Long and Bielski, 1980	
$Cl_2 + HO_2^\bullet \rightarrow Cl_2^{\bullet-} + O_2 + H^+$	R(111)	$1.0\ 10^9$		Bjergbakke et al., 1981	
$Cl_2 + O_2^{\bullet-} \rightarrow Cl_2^{\bullet-} + O_2$	R(112)	$1.0\ 10^9$			= k($Cl_2 + HO_2^\bullet$)
$HO_2^\bullet + Cl^\bullet \rightarrow Cl^- + O_2 + H^+$	R(113)	$3.1\ 10^9$	1500	Graedel and Goldberg, 1983	
$H_2O_2 + Cl^\bullet \rightarrow Cl^- + HO_2^\bullet + H^+$	R(114)	$2.0\ 10^9$		Yu and Barker, 2003	
$Cl^- + NO_3^\bullet \rightarrow NO_3^- + Cl^\bullet$	R(115)	$1.0\ 10^7$	4300	Exner et al., 1992	
$NO_3^- + Cl^\bullet \rightarrow Cl^- + NO_3^\bullet$	R(116)	$1.0\ 10^8$		Buxton et al., 2000	
$SO_4^{\bullet-} + Cl^- + \rightarrow SO_4^{2-} + Cl^\bullet$	R(117)	$2.5\ 10^8$		Buxton et al., 1999	
$SO_4^{2-} + Cl^\bullet \rightarrow SO_4^{\bullet-} + Cl^-$	R(118)	$2.1\ 10^8$		Buxton et al., 1999	
$HO^\bullet + Cl_2^{\bullet-} \rightarrow OHCl + Cl^-$	R(119)	$1.0\ 10^9$		Wagner et al., 1986	
$HO_2^\bullet + Cl_2^{\bullet-} \rightarrow O_2 + 2\ Cl^- + H^+$	R(120)	$1.3\ 10^{10}$		Jacobi et al., 1996	
$O_2^{\bullet-} + Cl_2^{\bullet-} \rightarrow O_2 + 2\ Cl^-$	R(121)	$6.0\ 10^9$		Jacobi et al., 1996	
$H_2O_2 + Cl_2^{\bullet-} \rightarrow 2\ Cl^- + HO_2^\bullet + H^+$	R(122)	$6.2\ 10^6$		Yu, 2004	
$O_3 + Cl_2^{\bullet-} \rightarrow OHCl + Cl^\bullet + O_2 + OH^- - H_2O$	R(123)	$9.0\ 10^7$		Bielski, 1993	
$HSO_3^- + Cl_2^{\bullet-} \rightarrow SO_3^{\bullet-} + 2\ Cl^- + H^+$	R(124)	$1.7\ 10^8$	400	Jacobi et al., 1996	

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
$SO_3^{2-} + Cl_2^{\bullet-} \rightarrow SO_3^{\bullet-} + 2\ Cl^-$	R(125)	$6.2\ 10^7$		Jacobi et al., 1996	
Carbonate chemistry					
$HCO_3^- + HO^\bullet \rightarrow CO_3^{\bullet-} + H_2O$	R(126)	$4.2\ 10^8$	2840		= $k(CO_3^{2-} + HO^\bullet)$
$CO_3^{2-} + HO^\bullet \rightarrow CO_3^{\bullet-} + OH^-$	R(127)	$4.2\ 10^8$	2840	Buxton et al., 1988	
$HCO_3^- + SO_4^{\bullet-} \rightarrow SO_4^{2-} + CO_3^{\bullet-} + H^+$	R(128)	$2.8\ 10^6$	2100	Huie and Clifton, 1990	
$CO_3^{2-} + SO_4^{\bullet-} \rightarrow SO_4^{2-} + CO_3^{\bullet-}$	R(129)	$4.1\ 10^6$	3200	Padmaja et al., 1993	
$HCO_3^- + Cl^\bullet \rightarrow Cl^- + CO_3^{\bullet-} + H^+$	R(130)	$2.4\ 10^9$		Buxton et al., 2000	
$CO_3^{2-} + Cl^\bullet \rightarrow Cl^- + CO_3^{\bullet-}$	R(131)	$5.0\ 10^8$		Mertens and Von Sonntag, 1995	
$CO_3^{\bullet-} + CO_3^{\bullet-} \rightarrow 2\ O_2^{\bullet-} + 2\ CO_2 - O_2$	R(132)	$2.2\ 10^6$		Huie and Clifton, 1990	
$CO_3^{\bullet-} + HO_2^\bullet \rightarrow HCO_3^- + O_2$	R(133)	$5.6\ 10^7$		Behar et al., 1970	
$CO_3^{\bullet-} + O_2^{\bullet-} \rightarrow CO_3^{2-} + O_2$	R(134)	$6.5\ 10^8$		Eriksen et al., 1985	
$CO_3^{\bullet-} + H_2O_2 \rightarrow HO_2^\bullet + HCO_3^-$	R(135)	$4.3\ 10^5$		Draganic et al., 1991	
$CO_3^{\bullet-} + SO_3^{2-} \rightarrow CO_3^{2-} + SO_3^{\bullet-}$	R(136)	$2.9\ 10^7$	470	Huie et al., 1991	
$CO_3^{\bullet-} + O_3 \rightarrow CO_2 + O_2^{\bullet-} + O_2$	R(137)	$1.0\ 10^5$		Sehested et al., 1983	
$CO_3^{\bullet-} + NO_2 \rightarrow CO_2 + NO_3^-$	R(138)	$1.0\ 10^9$		Lilie et al., 1978	
N chemistry					
$HNO_2 + h\nu \rightarrow NO + HO^\bullet$	R(139)	Calculated		Graedel and Weschler, 1981	
$NO_2^- + h\nu + H_2O \rightarrow NO + HO^\bullet + OH^-$	R(140)	Calculated		Graedel and Weschler, 1981 ; Zellner et al., 1990	
$HNO_2 + HO^\bullet \rightarrow NO_2 + H_2O$	R(141)	$1.0\ 10^{10}$		Barker et al., 1970	
$NO_2^- + HO^\bullet \rightarrow NO_2 + OH^-$	R(142)	$9.1\ 10^9$		Barker et al., 1970	
$HNO_2 + H_2O_2 + H^+ \rightarrow NO_3^- + 2\ H^+ + H_2O$	R(143)	$6.3\ 10^3$	6700	Lee and Lind, 1986	
$NO_2^- + O_3 \rightarrow NO_3^- + O_2$	R(144)	$5.0\ 10^5$	6900	Damschen and Martin, 1983	
$HNO_2 + NO_3^\bullet \rightarrow NO_2 + NO_3^- + H^+$	R(145)	$8.0\ 10^6$		Katsumura, 1998	
$NO_2^- + NO_3^\bullet \rightarrow NO_2 + NO_3^-$	R(146)	$1.4\ 10^9$		Herrmann and Zellner, 1998	
$NO_2^- + CO_3^{\bullet-} \rightarrow NO_2 + CO_3^{2-}$	R(147)	$6.6\ 10^5$	850	Huie et al., 1991	
$NO_2^- + Cl^\bullet \rightarrow NO_2 + Cl^-$	R(148)	$5.0\ 10^9$		Buxton et al., 2000	
$NO_2 + HO^\bullet \rightarrow NO_3^- + H^+$	R(149)	$1.2\ 10^{10}$		Wagner et al., 1980	
$NO_2 + HO_2^\bullet \rightarrow HNO_4$	R(150)	$1.8\ 10^9$		Logager and Sehested, 1993	
$NO_2 + O_2^{\bullet-} \rightarrow NO_4^-$	R(151)	$4.5\ 10^9$		Logager and Sehested, 1993	
$HNO_4 \rightarrow HO_2^\bullet + NO_2$	R(152)	$2.6\ 10^{-2}$		Goldstein and Czapski, 1997	
$HNO_4 \rightarrow HNO_2 + O_2$	R(153)	$7.0\ 10^{-4}$		Logager and	

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
				Sehested, 1993	
$NO_4^- \rightarrow NO_2^- + O_2$	R(154)	1.1		Goldstein and Czapski, 1997	
$NO_4^- \rightarrow NO_2 + O_2^{\bullet-}$	R(155)	1.3		Goldstein and Czapski, 1997	
$HNO_4 + HSO_3^- \rightarrow SO_4^{2-} + NO_3^- + 2\ H^+$	R(156)	$3.3\ 10^5$		Amels et al., 1996	
$NO_2 + NO_2 \rightarrow HNO_2 + NO_3^- + H^+ - H_2O$	R(157)	$8.4\ 10^7$	-2900	Park and Lee, 1988	
$NO_2 + NO \rightarrow 2\ NO_2^- + 2H^+ - H_2O$	R(158)	$3.0\ 10^8$		Hoffmann and Calvert, 1985	
$NO + HO^{\bullet} \rightarrow NO_2^- + H^+$	R(159)	$2.0\ 10^{10}$	1500	Strehlow and Wagner, 1982	
$NO_3^- + h\nu \rightarrow NO_2 + HO^{\bullet} + OH^- - H_2O$	R(160)	Calculated		Graedel and Weschler, 1981 ; Zellner et al., 1990	
$N_2O_5 \rightarrow 2\ HNO_3 - H_2O$	R(161)	$1.0\ 10^6$		Estimated	4
$NO_3^{\bullet} + h\nu \rightarrow NO + O_2$	R(162)	Calculated		Graedel and Weschler, 1981	
$NO_3^{\bullet} + HO_2^{\bullet} \rightarrow NO_3^- + H^+ + O_2$	R(163)	$3.0\ 10^9$		Sehested et al., 1994	
$NO_3^{\bullet} + O_2^{\bullet-} \rightarrow NO_3^- + O_2$	R(164)	$3.0\ 10^9$			= $k(NO_3^{\bullet} + HO_2^{\bullet})$
$NO_3^{\bullet} + OH^- \rightarrow NO_3^- + HO^{\bullet}$	R(165)	$9.4\ 10^7$	2700	Exner et al., 1992	
$NO_3^{\bullet} + H_2O_2 \rightarrow NO_3^- + H^+ + HO_2^{\bullet}$	R(166)	$4.9\ 10^6$	2000	Herrmann et al., 1994	
$NO_3^{\bullet} + HSO_4^- \rightarrow NO_3^- + H^+ + SO_4^{\bullet-}$	R(167)	$2.6\ 10^5$		Raabe, 1996	
$NO_3^{\bullet} + SO_4^{2-} \rightarrow NO_3^- + SO_4^{\bullet-}$	R(168)	$1.0\ 10^5$		Logager and Sehested, 1993	
$NO_3^{\bullet} + HSO_3^- \rightarrow SO_3^{\bullet-} + NO_3^- + H^+$	R(169)	$1.3\ 10^9$	2200	Exner et al., 1992	
$NO_3^{\bullet} + SO_3^{2-} \rightarrow NO_3^- + SO_3^{\bullet-}$	R(170)	$3.0\ 10^8$		Exner et al., 1992	
S chemistry					
$HSO_3^- + CH_2O \rightarrow CH_2(OH)SO_3^-$	R(171)	$7.9\ 10^2$	2990	Olson and Hoffmann, 1989	
$SO_3^{2-} + CH_2(OH)(OH) \rightarrow CH_2(OH)SO_3^- + OH^-$	R(172)	$2.5\ 10^7$	2450	Olson and Hoffmann, 1989	
$CH_2(OH)SO_3^- \rightarrow HSO_3^- + CH_2O$	R(173)	$7.7\ 10^{-3}$	9200	Möller and Mauersberger, 1995	
$CH_2(OH)SO_3^- + OH^- \rightarrow SO_3^{2-} + CH_2(OH)(OH)$	R(174)	$3.7\ 10^3$		Deister et al., 1986	
$CH_2(OH)SO_3^- + HO^{\bullet} \rightarrow HO_2^{\bullet} + CHO(OH) + HSO_3^- - O_2$	R(175)	$3.0\ 10^8$		Buxton, 1994	
$CH_2(OH)SO_3^- + NO_3^{\bullet} \rightarrow NO_3^- + SO_4^{2-} + 2\ H^+ + CH_2(OH)(OO^{\bullet}) - H_2O - O_2$	R(176)	$4.2\ 10^6$		Herrmann et al., 1996	
$CH_2(OH)SO_3^- + Cl_2^{\bullet-} \rightarrow 2\ Cl^- + SO_4^{2-} + 2\ H^+ + CH_2(OH)(OO^{\bullet}) - H_2O - O_2$	R(177)	$5.0\ 10^5$		Jacobi et al., 1996	
$CH_2(OH)SO_3^- + SO_4^{\bullet-} \rightarrow 2\ SO_4^{2-} + 2\ H^+ + CH_2(OH)(OO^{\bullet}) - H_2O - O_2$	R(178)	$2.8\ 10^6$		Buxton, 1994	
$SO_3^{\bullet-} + O_2 \rightarrow SO_5^{\bullet-}$	R(179)	$1.1\ 10^9$		Das, 2001	
$SO_3^{\bullet-} + SO_3^{\bullet-} \rightarrow S_2O_6^{2-}$	R(180)	$1.6\ 10^7$	1200	Buxton et al., 1996c	

Reactions		k_{298} (M^{-n+1} s^{-1})	Ea/R (K)	References	Notes
$SO_5^{\bullet-} + HSO_3^- \rightarrow HSO_5^- + SO_3^{\bullet-}$	R(181)	$8.6\ 10^3$		Buxton et al., 1996c	
$SO_5^{\bullet-} + HSO_3^- \rightarrow SO_4^{\bullet-} + SO_4^{2-} + H^+$	R(182)	$3.6\ 10^2$		Buxton et al., 1996c	
$SO_5^{\bullet-} + SO_3^{2-} \rightarrow HSO_5^- + SO_3^- + OH^- - H_2O$	R(183)	$2.1\ 10^5$		Buxton et al., 1996c	
$SO_5^{\bullet-} + SO_3^{2-} \rightarrow SO_4^{\bullet-} + SO_4^{2-}$	R(184)	$5.5\ 10^5$		Buxton et al., 1996c	
$SO_5^{\bullet-} + HO_2^{\bullet} \rightarrow HSO_5^- + O_2$	R(185)	$1.7\ 10^9$		Buxton et al., 1996a	
$SO_5^{\bullet-} + O_2^{\bullet-} \rightarrow HSO_5^- + O_2 + OH^- - H_2O$	R(186)	$2.3\ 10^8$		Buxton et al., 1996c	
$SO_5^{\bullet-} + SO_5^{\bullet-} \rightarrow 2\ SO_4^{\bullet-} + O_2$	R(187)	$2.1\ 10^8$		Das, 2001	
$SO_5^{\bullet-} + SO_5^{\bullet-} \rightarrow S_2O_8^{2-} + O_2$	R(188)	$2.2\ 10^8$		Das, 2001	
$HSO_5^- + HSO_3^- + H^+ \rightarrow 2\ SO_4^{2-} + 3\ H^+$	R(189)	$1.0\ 10^7$		Das, 2001	
$HSO_5^- + SO_3^{2-} + H^+ \rightarrow 2\ SO_4^{2-} + 2\ H^+$	R(190)	$1.0\ 10^7$			$= k(HSO_5^- + HSO_3^-)$
$HSO_5^- + HO^{\bullet} \rightarrow SO_5^{\bullet-} + H_2O$	R(191)	$5.0\ 10^6$		Das, 2001	
$HSO_5^- + SO_4^{\bullet-} \rightarrow SO_5^{\bullet-} + HSO_4^-$	R(192)	$1.0\ 10^6$		Das, 2001	
$SO_4^{\bullet-} + SO_4^{\bullet-} \rightarrow S_2O_8^{2-}$	R(193)	$7.0\ 10^8$		Das, 2001	
$SO_4^{\bullet-} \rightarrow HSO_4^- + HO^{\bullet} - H_2O$	R(194)	$4.6\ 10^2$	1100	Herrmann et al., 1995	
$SO_4^{\bullet-} + HSO_3^- \rightarrow SO_4^{2-} + H^+ + SO_3^{\bullet-}$	R(195)	$6.8\ 10^8$		Buxton et al., 1996c	
$SO_4^{\bullet-} + SO_3^{2-} \rightarrow SO_4^{2-} + SO_3^{\bullet-}$	R(196)	$3.1\ 10^8$	1200	Buxton et al., 1996c	
$SO_4^{\bullet-} + HO^{\bullet} \rightarrow HSO_5^-$	R(197)	$9.0\ 10^9$		Buxton et al., 1996c	
$SO_4^{\bullet-} + HO_2^{\bullet} \rightarrow SO_4^{2-} + H^+ + O_2$	R(198)	$3.5\ 10^9$		Jiang et al., 1992	
$SO_4^{\bullet-} + O_2^{\bullet-} \rightarrow SO_4^{2-} + O_2$	R(199)	$4.0\ 10^9$		Buxton et al., 1996c	
$SO_4^{\bullet-} + OH^- \rightarrow SO_4^{2-} + HO^{\bullet}$	R(200)	$2.0\ 10^7$		Ross et al., 1994	
$SO_4^{\bullet-} + H_2O_2 \rightarrow SO_4^{2-} + HO_2^{\bullet} + H^+$	R(201)	$1.2\ 10^7$		Maruthamuthu and Neta, 1978	
$SO_4^{\bullet-} + NO_3^- \rightarrow SO_4^{2-} + NO_3^{\bullet}$	R(202)	$5.0\ 10^4$		Exner et al., 1992	
$HSO_4^- + HO^{\bullet} \rightarrow H_2O + SO_4^{\bullet-}$	R(203)	$3.5\ 10^5$		Tang et al., 1988	
$SO_4^{\bullet-} \rightarrow HSO_4^- + HO^{\bullet} - H_2O$	R(204)	$3.6\ 10^2$		Tang et al., 1988	
$HSO_3^- + O_3 \rightarrow HSO_4^- + O_2$	R(205)	$3.7\ 10^5$	5500	Hoffmann, 1986	
$SO_3^{2-} + O_3 \rightarrow SO_4^{2-} + O_2$	R(206)	$1.5\ 10^9$	5300	Hoffmann, 1986	
$HSO_3^- + H_2O_2 \rightarrow SO_4^{2-} + 2\ H^+ + H_2O - H^+$	R(207)	$9.1\ 10^7$	3600	Maaß et al., 1999	

1 - Sehested et al. (1984) argue that this reaction is very slow with a rate constant lower than 10^4 M^{-1} s^{-1}.

2 - Xu et al. (1985) calculated $k(Fe^{3+} + Cl^-) = 4.8$ M^{-1} s^{-1}. The equilibrium constant from Nadtochenko and Kiwi (1998) is equal to 5.3 M^{-1}. Therefore we calculate the backward rate constant by 4.8/5.3 = $9.1\ 10^{-1}$ s^{-1}.

3 - The equilibrium constant $2\ Mn^{3+} \leftrightarrow Mn^{2+} + Mn^{4+}$ is evaluated by Jacobsen et al. (1998b) and Rosseinski (1963) between 100 and 10^{-2}. We decide to suppose a value of 1. The forward and backward rate constants are supposed to be rapid following Rosseinski (1963) and are set at 10^7 M^{-1} s^{-1}.

4 - We suppose that the N_2O_5 hydrolysis is fast with a first order rate constant equal to 10^6 s^{-1} (Bertram and Thornton, 2009).

References:

Bertram, T. H., and Thornton, J. A.: Toward a general parameterization of N_2O_5 reactivity on aqueous particles: the competing effects of particle liquid water, nitrate and chloride, Atmos. Chem. Phys., 9, 8351-8363, 10.5194/acp-9-8351-2009, 2009.

Jacobsen, F., Holcman, J., and Sehested, K.: Oxidation of manganese(II) by ozone and reduction of manganese(III) by hydrogen peroxide in acidic solution, Inter. J. Chem. Kin., 30, 207-214, 10.1002/(sici)1097-4601(1998)30:3<207::aid-kin6>3.0.co;2-w, 1998a.
Nadtochenko, V. A., and Kiwi, J.: Photolysis of $FeOH^{2+}$ and $FeCl^{2+}$ in aqueous solution. Photodissociation kinetics and quantum yields, Inorg. Chem., 37, 5233-5238, 10.1021/ic9804723, 1998.
Rosseinski, D. R.: The reaction between Mercury (I) and Manganese (II) in aqueous perchlorate solution, J. Chem. Soc., 1181-1186, 1963.
Sehested, K., Holcman, J., Bjergbakke, E., and Hart, E. J.: A pulse radiolytic study of the reaction hydroxyl + ozone in aqueous medium, J. Phys. Chem., 88, 4144-4147, 10.1021/j150662a058, 1984.
Xu, F. C., Krouse, H. R., and Swaddle, T. W.: Conjugate base pathway for water exchange on aqueous chromium(III): variable-pressure and -temperature kinetic study, Inorg. Chem., 24, 267-270, 10.1021/ic00197a005, 1985.

Equilibria

Species		K_a or K_h	-ΔH/R (K)	References	Notes
$H_2O_2 \leftrightarrow HO_2^- + H^+$	T(1)	$2.2\ 10^{-12}$	-3730	Smith and Martell, 1976	
$HO_2^\bullet \leftrightarrow O_2^{\bullet-} + H^+$	T(2)	$1.6\ 10^{-5}$		Bielski et al., 1985	
$HNO_2 \leftrightarrow NO_2^- + H^+$	T(3)	$1.6\ 10^{-3}$	1760	Park and Lee, 1988; Riordan et al., 2005	
$HNO_3 \leftrightarrow NO_3^- + H^+$	T(4)	$2.2\ 10^{1}$		N.B.S, 1965	
$HNO_4 \leftrightarrow NO_4^- + H^+$	T(5)	$1.3\ 10^{-6}$		Goldstein and Czapski, 1997	
$NH_3 + H_2O \leftrightarrow NH_4^+ + OH^-$	T(6)	$1.7\ 10^{-5}$	560	N.B.S, 1965	
$HCl \leftrightarrow Cl^- + H^+$	T(7)	$1.7\ 10^{6}$	-6890	Marsh and McElroy, 1985	
$SO_2 + H_2O \leftrightarrow HSO_3^- + H^+$	T(8)	$1.3\ 10^{-2}$	-1960	Maash, 1982	
$HSO_3^- \leftrightarrow SO_3^{2-} + H^+$	T(9)	$6.4\ 10^{-8}$	-1430	Maash, 1982	
$H_2SO_4 \leftrightarrow HSO_4^- + H^+$	T(10)	$1.0\ 10^{3}$		Cotton and Wilkinson, 1980	
$HSO_4^- \leftrightarrow SO_4^{2-} + H^+$	T(11)	$1.0\ 10^{-2}$		Eigen et al., 1964	
$Fe^{3+} + H_2O \leftrightarrow [Fe(OH)]^{2+} + H^+$	T(12)	$6.0\ 10^{-3}$		Brandt and van Eldik, 1995	
$[Fe(OH)]^{2+} + H_2O \leftrightarrow [Fe(OH)_2]^+ + H^+$	T(13)	$7.6\ 10^{-4}$		Brandt and van Eldik, 1995	
$Mn^{3+} + H_2O \leftrightarrow [Mn(OH)]^{2+} + H^+$	T(14)	$9.1\ 10^{-1}$		Wells and Davies, 1967	
$[Mn(OH)]^{2+} + H_2O \leftrightarrow [Mn(OH)_2]^+ + H^+$	T(15)	$1.0\ 10^{-5}$		Baral et al., 1986	
$CO_2 + H_2O \leftrightarrow HCO_3^- + H^+$	T(16)	$4.2\ 10^{-7}$		Cotton and Wilkinson, 1980	
$HCO_3^- \leftrightarrow CO_3^{2-} + H^+$	T(17)	$4.8\ 10^{-11}$		Cotton and Wilkinson, 1980	

Henry's law constants

Species		H (298K) ($M\ atm^{-1}$)	-ΔH/R (K)	References	Notes
Inorganic compounds					
O_2	T(1)	$1.3\ 10^{-3}$	1500	Lide and Frederikse, 1995	
O_3	T(2)	$1.0\ 10^{-2}$	2830	Sander, 2014	
$HO_2^{\bullet}$	T(3)	$6.9\ 10^{2}$	6640	Sander, 2014	
$HO^{\bullet}$	T(4)	$3.9\ 10^{1}$		Sander, 2014	
H_2O_2	T(5)	$7.7\ 10^{4}$	7310	Sander, 2014	
NO_2	T(6)	$1.4\ 10^{-2}$	2520	Sander, 2014	
NO	T(7)	$1.9\ 10^{-3}$	1790	Sander, 2014	
$NO_3^{\bullet}$	T(8)	$3.8\ 10^{-2}$		Sander, 2014	
N_2O_5	T(9)	2.1	3400	Fried et al., 1994	
HNO_2	T(10)	$4.9\ 10^{1}$	4880	Becker et al., 1996	
HNO_3	T(11)	$2.1\ 10^{5}$	8700	Schwartz and White, 1981	
HNO_4	T(12)	$1.2\ 10^{4}$	6900	Régimbal and Mozurkewich, 1997	
NH_3	T(13)	$6.0\ 10^{1}$	4160	Sander, 2014	
HCl	T(14)	1.1	2020	Marsh and McElroy, 1985	
SO_2	T(15)	1.4	2900	Lide and Frederikse, 1995	
H_2SO_4	T(16)	$2.1\ 10^{5}$	8700		= $H_{298}(HNO_3)$
CO_2	T(17)	$3.4\ 10^{-2}$	2710	Sander, 2014	

Accommodation coefficients

Species		α (298K)	-ΔH (J/mol)	--ΔS (J/mol/K)	References	Notes
O_2	T(1)	$5.0\ 10^{-2}$			Estimated	1
O_3	T(2)	$4.0\ 10^{-2}$			Müller and Heal, 2002	
$HO_2^{\bullet}$	T(3)	$2.0\ 10^{-1}$			Sander, 2014	
$HO^{\bullet}$	T(4)	$5.0\ 10^{-2}$			Estimated	1
H_2O_2	T(5)	$1.1\ 10^{-1}$	$2.3\ 10^{4}$	$9.4\ 10^{1}$	Davidovits et al., 2011	
HCl	T(6)	$6.7\ 10^{-2}$	$3.0\ 10^{4}$	$1.2\ 10^{2}$	Davidovits et al., 2011	
NO_2	T(7)	$1.5\ 10^{-3}$			Ponche et al., 1993	
NO	T(8)	$1.0\ 10^{-4}$			Saastad et al., 1993	
$NO_3^{\bullet}$	T(9)	$5.0\ 10^{-2}$			Sander, 2014	1
N_2O_5	T(10)	$3.7\ 10^{-3}$			George et al., 1994	
NH_3	T(11)	$4.0\ 10^{-2}$			Bongartz et al., 1995	
HNO_2	T(12)	$5.0\ 10^{-2}$			Bongartz et al., 1995a	
HNO_3	T(13)	$6.1\ 10^{-2}$	$2.8\ 10^{4}$	$1.2\ 10^{2}$	Davidovits et al., 2011	
HNO_4	T(14)	$5.0\ 10^{-2}$			Estimated	1
SO_2	T(15)	$1.3\ 10^{-1}$	$3.2\ 10^{4}$	$1.2\ 10^{2}$	Davidovits et al., 2011	
H_2SO_4	T(16)	$7.0\ 10^{-2}$			Davidovits et al., 1995	
CO_2	T(17)	$2.0\ 10^{-4}$			Schurath et al., 1996	

1 - Estimated equal to 0.05 following Lelieveld and Crutzen, (1991) and Davidovits et al., (2011).

References:

Davidovits, P., Kolb, C. E., Williams, L. R., Jayne, J. T., and Worsnop, D. R.: Update 1 of: Mass accommodation and chemical reactions at gas–liquid interfaces, Chem. Rev., 111, 2011.
Lelieveld, J., and Crutzen, P. J.: The role of clouds in tropospheric photochemistry, J. Atmos. Chem., 12, 229-267, 1991.

REFERENCES

Amels, T., Elias, H., Götz, U., Steingens, U., and Wannowius, K. J.: Kinetic investigation of the stability of peroxonitric acid and its reaction with sulfur(IV) in aqueous solution, in: Heterogeneous and liquid-phase processes, 1, 1996.

Baral, S., Lume-Pereira, C., Janata, E., and Henglein, A.: Chemistry of colloidal manganese oxides. 3. Formation in the reaction of hydroxyl radicals with Mn^{2+} ions, J. Phys. Chem., 90, 6025-6028, 10.1021/j100280a113, 1986.

Barker, G. C., Fowles, P., and Stringer, B.: Pulse radiolytic induced transient electrical conductance in liquid solutions of NO_3^-, NO_2^-, and $Fe(CN)_6^{3-}$, Trans.Faraday Soc., 66, 1509-1519, 1970.

Becker, K. H., Kleffmann, J. r., Kurtenbach, R., and Wiesen, P.: Solubility of nitrous acid (HONO) in sulfuric acid solutions, J. Phys. Chem., 100, 14984-14990, 10.1021/jp961140r, 1996.

Behar, D., Czapski, G., and Duchovny, I.: Carbonate radical in flash photolysis and pulse radiolysis of aqueous carbonate solutions, J. Phys. Chem., 74, 2206-2210, 10.1021/j100909a029, 1970.

Benkelberg, H. J., Schäfer, A., and Warneck, P.: Product quantum yields for the photodecomposition of H_2O_2 and Fe(III) complexes in aqueous soltion in: Air Pollution research Report 33: Atmospheric Oxidation Processes, edited by: Becker, K. H., CEC, Brussels, 130, 1991.

Benkelberg, H. J., and Warneck, P.: Photodecomposition of iron(III) hydroxo and sulfato complexes in aqueous solution: Wavelength dependence of OH and SO_4^- quantum yields, J. Phys. Chem., 99, 5214-5221, 10.1021/j100014a049, 1995.

Berdnikov, V. M.: Catalytic activity of the hydrated copper ion in the decomposition of hydrogen peroxide, Rus. J. Phys. Chem., 47, 1060-1062, 1973.

Berglund, J., Fronaeus, S., and Elding, L. I.: Kinetics and mechanism for manganese-catalyzed oxidation of sulfur(IV) by oxygen in aqueous solution, Inorg. Chem., 32, 4527-4538, 10.1021/ic00073a011, 1993.

Bielski, B. H. J., Cabelli, D. E., Arudi, R. L., and Ross, A. B.: Reactivity of HO_2/O_2^- Radicals in Aqueous Solution, J. Phys.Chem. Ref. Data, 14, 1041-1100, 1985.

Bielski, B. H. J.: A pulse radiolysis study of the reaction of ozone with Cl_2 in aqueous solutions, Rad. Phys. Chem., 41, 527-530, 1993.

Bjergbakke, E., Sehested, K., and Rasmussen, O. L.: The Reaction Mechanism and Rate Constants in the Radiolysis of Fe^{2+}-Cu^{2+} Solutions, Rad. Res., 66, 433-442, 10.2307/3574449, 1976.

Bjergbakke, E., Navaratnam, S., Parsons, B. J., and Swallow, A. J.: Reaction between hydroperoxo radicals and chlorine in aqueous solution, J. Am. Chem. Soc., 103, 5926-5928, 10.1021/ja00409a059, 1981.

Bongartz, A., Schweighoefer, S., Roose, C., and Schurath, U.: The mass accommodation coefficient of ammonia on water, J. Atmos. Chem., 20, 35-58, 10.1007/bf01099917, 1995.

Brandt, C., and van Eldik, R.: Transition metal-catalyzed oxidation of sulfur(IV) oxides. Atmospheric-relevant processes and mechanisms, Chem. Rev., 95, 119-190, 10.1021/cr00033a006, 1995.

Buxton, G., Greenstock, C., Helman, W., and Ross, A.: Critical Review of rate constants for reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals (OH/HO_2) in Aqueous Solution, J. Phys. Chem. Ref. Data, 17, 513, 1988.

Buxton, G. V.: Mechanisms for chemical reactions in cloud droplets, Proceeding of EUROTRAC Symposium '94: Transport and Chemical Transformation of Pollutants in the troposphere, edited by: Borrell, P. M., Cvitas, T., and Seiler, W., SPB Academic Publishing, The Hague, 1994.

Buxton, G. V., Mulazzani, Q. G., and Ross, A. B.: Critical review of rate constants for reactions of transients from metal ions and metal complexes in aqueous solution, J. Phys. Chem. Ref. Data, 24, 1055-1349, 1995.

Buxton, G. V., Malone, T. N., and Salmon, G. A.: Pulse radiolysis study of the reaction of $SO_5^{\cdot-}$ with $HO_2^{\cdot}$, J. Chem. Soc., Faraday Transactions, 92, 1996a.

Buxton, G. V., Malone, T. N., and Salmon, G. A.: Photochemical sources and reactions of free radicals in the aqueous phase, in: Air Pollution Research Report 57: Homogenous and Heterogeneous Chemical Processes in the Troposphere, edited by: Mirabel, P., Office for Official Publications of the European Communities, Luxembourg, 133-139, 1996b.

Buxton, G. V., McGowan, S., Salmon, G. A., Williams, J. E., and Wood, N. D.: A study of the spectra and reactivity of oxysulphur-radical anions involved in the chain oxidation of S(IV): A pulse and γ-radiolysis study, Atmospheric Environment, 30, 2483-2493, http://dx.doi.org/10.1016/1352-2310(95)00473-4, 1996c.

Buxton, G. V., Malone, T. N., and Salmon, G. A.: Reaction of SO_4^- with Fe^{2+}, Mn^{2+} and Cu^{2+} in aqueous solution, J. Chem. Soc., Faraday Transactions, 93, 1997.

Buxton, G. V., Bydder, M., and Salmon, G. A.: The reactivity of chlorine atoms in aqueous solution. Part II. The equilibrium $SO_4^- + Cl^- = Cl + SO_4^{2-}$, Phys. Chem. Chem. Phys., 1, 269-273, 1999.

Buxton, G. V., Bydder, M., Salmon, G. A., and Williams, J.: The reactivity of chlorine atoms in aqueous solution, Part III.The reactions of Cl with solutes, Phys. Chem. Chem. Phys., 2, 237-245, 2000.

Christensen, H., and Sehested, K.: Pulse radiolysis at high temperatures and high pressures, Rad. Phys. Chem., 18, 723-731, 1981.

Christensen, H., Sehested, K., and Corfitzen, H.: Reactions of hydroxyl radicals with hydrogen peroxide at ambient and elevated temperatures, J. Phys. Chem., 86, 1588-1590, 10.1021/j100206a023, 1982.

Christensen, H., and Sehested, K.: Hydroperoxo and oxygen(1-) radicals at elevated temperatures, J. Phys. Chem., 92, 3007-3011, 10.1021/j100321a060, 1988.

Christensen, H., Sehested, K., and LÃ¸gager, T.: The reaction of hydrogen peroxide with Fe(II) ions at elevated temperatures, Rad. Phys. Chem., 41, 575-578, 1993.

Cope, V. W., Hoffman, M. Z., and Chen, S.-N.: Reactivity of the carbonate radical toward metal complexes in aqueous solution, J. Phys. Chem., 82, 2665-2669, 10.1021/j100514a007, 1978.

Cotton, F. A., and Wilkinson, G.: Advanced inorganic chemistry: a comprehensive text, 4th ed., John Wiley & Sons, New York, 1455 pp., 1980.

Damschen, D. E., and Martin, L. R.: Aqueous aerosol oxidation of nitrous acid by O_2, O_3, and H_2O_2, Atmos. Environ., 17, 2005-2011, 1983.

Das, T. N.: Reactivity and role of $SO_5^{\cdot-}$ radical in aqueous medium chain oxidation of sulfite to sulfate and atmospheric sulfuric acid generation, J. Phys. Chem., 105, 9145-9155, 2001.

Davidovits, P., Hu, J. H., Worsnop, D. R., Zahniser, M. S., and Kolb, C. E.: Entry of gas molecules into liquids, Farad. Discus., 100, 65-81, 1995.

Davidovits, P., Kolb, C. E., Williams, L. R., Jayne, J. T., and Worsnop, D. R.: Update 1 of: Mass accommodation and chemical reactions at gas–liquid interfaces, Chem. Rev., 111, 2011.

Davies, G.: Some aspects of the chemistry of maganese (III) in aqueous solution, Coordin. Chem. Rev., 4, 199-224, 1969.

Deister, U., Neeb, R., Helas, G., and Warneck, P.: Temperature dependence of the equilibrium $CH_2(OH)_2 + HSO_3^- = CH_2(OH)SO_3^- + H_2O$ in aqueous solution, J. Phys. Chem., 90, 3213-3217, 1986.

Draganic, Z. D., Negron-Mendoza, A., Sehested, K., Vujosevic, S. I., Navarro-Gonzales, R., Albarran-Sanchez, M. G., and Draganic, I. G.: Radiolysis of aqueous solution of ammonium bicarbonate over a large dose range, Rad. Phys. Chem., 38, 317-321, 1991.

Eigen, M., Krause, W., Maash, H. G., and Demaeyer, L.: Rate constants of photolytic reactions in aqueous solution, in: Progress in reaction kinetics, edited by: Porter, G., Macmillan, N. J., 285-318, 1964.

Elliot, A. J., and McCracken, D. R.: Effect of temperature on OH reactions and equilibria: A pulse radiolysis study, Inter. J. Rad.Appl. Instru. C. Radiation Physics and Chemistry, 33, 69-74, 1989.

Elliot, A. J., and Buxton, G. V.: Temperature dependence of the reactions OH + O and OH + HO_2 in water up to 200 °C, J. Chem. Soc., Faraday Transactions, 88, 2465-2470, 1992.

Epstein, I. R., Kustin, K., and Simoyi, R. H.: Systematic design of chemical oscillators. 6. Nitrous acid decomposition catalyzed by an iron(II) complex: tris(3,4,7,8-tetramethyl-1,10-phenanthroline)iron(II), J. Am. Chem. Soc., 104, 712-717, 10.1021/ja00367a013, 1982.

Eriksen, T. E., Lind, J. A., and Merenyi, G.: On the acid-base equilibrium of the carbonate radical, Rad. Phys. Chem., 26, 197-199, 1985.

Exner, M., Herrmann, H., and Zellner, R.: Laser-based studies of reactions of the nitrate radical in aqueous solution, B. Buns. phys. Chem., 3, 470-477, 1992.

Fried, A., Henry, B. E., Calvert, J. G., and Mozurkewich, M.: The reaction probability of N_2O_5 with sulfuric acid aerosols at stratospheric temperatures and compositions, J. Geophys. Res., 99, 3517-3532, 10.1029/93jd01907, 1994.

Fronaeus, S., Berglund, J., and Elding, L. I.: Iron-manganese redox processes and synergism in the mechanism for manganese-catalyzed autoxidation of hydrogen sulfite, Inorg. Chem., 37, 4939-4944, 10.1021/ic980225z, 1998.

George, C., Ponche, J. L., Mirabel, P., Behnke, W., Scheer, V., and Zetzsch, C.: Study of the Uptake of N_2O_5 by Water and NaCl Solutions, J. Phys. Chem., 98, 8780-8784, 10.1021/j100086a031, 1994.

Gilbert, B. C., and Stell, J. K.: Mechanisms of peroxide decomposition. An ESR study of the reactions of the peroxomonosulphate anion ($HOOSO_3^-$) with Ti(III), Fe(II), and alpha-oxygen-substituted radicals, J. Chem. Soc., Perkin Transactions 2, 1990.

Goldstein, S., Czapski, G., Cohen, H., and Meyerstein, D.: Deamination of beta-alanine induced by hydroxyl radicals and monovalent copper ions. A pulse radiolysis study, Inorg. Chim. Acta, 192, 87-93, 1992.

Goldstein, S., and Czapski, G.: Reactivity of peroxynitric acid (O_2NOOH): A pulse radiolysis study, Inorg. Chem., 36, 4156-4162, 1997.

Graedel, T. E., and Weschler, C. J.: Chemistry within aqueous atmospheric aerosols and raindrops, Rev. Geophys., 19, 505-539, 10.1029/RG019i004p00505, 1981.

Graedel, T. E., and Goldberg, K. I.: Kinetic studies of raindrop chemistry 1. Inorganic and organic processes, J. Geophys. Res., 88, 10865-10882, 10.1029/JC088iC15p10865, 1983.

Grigor'ev, A. E., Makarov, I. E., and Pikaev, A. K.: Formation of Cl_2^- in the bulk solution during the radiolysis of concentrated aqueous solutions of chloride, High Ener. Chem, 21, 1987.

Herrmann, H., Exner, M., and Zellner, R.: Reactivity trends in reactions of the nitrate radical (NO_3) with inorganic and organic cloudwater constituents, Geochim.Cosmochim. Acta, 58, 3239-3244, 1994.

Herrmann, H., Raabe, G., Jacobi, H. W., and Zellner, R.: Ionic strength effects in radical ion-dipole reactions in the tropospheric aqueous phase, in: Air Poll. Res. Report 54: Tropospheric Oxidation Mechanisms, edited by: Becker, K. H., Office for Official Publications of the European Communities, Luxembourg, 471-475, 1995.

Herrmann, H., Jacobi, H. W., Raabe, G., Reese, A., and Zellner, R.: Laboratory studies of free radicals reactions with tropospheric aqueous phase consituents, in: air Pollution Report 57: Homogeneous and Heterogeneous Chemical Processes, edited by: Mirabel, P., Luxembourg, 90-95, 1996.

Herrmann, H., and Zellner, R.: Reaction of NO_3 radicals in aqueous solution, in: N-Centered Radicals, edited by: Alfassi, Z., Wiley, London, 291-343, 1998.

Hoffmann, M. R., and Calvert, J. G.: Chemical transformation modules for Eulerian acid deposition models, Environmental Protection Agency, 1985.

Hoffmann, M. R.: On the kinetics and mechanism of oxidation of aquated sulfur dioxide by ozone, Atmos. Environ., 20, 1145-1154, 10.1016/0004-6981(86)90147-2, 1986.

Hoigné, J., and Bühler, R. E.: Kinetics of ozonation processes in cloud and fog water: effect of transition metal ions on free radical reactions, in: Heterogeneous and Liquid Phase Processes, edited by: Warneck, P., Springer-Verlag, Berlin, 110-116, 1996.

Huie, R. E., and Clifton, C. L.: Temperature dependence of the rate constants for reactions of the sulfate radical, SO_4^-, with anions, J. Phys. Chem., 94, 8561-8567, 1990.

Huie, R. E., Shoute, L., and Neta, P.: Temperature dependence of the rate constants for reactions of the carbonate radical with organic and inorganic reductants, Inter. J. Chem. Kin., 23, 541-542, 1991.

Jacobi, H. W., Herrmann, H., and Zellner, R.: Kinetic investigation of the Cl_2^- radical in the aqueous phase, in: Air Pollution research Report 57: Homogenous and heterogenous chemical processes in the troposphere, edited by: Becker, K. H., CEC, Brussels, 1996.

Jacobsen, F., Holcman, J., and Sehested, K.: Activation parameters of ferryl ion reactions in aqueous acid solutions, Inter. J. Chem. Kin., 29, 17-24, 10.1002/(sici)1097-4601(1997)29:1<17::aid-kin3>3.0.co;2-o, 1997a.

Jacobsen, F., Holcman, J., and Sehested, K.: Manganese(II)–superoxide complex in aqueous solution, J. Phys. Chem. A, 101, 1324-1328, 10.1021/jp962867i, 1997b.

Jacobsen, F., Holcman, J., and Sehested, K.: Oxidation of manganese(II) by ozone and reduction of manganese(III) by hydrogen peroxide in acidic solution, Inter. J. Chem. Kin., 30, 207-214, 10.1002/(sici)1097-4601(1998)30:3<207::aid-kin6>3.0.co;2-w, 1998a.

Jacobsen, F., Holcman, J., and Sehested, K.: Reactions of the ferryl ion with some compounds found in cloud water, Intern. J. Chem. Kin., 30, 215-221, 1998b.

Jayson, G. G., Parsons, B. J., and Swallow, A. J.: Oxidation of ferrous ions by perhydroxyl radicals, J. Chem.Soc., Faraday Transactions, 69, 1973a.

Jayson, G. G., Parsons, B. J., and Swallow, A. J.: Some simple, highly reactive, inorganic chlorine derivatives in aqueous solution, J. Chem. Soc. Faraday Transaction, 69, 1597-1607, 1973b.

Jayson, G. G., Parsons, B. J., and Swallow, A. J.: Appearance of sulphatoferric complexes in the oxidation of ferrous sulphate solutions. A study by pulse radiolysis, J. Chem. Soc., Faraday Transactions, 69, 1973c.

Jiang, P.-Y., Katsumura, Y., Nagaishi, R., Domae, M., Ishikawa, K., Ishigure, K., and Yoshida, Y.: Pulse radiolysis study of concentrated sulfuric acid solutions. Formation mechanism, yield and reactivity of sulfate radicals, J. Chem. Soc., Faraday Transactions, 88, 1653-1658, 1992.

Katsumura, Y.: NO_2 and NO_3 radicals in radiolysis of nitric acid solutions, in: N centered RAdical, edited by: Alfassi, Z. B., Wiley, Chichester, 393, 1998.

Kremer, M. L.: The Fenton reaction. Dependence of the rate on pH, J. Phys. Chem. A, 107, 1734-1741, 10.1021/jp020654p, 2003.

Laurence, G. S., and Thornton, A. T.: Kinetics of oxidation of transition-metal ions by halogen radical anions. Part III. The oxidation of manganese(II) by dibromide and dichloride ions generated by flash photolysis, J. Chem. Soc., Dalton Transactions, 1637-1644, 10.1039/dt9730001637, 1973.

Lee, Y. N., and Lind, J. A.: Kinetics of aqueous oxidation of nitrogen (III) by hydrogen peroxide, J. Geophys. Res., 91, 2793-2800, 1986.

Lide, D. R., and Frederikse, H. P. R.: CRC Handbook of Chemistry and Physics, 76th Edition, edited by: press, C., Boca Raton, FL, 1995.

Lilie, R., Hanrahan, J., and Henglein, A.: $O^{\cdot}$ transfer reactions of the carbonate radical anion, Rad. Phys. Chem., 11, 225-227, 1978.

Logager, T., Holcman, J., Sehested, K., and Pedersen, T.: Oxidation of ferrous ions by ozone in acidic solutions, Inorg. Chem., 31, 3523-3529, 10.1021/ic00043a009, 1992.

Logager, T., and Sehested, K.: Formation and decay of peroxynitric acid : a pulse radiolysis study, 39, American Chemical Society, Washington, DC, 10047-10052 pp., 1993.

Long, C. A., and Bielski, B. H. J.: Rate of reaction of superoxide radical with chloride-containing species, J. Phys. Chem., 84, 555-557, 10.1021/j100442a023, 1980.

Maash, H. G.: Sulfur dioxide/water equilibrium between 0 degrees and 50 degrees Celcius, and examination data at low concentrations, in: Heterogenous Atmospheric Chemistry, Geophys. Monogr. Ser., edited by: Schryer, D. R., AGU, Washington, D. C., 187-1959, 1982.

Maaß, F., Elias, H., and Wannowius, K. J.: Kinetics of oxidation of hydrogen sulfite by hydrogen peroxide in aqueous solution: ionic strength e!ects and temperature dependence, Atmos. Environ., 33, 4413-4419, 1999.

Marsh, A. R. W., and McElroy, W. J.: The dissociation constant and Henry's law constant of HCl in aqueous solution, Atmos. Environ., 19, 1075-1080, 1985.

Maruthamuthu, P., and Neta, P.: Phosphate radicals. Spectra, acid-base equilibriums, and reactions with inorganic compounds, J. Phys. Chem., 82, 710-713, 10.1021/j100495a019, 1978.

Mertens, R., and Von Sonntag, C.: Photolysis (λ= 354 nm) of tetrachloroethene in aqueous solutions, J. Photochem. Photobio: A chem., 85, 1-9, 1995.

Meyerstein, D.: Trivalent copper: I: a pulse radiolytic study of the properties of the aquocomplex, Inorg. Chem., 10, 638-641, 1971.

Möller, D., and Mauersberger, D.: Aqueous phase chemical reaction system used in cloud chemistry modelling, in: Clouds: Models and Mechanisms, EUROTRAC Special Publications, edited by: Flossmann, A., Cvitas, T., Möller, D., and Mauersberger, G., ISS, Garmish-Partenkirchen, 77-93, 1995.

Müller, B., and Heal, M. R.: The mass accommodation coefficient of ozone on an aqueous surface, Phys. Chem. Chem. Phys., 4, 3365-3369, 2002.

Nadtochenko, V. A., and Kiwi, J.: Photolysis of $FeOH^{2+}$ and $FeCl^{2+}$ in aqueous solution. Photodissociation kinetics and quantum yields, Inorg. Chem., 37, 5233-5238, 10.1021/ic9804723, 1998.

Neta, P., and Huie, R. E.: Rate constants for reactions of nitrogen oxide (NO_3) radicals in aqueous solutions, J. Phys. Chem., 90, 4644-4648, 10.1021/j100410a035, 1986.

Olson, T. M., and Hoffmann, M. R.: Hydroxyalkylsulfonate formation: Its role as a S(IV) reservoir in atmospheric water droplets, Atmos. Environ., 23, 985-997, 1989.

Padmaja, S., Neta, P., and Huie, R. E.: Rate constant for some reactions of inorganic radicals with inorganic ions. Temperature dependence and solvent dependence, J. Phys. Chem., 25, 445-455, 1993.

Park, J. Y., and Lee, Y. N.: Solubility and decomposition kinetics of nitrous acid in aqueous solution, J. Phys. Chem., 92, 6294-6302, 10.1021/j100333a025, 1988.

Piechowski, M. v., Nauser, T., Hoignè, J., and Bühler, R. E.: $O_2^{\cdot-}$ Decay Catalyzed by Cu^{2+} and Cu^{+} Ions in Aqueous Solutions: A Pulse Radiolysis Study for Atmospheric Chemistry, B. Buns. phys. Chem., 97, 762-771, 10.1002/bbpc.19930970604, 1993.

Pikaev, A. K., Sibirskaya, G. K., Shirshov, E. M., Glazunov, P. Y., and Spitsyn, V. I.: Pulse radiolysis of concentrated aqueous solutions of aqueous acid, Dokl. Phys. Chem. Proc. Acad. Sci., 215, 328-331, 1974.

Ponche, J. L., George, C., and Mirabel, P.: Mass transfer at the air/water interface: Mass accommodation coefficients of SO_2, HNO_3, NO_2 and NH_3, J. Atmos. Chem., 16, 1-21, 10.1007/bf00696620, 1993.

Raabe, G.: Eine Laserphototyische Studie zur Kinetik der Reaktionen des NO_3 Radicals in Wässriger Lösun, Cuvillier, Göttingen, Germany, 1996.

Rabani, J., Klug-Roth, D., and Lilie, J.: Pulse radiolytic investigations of the catalyzed disproportionation of peroxy radicals. Aqueous cupric ions, J. Phys. Chem., 77, 1169-1175, 10.1021/j100628a018, 1973.

Régimbal, J.-M., and Mozurkewich, M.: Peroxynitric acid decay mechanisms and kinetics at low pH, J. Phys. Chem. A, 101, 8822-8829, 10.1021/jp971908n, 1997.

Riordan, E., Minogue, N., Healy, D., O'Driscol, P., and Sodeau, J. R.: Spectroscopic and optimization modeling study of nitrous acid in aqueous solution, J. Phys. Chem. A, 109, 779-786, 10.1021/jp040269v, 2005.

Ross, A. B., Bielski, B. H. J., Buxton, G. V., Greenstock, C. L., Helman, W. P., Huie, R. E., Grodkowski, J., Neta, P., and Mallard, W. G.: NDLR-NIST Solution kinetics database, version 3: NIST Standard reference database 40. National Institute of Standards and Technology, in, Gaithersburg, MD, 1994.

Rush, J. D., and Bielski, B. H. J.: Pulse radiolytic studies of the reactions of HO_2/O_2^- with Fe(II)/Fe(III) ions. The reactivity of HO_2/O_2^- with ferric ions and its implication on the occurrence of the Haber-Weiss reaction, J. Phys. Chem., 89, 5062-5066 1985.

Saastad, O. W., Ellermann, T., and Nielsen, C. J.: On the adsorption of NO and NO_2 on cold H_2O/H_2SO_4 surfaces, Geophys. Res. Lett., 20, 1191-1193, 10.1029/93gl01621, 1993.

Sander, R.: Compilation of Henry's law constants, version 3.99, Atmos. Chem. Phys. Discuss., 14, 29615-30521, 10.5194/acpd-14-29615-2014, 2014.

Schurath, U., Bongartz, A., Kames, J., Wunderlich, C., and Carstens, T.: Laboratory determination of physico-chemical rate parameters pertinent to mass transfer into cloud and fog droplets, in: Heterogeneous and Liquid Phase Process. Transport and Chemical Transformation of Pollutants in the Troposphere, edited by: Warneck, P., Springer, Berlin, 182-189, 1996.

Schwartz, S. E., and White, W. H.: Solubility equilibria of the nitrogen oxides and oxyacids in dilute aqueous solution, in: Ad. Environ. Sci. Eng., edited by: Ziegler, J. R. P. a. E. N., Gordon and Breach Science Publishers, New York, 1981.

Sehested, K., Holcman, J., and Hart, E. J.: Rate constants and products of the reactions of e_{aq}^-, O_2^- and H with ozone in aqueous solutions, J. Phys. Chem., 87, 1951-1954, 10.1021/j100234a024, 1983.

Sehested, K., Holcman, J., Bjergbakke, E., and Hart, E. J.: A pulse radiolytic study of the reaction hydroxyl + ozone in aqueous medium, J. Phys. Chem., 88, 4144-4147, 10.1021/j150662a058, 1984.

Sehested, K., Logager, T., Holoman, J., and Nielsen, O. J.: Formation and reactions of the NO_3 radical in aqueous solution, in: Proceedings of EUROTRAC Symposium '94: Transport and Chemical Transformation of Pollutants in the Troposphere, edited by: Borrell, P. M., Cvitas, T., and Seiler, W., SPB Academic Publishing, The Hague, 999-1004, 1994.

Smith, R. M., and Martell, A. E.: Critical Stability Constants, Volume 4: Inorganic Complexes, Plenum, New York, 1976.

Strehlow, H., and Wagner, I.: Flash photolysis in aqueous nitrite solutions, Z. Phys. Chem., 132, 151-160, 1982.

Tang, Y., Thorn, R. P., Mauldin Iii, R. L., and Wine, P. H.: Kinetics and spectroscopy of the SO_4^- radical in aqueous solution, J. Photochem. Photobiol. Chem A, 44, 243-258, http://dx.doi.org/10.1016/1010-6030(88)80097-2, 1988.

Thornton, A. T., and Laurence, G. S.: Kinetics of oxidation of transition-metal ions by halogen radical anions. Part I. The oxidation of iron(II) by dibromide and dichloride ions generated by flash photolysis, J. Chem. Soc. Dalton Trans., 1973.

Wagner, I., Strehlow, H., and Busse, G.: Flash photolysis of nitrate ions in aqueous solution., Z. Phys. Chem., 123, 1-33, 1980.

Wagner, I., Karthäuser, J., and Strehlow, H.: On the Decay of the Dichloride Anion Cl_2^- in Aqueous Solution, B. Buns. phys. Chem., 90, 861-867, 10.1002/bbpc.19860901007, 1986.

Wang, T. X., and Margerum, D. W.: Kinetics of Reversible Chlorine Hydrolysis: Temperature Dependence and General-Acid/Base-Assisted Mechanisms, Inorg. Chem., 33, 1050-1055, 10.1021/ic00084a014, 1994.

Wells, C. F., and Davies, G.: A spectrophotometric investigation of the aquomanganese(III) ion in perchlorate media, J. Chem. Soc. (A), 1967.

Weschler, C. J., Mandich, M. L., and Graedel, T. E.: Speciation, photosensitivity, and reactions of transition metal Ions in atmospheric droplets, J. Geophys. Res., 91, 5189-5204, 10.1029/JD091iD04p05189, 1986.

Williams, J.: PhD-Thesis, University of Leeds, 1996.

Xu, F. C., Krouse, H. R., and Swaddle, T. W.: Conjugate base pathway for water exchange on aqueous chromium(III): variable-pressure and -temperature kinetic study, Inorg. Chem., 24, 267-270, 10.1021/ic00197a005, 1985.

Yu, X. Y., and Barker, J. R.: Hydrogen peroxide photolysis in acidic aqueous solutions containing chloride ions. I. Chemical Mechanism, J. Phys. Chem. A, 107, 1313-1324, 2003.

Yu, X. Y.: Critical evaluation of rate constants and equilibrium constants of hydrogen peroxide photolysis in acidic aqueous solutions containing chloride ions, J. Phys. Chem. Ref. Data, 33, 2004.

Zellner, R., Exner, M., and Herrmann, H.: Absolute OH quantum yields in the laser photolysis of nitrate, nitrite and dissolved H_2O_2 at 308 and 351 nm in the temperature range 278–353 K, J. Atmos. Chem., 10, 411-425, 10.1007/bf00115783, 1990.

Ziajka, J., Beer, F., and Warneck, P.: Iron-catalysed oxidation of bisulphite aqueous solution: Evidence for a free radical chain mechanism, Atmos. Environ., 28, 2549-2552, 10.1016/1352-2310(94)90405-7, 1994.