

## C4 compounds

For C4 oxidation, considered chemical pathways represent at least 75% of the estimated reactivity.

Reactions	$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
<b>Oxidation of Methacrolein (MACR)</b>				
Pathway 1: $CH_2=C(CH_3)CHO + HO^\bullet \rightarrow CH_2(OH)C^\bullet(CH_3)CHO$ $CH_2(OH)C^\bullet(CH_3)CHO + O_2 \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CHO$ $CH_2=C(CH_3)CHO + HO^\bullet \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CHO - O_2$	R(611)	9.4 $10^9$ 2.0 $10^9$ 9.4 $10^9$	1203	Schöne et al., 2014
2 $CH_2(OH)C(OO^\bullet)(CH_3)CHO \rightarrow 2 CH_2(OH)C(CH_3)(O^\bullet)CHO + O_2$ $CH_2(OH)C(CH_3)(O^\bullet)CHO \rightarrow 0.50 CH_3COCHO + 0.50 C^\bullet H_2(OH) + 0.50 CH_3COCH_2(OH) + 0.50 C^\bullet HO$ $C^\bullet H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^\bullet)$ $C^\bullet HO + O_2 \rightarrow CHO(OO^\bullet)$ $2 CH_2(OH)C(OO^\bullet)(CH_3)CHO \rightarrow CH_3COCHO + CH_3COCH_2(OH) + CH_2(OH)(OO^\bullet) + CHO(OO^\bullet) - O_2$	R(612)	4.0 $10^8$  2.0 $10^9$ 2.0 $10^9$ 4.0 $10^8$		
<b>Oxidation of Hydroxymethacrolein (HMACR)</b>				
Pathway 1: $CH_2=C(CH_2(OH))CHO + HO^\bullet \rightarrow CH_2(OH)C^\bullet(CH_2(OH))CHO$ $CH_2(OH)C^\bullet(CH_2(OH))CHO + O_2 \rightarrow CH_2(OH)C(CH_2(OH))(OO^\bullet)CHO$ $CH_2=C(CH_2(OH))CHO + HO^\bullet \rightarrow CH_2(OH)C(CH_2(OH))(OO^\bullet)CHO - O_2$ $2 CH_2(OH)C(CH_2(OH))(OO^\bullet)CHO \rightarrow 2 CH_2(OH)C(CH_2(OH))(O^\bullet)CHO + O_2$ $CH_2(OH)C(CH_2(OH))(O^\bullet)CHO \rightarrow 0.50 CH_2(OH)COCHO + 0.50 C^\bullet H_2(OH) + 0.50 CH_2(OH)COCH_2(OH) + 0.50 C^\bullet HO$ $C^\bullet H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^\bullet)$ $C^\bullet HO + O_2 \rightarrow CHO(OO^\bullet)$ $2 CH_2(OH)C(CH_2(OH))(OO^\bullet)CHO \rightarrow CH_2(OH)COCHO + CH_2(OH)COCH_2(OH) + CH_2(OH)(OO^\bullet) + CHO(OO^\bullet) - O_2$	R(613)	9.4 $10^9$ 2.0 $10^9$ 9.4 $10^9$ 4.0 $10^8$	1203	
Pathway 1: $CH_2=CHCOCH_3 + HO^\bullet \rightarrow CH_2(OH)C^\bullet HCOCH_3$ $CH_2(OH)C^\bullet HCOCH_3 + O_2 \rightarrow CH_2(OH)CH(OO^\bullet)COCH_3$ $CH_2=CHCOCH_3 + HO^\bullet \rightarrow CH_3COCH(OO^\bullet)CH_2(OH) - O_2$	R(615)	7.0 $10^9$ 2.0 $10^9$ 7.3 $10^9$	1443	Schöne et al., 2014
Pathway 1: $2 CH_3COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_3COCOCH_2(OH) + H_2O_2$ Pathway 2: $2 CH_3COCH(OO^\bullet)CH_2(OH) \rightarrow CH_2(OH)CH(OH)COCH_3 + CH_3COCOCH_2(OH) + O_2$ Pathway 3: $2 CH_3COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_3COCH(O^\bullet)CH_2(OH) + O_2$ $CH_3COCH(O^\bullet)CH_2(OH) \rightarrow 0.50 C^\bullet H_2(OH) + 0.50 CH_3COCHO + 0.50 CH_2(OH)CHO + 0.50 CH_3C^\bullet O$ $C^\bullet H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^\bullet)$ $CH_3C^\bullet O + O_2 \rightarrow CH_3CO(OO^\bullet)$ $2 CH_3COCH(OO^\bullet)CH_2(OH) \rightarrow 1.10 CH_3COCOCH_2(OH) + 0.20 CH_2(OH)CH(OH)COCH_3 + 0.35 CH_3COCHO + 0.35 CH_2(OH)CHO + 0.35 CH_2(OH)(OO^\bullet) + 0.35 CH_3CO(OO^\bullet) + 0.45 H_2O_2 - 0.15 O_2$	R(616)	1.8 $10^8$ 8.0 $10^7$ 1.4 $10^8$  2.0 $10^9$ 2.0 $10^9$ 4.0 $10^8$		
<b>Oxidation of Methylvinylketone (MVK)</b>				
Pathway 1: $CH_2=CHCOCH_2(OH) + HO^\bullet \rightarrow CH_2(OH)C^\bullet HCOCH_2(OH)$ $CH_2(OH)C^\bullet HCOCH_2(OH) + O_2 \rightarrow CH_2(OH)CH(OO^\bullet)COCH_2(OH)$ $CH_2=CHCOCH_2(OH) + HO^\bullet \rightarrow CH_2(OH)CH(OO^\bullet)COCH_2(OH) - O_2$	R(617)	7.0 $10^9$ 2.0 $10^9$ 7.3 $10^9$	1443	
Pathway 1: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_2(OH)COCOCH_2(OH) + H_2O_2$ Pathway 2: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow CH_2(OH)COCH(OH)CH_2(OH) + CH_2(OH)COCOCH_2(OH) + O_2$ Pathway 3: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_2(OH)COCH(O^\bullet)CH_2(OH) + O_2$ $CH_2(OH)COCH(O^\bullet)CH_2(OH) \rightarrow 0.50 C^\bullet H_2(OH) + 0.50 CH_2(OH)COCHO + 0.50 CH_2(OH)CHO + 0.50 CH_2(OH)C^\bullet O$ $C^\bullet H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^\bullet)$ $CH_2(OH)C^\bullet O + O_2 \rightarrow CH_2(OH)CO(OO^\bullet)$		1.8 $10^8$ 8.0 $10^7$ 1.4 $10^8$  2.0 $10^9$ 2.0 $10^9$ 2.0 $10^9$		
<b>Oxidation of Hydroxymethylvinylketone (MVKOH)</b>				
Pathway 1: $CH_2=CHCOCH_2(OH) + HO^\bullet \rightarrow CH_2(OH)C^\bullet HCOCH_2(OH)$ $CH_2(OH)C^\bullet HCOCH_2(OH) + O_2 \rightarrow CH_2(OH)CH(OO^\bullet)COCH_2(OH)$ $CH_2=CHCOCH_2(OH) + HO^\bullet \rightarrow CH_2(OH)CH(OO^\bullet)COCH_2(OH) - O_2$	R(617)	7.0 $10^9$ 2.0 $10^9$ 7.3 $10^9$	1443	
Pathway 1: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_2(OH)COCOCH_2(OH) + H_2O_2$ Pathway 2: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow CH_2(OH)COCH(OH)CH_2(OH) + CH_2(OH)COCOCH_2(OH) + O_2$ Pathway 3: $2 CH_2(OH)COCH(OO^\bullet)CH_2(OH) \rightarrow 2 CH_2(OH)COCH(O^\bullet)CH_2(OH) + O_2$ $CH_2(OH)COCH(O^\bullet)CH_2(OH) \rightarrow 0.50 C^\bullet H_2(OH) + 0.50 CH_2(OH)COCHO + 0.50 CH_2(OH)CHO + 0.50 CH_2(OH)C^\bullet O$ $C^\bullet H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^\bullet)$ $CH_2(OH)C^\bullet O + O_2 \rightarrow CH_2(OH)CO(OO^\bullet)$		1.8 $10^8$ 8.0 $10^7$ 1.4 $10^8$  2.0 $10^9$ 2.0 $10^9$ 2.0 $10^9$		

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$2 CH_2(OH)CH(OO^{\bullet})COCH_2(OH) \rightarrow 1.10 CH_2(OH)COCOCH_2(OH) + 0.20 CH_2(OH)COCH(OH)CH_2(OH) + 0.35 CH_2(OH)COCHO + 0.35 CH_2(OH)CHO + 0.35 CH_2(OH)(OO^{\bullet}) + 0.35 CH_2(OH)CO(OO^{\bullet}) + 0.45 H_2O_2 - 0.15 O_2$	R(618)	$4.0 \cdot 10^8$			= $k(2 CH_3COCH_2(OO^{\bullet})) - 6$
<b>Oxidation of Hydroxybutanedione</b>					10
Pathway 1: $CH_3C(OH)(OH)COCH_2(OH) + HO^{\bullet} \rightarrow CH_3C(OH)(O^{\bullet})COCH_2(OH) + H_2O$ $CH_3C(OH)(O^{\bullet})COCH_2(OH) \rightarrow CH_3CO(OH) + CH_2(OH)C^{\bullet}O$ $CH_2(OH)C^{\bullet}O + O_2 \rightarrow CH_2(OH)CO(OO^{\bullet})$		$4.2 \cdot 10^8$			BR: 54% - 11 4 - 5
Pathway 2: $CH_3C(OH)(OH)COCH_2(OH) + HO^{\bullet} \rightarrow CH_3C(OH)(OH)COC^{\bullet}H(OH) + H_2O$ $CH_3C(OH)(OH)COC^{\bullet}H(OH) + O_2 \rightarrow CH_3C(OH)(OH)COCH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$ $3.6 \cdot 10^8$ $2.0 \cdot 10^9$			3 BR: 46% - 11 3
$CH_3C(OH)(OH)COCH_2(OH) + HO^{\bullet} \rightarrow 0.54 CH_3CO(OH) + 0.54 CH_2(OH)CO(OO^{\bullet}) + 0.46 CH_3C(OH)(OH)COCH(OH)(OO^{\bullet}) + H_2O - O_2$	R(619)	$7.8 \cdot 10^8$			12
Patway 1: $CH_3C(OH)(OH)COCH_2(OH) + NO_3^{\bullet} \rightarrow CH_3C(OH)(OH)COC^{\bullet}H(OH) + NO_3^- + H^+$ $CH_3C(OH)(OH)COC^{\bullet}H(OH) + O_2 \rightarrow CH_3C(OH)(OH)COCH(OH)(OO^{\bullet})$		$1.0 \cdot 10^6$ $2.0 \cdot 10^9$			BR: 100% 3
$CH_3C(OH)(OH)COCH_2(OH) + NO_3^{\bullet} \rightarrow CH_3C(OH)(OH)COCH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(620)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
Pathway 1: $CH_3COC(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow CH_3COC(OH)(O^{\bullet})CH_2(OH) + H_2O$ $CH_3COC(OH)(O^{\bullet})CH_2(OH) \rightarrow CH_3C^{\bullet}O + CH_2(OH)CO(OH)$ $CH_3C^{\bullet}O + O_2 \rightarrow CH_3CO(OO^{\bullet})$		$4.2 \cdot 10^8$			BR: 58% - 14 4 - 5
Pathway 2: $CH_3COC(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow CH_3COC(OH)(OH)C^{\bullet}H(OH) + H_2O$ $CH_3COC(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH_3COC(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$ $3.0 \cdot 10^8$ $2.0 \cdot 10^9$			3 BR: 42% - 14 3
$CH_3COC(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow 0.58 CH_2(OH)CO(OH) + 0.58 CH_3CO(OO^{\bullet}) + 0.42 CH_3COC(OH)(OH)CH(OH)(OO^{\bullet}) + H_2O - O_2$	R(621)	$7.2 \cdot 10^8$			12
Pathway 1: $CH_3COC(OH)(OH)CH_2(OH) + NO_3^{\bullet} \rightarrow CH_3COC(OH)(OH)C^{\bullet}H(OH) + NO_3^- + H^+$ $CH_3COC(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH_3COC(OH)(OH)CH(OH)(OO^{\bullet})$		$1.0 \cdot 10^6$ $2.0 \cdot 10^9$			BR: 100% 3
$CH_3COC(OH)(OH)CH_2(OH) + NO_3^{\bullet} \rightarrow CH_3COC(OH)(OH)CH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(622)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
Pathway 1: $CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow CH_3C(OH)(O^{\bullet})C(OH)(OH)CH_2(OH) + H_2O$ $CH_3C(OH)(O^{\bullet})C(OH)(OH)CH_2(OH) \rightarrow CH_3CO(OH) + CH_2(OH)C^{\bullet}(OH)(OH)$ $CH_2(OH)C^{\bullet}(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)(OO^{\bullet})$		$4.6 \cdot 10^8$			BR: 38% - 15 4 - 5
Pathway 2: $CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow CH_3C(OH)(OH)C(OH)(O^{\bullet})CH_2(OH) + H_2O$ $CH_3C(OH)(OH)C(OH)(O^{\bullet})CH_2(OH) \rightarrow CH_3C(OH)(OH)CO(OH) + C^{\bullet}H_2(OH)$ $C^{\bullet}H_2(OH) + O_2 \rightarrow CH_2(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$ $4.3 \cdot 10^8$			3 BR: 36% - 15 4 - 5
Pathway 3: $CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow CH_3C(OH)(OH)C(OH)(OH)C^{\bullet}H(OH) + H_2O$ $CH_3C(OH)(OH)C(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$ $3.1 \cdot 10^8$ $2.0 \cdot 10^9$			3 BR: 26% - 15 3
$CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + HO^{\bullet} \rightarrow 0.38 CH_3CO(OH) + 0.38 CH_2(OH)C(OH)(OH)(OO^{\bullet}) + 0.36 CH_3C(OH)(OH)CO(OH) + 0.36 CH_2(OH)(OO^{\bullet}) + 0.26 CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + H_2O - O_2$	R(623)	$1.2 \cdot 10^9$			12
Pathway 1: $CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + NO_3^{\bullet} \rightarrow CH_3C(OH)(OH)C(OH)(OH)C^{\bullet}H(OH) + NO_3^- + H^+$ $CH_3C(OH)(OH)C(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$1.0 \cdot 10^6$ $2.0 \cdot 10^9$			BR: 100% 3
$CH_3C(OH)(OH)C(OH)(OH)CH_2(OH) + NO_3^{\bullet} \rightarrow CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(624)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
$CH_3C(OH)(OH)COCH(OH)(OO^{\bullet}) + OH^- \rightarrow CH_3C(OH)(OH)COCH(O^-)(OO^{\bullet}) + H_2O$ $CH_3C(OH)(OH)COCH(O^-)(OO^{\bullet}) \rightarrow CH_3C(OH)(OH)COCHO + O_2^{\bullet-}$		$4.0 \cdot 10^9$			16
$CH_3C(OH)(OH)COCH(OH)(OO^{\bullet}) + OH^- \rightarrow CH_3C(OH)(OH)COCHO + O_2^{\bullet-} + H_2O$	R(625)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$
$CH_3C(OH)(OH)COCH(OH)(OO^{\bullet}) \rightarrow CH_3C(OH)(OH)COCHO + HO_2^{\bullet}$	R(626)	$1.9 \cdot 10^2$			17
$CH_3COC(OH)(OH)CH(OH)(OO^{\bullet}) + OH^- \rightarrow CH_3COC(OH)(OH)CH(O^-)(OO^{\bullet}) + H_2O$ $CH_3COC(OH)(OH)CH(O^-)(OO^{\bullet}) \rightarrow CH_3COC(OH)(OH)CHO + O_2^{\bullet-}$		$4.0 \cdot 10^9$			16
$CH_3COC(OH)(OH)CH(OH)(OO^{\bullet}) + OH^- \rightarrow CH_3COC(OH)(OH)CHO + O_2^{\bullet-} + H_2O$	R(627)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
CH <sub>3</sub> COC(OH)(OH)CH(OH)(OO•) → CH <sub>3</sub> COC(OH)(OH)CHO + HO <sub>2</sub> •	R(628)	1.9 10 <sup>2</sup>			17
CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + OH• → CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(O•)(OO•) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(O•)(OO•) → CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO + O <sub>2</sub> ••					16
CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + OH• → CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO + O <sub>2</sub> •• + H <sub>2</sub> O	R(629)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO•) + OH•)
CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OO•) → CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO + HO <sub>2</sub> •	R(630)	1.9 10 <sup>2</sup>			17
<b>Oxidation of 3,4-dihydroxybutan-2-one</b>					<b>18</b>
Pathway 1: CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + HO• → C•H(OH)CH(OH)COCH <sub>3</sub> + H <sub>2</sub> O		7.9 10 <sup>8</sup>			BR: 81% - 19
C•H(OH)CH(OH)COCH <sub>3</sub> + O <sub>2</sub> → CH(OH)(OO•)CH(OH)COCH <sub>3</sub>		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + HO• → CH <sub>2</sub> (OH)C•(OH)COCH <sub>3</sub> + H <sub>2</sub> O		1.9 10 <sup>8</sup>			BR: 19% - 19
CH <sub>2</sub> (OH)C•(OH)COCH <sub>3</sub> + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub>		2.0 10 <sup>9</sup>			3
CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + HO• → 0.81 CH(OH)(OO•)CH(OH)COCH <sub>3</sub> + 0.19 CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> + H <sub>2</sub> O - O <sub>2</sub>	R(631)	9.8 10 <sup>8</sup>			12
Pathway 1: CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + NO <sub>3</sub> • → C•H(OH)CH(OH)COCH <sub>3</sub> + NO <sub>3</sub> • + H•		8.1 10 <sup>5</sup>			BR: 81%
C•H(OH)CH(OH)COCH <sub>3</sub> + O <sub>2</sub> → CH(OH)(OO•)CH(OH)COCH <sub>3</sub>		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + NO <sub>3</sub> • → CH <sub>2</sub> (OH)C•(OH)COCH <sub>3</sub> + NO <sub>3</sub> • + H•		1.9 10 <sup>5</sup>			BR: 19%
CH <sub>2</sub> (OH)C•(OH)COCH <sub>3</sub> + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub>		2.0 10 <sup>9</sup>			3
CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + NO <sub>3</sub> • → 0.81 CH(OH)(OO•)CH(OH)COCH <sub>3</sub> + 0.19 CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> + NO <sub>3</sub> • + H• - O <sub>2</sub>	R(632)	1.0 10 <sup>6</sup>			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> •) - 13
CH(OH)(OO•)CH(OH)COCH <sub>3</sub> + OH• → CH(O•)(OO•)CH(OH)COCH <sub>3</sub> + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CH(O•)(OO•)CH(OH)COCH <sub>3</sub> → CH <sub>3</sub> COCH(OH)CHO + O <sub>2</sub> ••					16
CH(OH)(OO•)CH(OH)COCH <sub>3</sub> + OH• → CH <sub>3</sub> COCH(OH)CHO + O <sub>2</sub> •• + H <sub>2</sub> O	R(633)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO•) + OH•)
CH(OH)(OO•)CH(OH)COCH <sub>3</sub> → CH <sub>3</sub> COCH(OH)CHO + HO <sub>2</sub> •	R(634)	1.9 10 <sup>2</sup>			17
CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> + OH• → CH <sub>2</sub> (OH)C(O•)(OO•)COCH <sub>3</sub> + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CH <sub>2</sub> (OH)C(O•)(OO•)COCH <sub>3</sub> → CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + O <sub>2</sub> ••					16
CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> + OH• → CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + O <sub>2</sub> •• + H <sub>2</sub> O	R(635)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO•) + OH•)
CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> → CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + HO <sub>2</sub> •	R(636)	1.9 10 <sup>2</sup>			17
<b>Oxidation of 1,4-dihydroxybutanedione</b>					<b>20</b>
Pathway 1: CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH) + HO• → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(O•)CH <sub>2</sub> (OH) + H <sub>2</sub> O		8.1 10 <sup>8</sup>			BR: 58% - 21
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(O•)CH <sub>2</sub> (OH) → CH <sub>2</sub> (OH)C•(OH)(OH) + CH <sub>2</sub> (OH)CO(OH)					4 - 5
CH <sub>2</sub> (OH)C•(OH)(OH) + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OH)(OO•)		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH) + HO• → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)C•H(OH) + H <sub>2</sub> O		5.9 10 <sup>8</sup>			BR: 42% - 21
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)C•H(OH) + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•)		2.0 10 <sup>9</sup>			3
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH) + HO• → 0.58 CH <sub>2</sub> (OH)CO(OH) + 0.58 CH <sub>2</sub> (OH)C(OH)(OH)(OO•) + 0.42	R(637)	1.4 10 <sup>9</sup>			12
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + H <sub>2</sub> O - O <sub>2</sub>					
Pathway 1: CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH) + NO <sub>3</sub> • → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)C•H(OH) + NO <sub>3</sub> • + H•		1.0 10 <sup>6</sup>			BR: 100%
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)C•H(OH) + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•)		2.0 10 <sup>9</sup>			3
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH) + NO <sub>3</sub> • → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + NO <sub>3</sub> • + H• - O <sub>2</sub>	R(638)	1.0 10 <sup>6</sup>			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> •) - 13
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + OH• → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(O•)(OO•) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(O•)(OO•) → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CHO + O <sub>2</sub> ••					16
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•) + OH• → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CHO + O <sub>2</sub> •• + H <sub>2</sub> O	R(639)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO•) + OH•)
CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•) → CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CHO + HO <sub>2</sub> •	R(640)	1.9 10 <sup>2</sup>			17
<b>Oxidation of 1,3,4-trihydroxybutanone</b>					<b>22</b>
Pathway 1: CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH) + HO• → CH <sub>2</sub> (OH)COCH(OH)C•H(OH) + H <sub>2</sub> O		7.5 10 <sup>8</sup>			BR: 58% - 23
CH <sub>2</sub> (OH)COCH(OH)C•H(OH) + O <sub>2</sub> → CH <sub>2</sub> (OH)COCH(OH)CH(OH)(OO•)		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH) + HO• → C•H(OH)COCH(OH)CH <sub>2</sub> (OH) + H <sub>2</sub> O		3.9 10 <sup>8</sup>			BR: 30% - 23

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$C^*H(OH)COCH(OH)CH_2(OH) + O_2 \rightarrow CH_2(OH)CH(OH)COCH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)COCH(OH)CH_2(OH) + HO^* \rightarrow CH_2(OH)COC^*(OH)CH_2(OH) + H_2O$		$1.6 \cdot 10^8$			BR: 12% - 23
$CH_2(OH)COC^*(OH)CH_2(OH) + O_2 \rightarrow CH_2(OH)COC(OH)(OO^*)CH_2(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)COCH(OH)CH_2(OH) + HO^* \rightarrow 0.58 CH_2(OH)COCH(OH)CH(OH)(OO^*) + 0.30$	R(641)	$1.3 \cdot 10^9$			12
$CH_2(OH)CH(OH)COCH(OH)(OO^*) + 0.12 CH_2(OH)COC(OH)(OO^*)CH_2(OH) + H_2O - O_2$					
Pathway 1: $CH_2(OH)COCH(OH)CH_2(OH) + NO_3^* \rightarrow CH_2(OH)COCH(OH)C^*H(OH) + NO_3^- + H^+$		$3.8 \cdot 10^6$			BR: 58%
$CH_2(OH)COCH(OH)C^*H(OH) + O_2 \rightarrow CH_2(OH)COCH(OH)CH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)COCH(OH)CH_2(OH) + NO_3^* \rightarrow C^*H(OH)COCH(OH)CH_2(OH) + NO_3^- + H^+$		$2.0 \cdot 10^6$			BR: 30%
$C^*H(OH)COCH(OH)CH_2(OH) + O_2 \rightarrow CH_2(OH)CH(OH)COCH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)COCH(OH)CH_2(OH) + NO_3^* \rightarrow CH_2(OH)COC^*(OH)CH_2(OH) + NO_3^- + H^+$		$8.0 \cdot 10^5$			BR: 12%
$CH_2(OH)COC^*(OH)CH_2(OH) + O_2 \rightarrow CH_2(OH)COC(OH)(OO^*)CH_2(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)COCH(OH)CH_2(OH) + NO_3^* \rightarrow 0.58 CH_2(OH)COCH(OH)CH(OH)(OO^*) + 0.30$	R(642)	$6.6 \cdot 10^6$	2117		= $k(CH_2(OH)CH_2(OH) + NO_3^*)$
$CH_2(OH)CH(OH)COCH(OH)(OO^*) + 0.12 CH_2(OH)COC(OH)(OO^*)CH_2(OH) + NO_3^- + H^+ - O_2$					- 13
$CH_2(OH)COCH(OH)CH(OH)(OO^*) + OH^- \rightarrow CH_2(OH)COCH(OH)CH(O^-)(OO^*) + H_2O$		$4.0 \cdot 10^9$			
$CH_2(OH)COCH(OH)CH(O^-)(OO^*) \rightarrow CH_2(OH)COCH(OH)CHO + O_2^{\bullet-}$					16
$CH_2(OH)COCH(OH)CH(OH)(OO^*) + OH^- \rightarrow CH_2(OH)COCH(OH)CHO + O_2^{\bullet-} + H_2O$	R(643)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$CH_2(OH)COCH(OH)CH(OH)(OO^*) \rightarrow CH_2(OH)COCH(OH)CHO + HO_2^{\bullet}$	R(644)	$1.9 \cdot 10^2$			17
$CH_2(OH)CH(OH)COCH(OH)(OO^*) + OH^- \rightarrow CH_2(OH)CH(OH)COCH(O^-)(OO^*) + H_2O$		$4.0 \cdot 10^9$			
$CH_2(OH)CH(OH)COCH(O^-)(OO^*) \rightarrow CH_2(OH)CH(OH)COCHO + O_2^{\bullet-}$					16
$CH_2(OH)CH(OH)COCH(OH)(OO^*) + OH^- \rightarrow CH_2(OH)CH(OH)COCHO + O_2^{\bullet-} + H_2O$	R(645)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$CH_2(OH)CH(OH)COCH(OH)(OO^*) \rightarrow CH_2(OH)CH(OH)COCHO + HO_2^{\bullet}$	R(646)	$1.9 \cdot 10^2$			17
$CH_2(OH)COC(OH)(OO^*)CH_2(OH) + OH^- \rightarrow CH_2(OH)COC(O^-)(OO^*)CH_2(OH) + H_2O$		$4.0 \cdot 10^9$			
$CH_2(OH)COC(O^-)(OO^*)CH_2(OH) \rightarrow CH_2(OH)COCOCH_2(OH) + O_2^{\bullet-}$					16
$CH_2(OH)COC(OH)(OO^*)CH_2(OH) + OH^- \rightarrow CH_2(OH)COCOCH_2(OH) + O_2^{\bullet-} + H_2O$	R(647)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$CH_2(OH)COC(OH)(OO^*)CH_2(OH) \rightarrow CH_2(OH)COCOCH_2(OH) + HO_2^{\bullet}$	R(648)	$1.9 \cdot 10^2$			17
<b>Oxidation of 2,4-dihydroxy-3-oxobutanal</b>					<b>24</b>
Pathway 1: $CH_2(OH)COCH(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)COCH(OH)CH(OH)(O^*) + H_2O$		$4.5 \cdot 10^8$			BR: 38% - 25
$CH_2(OH)COCH(OH)CH(OH)(O^*) \rightarrow CH_2(OH)COC^*H(OH) + CHO(OH)$					4 - 5
$CH_2(OH)COC^*H(OH) + O_2 \rightarrow CH_2(OH)COCH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)COCH(OH)CH(OH)(OH) + HO^* \rightarrow C^*H(OH)COCH(OH)CH(OH)(OH) + H_2O$		$4.0 \cdot 10^8$			BR: 33% - 25
$C^*H(OH)COCH(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)COCH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)COCH(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)COCH(OH)C^*(OH)(OH) + H_2O$		$3.5 \cdot 10^8$			BR: 29% - 25
$CH_2(OH)COCH(OH)C^*(OH)(OH) + O_2 \rightarrow CH_2(OH)COCH(OH)C(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
$CH_2(OH)COCH(OH)CH(OH)(OH) + HO^* \rightarrow 0.38 CH_2(OH)COCH(OH)(OO^*) + 0.38 CHO(OH) + 0.33$	R(649)	$1.2 \cdot 10^9$			12
$CH(OH)(OH)CH(OH)COCH(OH)(OO^*) + 0.29 CH_2(OH)COCH(OH)C(OH)(OH)(OO^*) + H_2O - O_2$					
Pathway 1: $CH_2(OH)COCH(OH)CH(OH)(OH) + NO_3^* \rightarrow C^*H(OH)COCH(OH)CH(OH)(OH) + NO_3^- + H^+$		$5.3 \cdot 10^5$			BR: 53%
$C^*H(OH)COCH(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)COCH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)COCH(OH)CH(OH)(OH) + NO_3^* \rightarrow CH_2(OH)COCH(OH)C^*(OH)(OH) + NO_3^- + H^+$		$4.7 \cdot 10^5$			BR: 47%
$CH_2(OH)COCH(OH)C^*(OH)(OH) + O_2 \rightarrow CH_2(OH)COCH(OH)C(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
$CH_2(OH)COCH(OH)CH(OH)(OH) + NO_3^* \rightarrow 0.53 CH(OH)(OH)CH(OH)COCH(OH)(OO^*) + 0.47$	R(650)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^*)$
$CH_2(OH)COCH(OH)C(OH)(OH)(OO^*) + NO_3^- + H^+ - O_2$					- 13
Pathway 1: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(O^*) + H_2O$		$4.5 \cdot 10^8$			BR: 28% - 26
$CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(O^*) \rightarrow CH_2(OH)C(OH)(OH)C^*H(OH) + CHO(OH)$					4 - 5
$CH_2(OH)C(OH)(OH)C^*H(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)CH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + H_2O$		$4.5 \cdot 10^8$			BR: 28% - 26
$CH_2(OH)C(OH)(O^*)CH(OH)CH(OH)(OH) \rightarrow CH_2(OH)CO(OH) + CH(OH)(OH)C^*H(OH)$					4 - 5
$CH(OH)(OH)C^*H(OH) + O_2 \rightarrow CH(OH)(OO^*)CH(OH)(OH)$		$2.0 \cdot 10^9$			3

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
Pathway 3: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_2(OH)C(OH)(OH)CH(OH)C^\bullet(OH)(OH) + H_2O$		$3.7 \cdot 10^8$			BR: 23% - 26
$CH_2(OH)C(OH)(OH)CH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 4: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^\bullet \rightarrow C^\bullet H(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + H_2O$		$3.3 \cdot 10^8$			BR: 21% - 26
$C^\bullet H(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.28 CH_2(OH)C(OH)(OH)CH(OH)(OO^\bullet) + 0.28 CHO(OH) + 0.28$	R(651)	$1.6 \cdot 10^9$			12
$CH_2(OH)CO(OH) + 0.28 CH(OH)(OO^\bullet)CH(OH)(OH) + 0.23 CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet) + 0.21$					
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet) + H_2O - O_2$					
Pathway 1: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow CH_2(OH)C(OH)(OH)CH(OH)C^\bullet(OH)(OH) + NO_3^- + H^+$		$5.3 \cdot 10^5$			BR: 53%
$CH_2(OH)C(OH)(OH)CH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow C^\bullet H(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^- + H^+$		$4.7 \cdot 10^5$			BR: 47%
$C^\bullet H(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow 0.53 CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet) + 0.47$	R(652)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet)$ - 13
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet) + NO_3^- + H^+ - O_2$					
$CH(OH)(OH)CH(OH)COCH(OH)(OO^\bullet) + OH^- \rightarrow CH(OH)(OH)CH(OH)COCH(O)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CH(OH)(OH)CH(OH)COCH(O)(OO^\bullet) \rightarrow CH(OH)(OH)CH(OH)COCHO + O_2^{\bullet -}$					
$CH(OH)(OH)CH(OH)COCH(OH)(OO^\bullet) + OH^- \rightarrow CH(OH)(OH)CH(OH)COCHO + O_2^{\bullet -} + H_2O$	R(653)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH(OH)(OH)CH(OH)COCH(OH)(OO^\bullet) \rightarrow CH(OH)(OH)CH(OH)COCHO + HO_2^\bullet$	R(654)	$1.9 \cdot 10^2$			17
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet) + OH^- \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CH(O)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(O)(OO^\bullet) \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CHO + O_2^{\bullet -}$					
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet) + OH^- \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CHO + O_2^{\bullet -} + H_2O$	R(655)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO^\bullet) \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CHO + HO_2^\bullet$	R(656)	$1.9 \cdot 10^2$			17
$CH_2(OH)COCH(OH)C(OH)(OH)(OO^\bullet) + OH^- \rightarrow CH_2(OH)COCH(OH)C(OH)(O)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CH_2(OH)COCH(OH)C(OH)(O)(OO^\bullet) \rightarrow CH_2(OH)COCH(OH)CO(OH) + O_2^{\bullet -}$					
$CH_2(OH)COCH(OH)C(OH)(OH)(OO^\bullet) + OH^- \rightarrow CH_2(OH)COCH(OH)CO(OH) + O_2^{\bullet -} + H_2O$	R(657)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH_2(OH)COCH(OH)C(OH)(OH)(OO^\bullet) \rightarrow CH_2(OH)COCH(OH)CO(OH) + HO_2^\bullet$	R(658)	$1.0 \cdot 10^6$			27
$CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet) + OH^- \rightarrow CH_2(OH)C(OH)(OH)CH(OH)C(OH)(O)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CH_2(OH)C(OH)(OH)CH(OH)C(OH)(O)(OO^\bullet) \rightarrow CH_2(OH)C(OH)(OH)CH(OH)CO(OH) + O_2^{\bullet -}$					
$CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet) + OH^- \rightarrow CH_2(OH)C(OH)(OH)CH(OH)CO(OH) + O_2^{\bullet -} + H_2O$	R(659)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH_2(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^\bullet) \rightarrow CH_2(OH)C(OH)(OH)CH(OH)CO(OH) + HO_2^\bullet$	R(660)	$1.0 \cdot 10^6$			27
<b>Oxidation of 2-oxo-3,4-dihydroxybutanal</b>					<b>28</b>
Pathway 1: $CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow C^\bullet H(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + H_2O$		$8.6 \cdot 10^8$			BR: 48% - 29
$C^\bullet H(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH)(O^\bullet) + H_2O$		$4.7 \cdot 10^8$			BR: 26% - 29
$CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(O^\bullet) \rightarrow CH_2(OH)CH(OH)C^\bullet(OH)(OH) + CHO(OH)$					4 - 5
$CH_2(OH)CH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_2(OH)CH(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_2(OH)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) + H_2O$		$4.7 \cdot 10^8$			BR: 26% - 29
$CH_2(OH)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) \rightarrow CH_2(OH)C^\bullet H(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CH_2(OH)C^\bullet H(OH) + O_2 \rightarrow CH_2(OH)CH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.48 CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^\bullet) + 0.26$	R(661)	$1.8 \cdot 10^9$			12
$CH_2(OH)CH(OH)C(OH)(OH)(OO^\bullet) + 0.26 CHO(OH) + 0.26 CH_2(OH)CH(OH)(OO^\bullet) + 0.26 CH(OH)(OH)CO(OH) +$					
$H_2O - O_2$					
Pathway 1: $CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow C^\bullet H(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^\bullet H(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_2(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^\bullet) + NO_3^- + H^+ - O_2$	R(662)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet)$ - 13
$CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^\bullet) + OH^- \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)CH(O)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CH(OH)(OH)C(OH)(OH)CH(OH)CH(O^{\bullet})(OO^{\bullet}) \rightarrow CHOCH(OH)C(OH)(OH)CH(OH)(OH) + O_2^{\bullet-}$					16
$CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^{\bullet}) + OH^- \rightarrow CHOCH(OH)C(OH)(OH)CH(OH)(OH) + O_2^{\bullet-} + H_2O$	R(663)	$4.0 \cdot 10^9$			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
$CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO^{\bullet}) \rightarrow CHOCH(OH)C(OH)(OH)CH(OH)(OH) + HO_2^{\bullet}$	R(664)	$1.9 \cdot 10^2$			17
<b>Oxidation of 2-oxo-3-hydroxybutanedial</b>					30
Pathway 1: $CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(O^{\bullet})CH(OH)C(OH)(OH)CH(OH)(OH) + H_2O$		$4.6 \cdot 10^8$			BR: 27% - 31
$CH(OH)(O^{\bullet})CH(OH)C(OH)(OH)CH(OH)(OH) \rightarrow CHO(OH) + CH(OH)(OH)C(OH)(OH)C^{\bullet}H(OH)$					4 - 5
$CH(OH)(OH)C(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(O^{\bullet}) + H_2O$		$4.4 \cdot 10^8$			BR: 26% - 31
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(O^{\bullet}) \rightarrow CH(OH)(OH)CH(OH)C^{\bullet}(OH)(OH) + CHO(OH)$					4 - 5
$CH(OH)(OH)CH(OH)C^{\bullet}(OH)(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 3: $CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(OH)CH(OH)C(OH)(O^{\bullet})CH(OH)(OH) + H_2O$		$4.3 \cdot 10^8$			BR: 25% - 31
$CH(OH)(OH)CH(OH)C(OH)(O^{\bullet})CH(OH)(OH) \rightarrow CH(OH)(OH)C^{\bullet}H(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CH(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})CH(OH)(OH)$		$2.0 \cdot 10^9$			3
Pathway 4: $CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + H_2O$		$3.7 \cdot 10^8$			BR: 22% - 31
$C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow 0.27 CH(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + 0.26$	R(665)	$1.7 \cdot 10^9$			12
$CH(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) + 0.53 CHO(OH) + 0.25 CH(OH)(OH)CO(OH) + 0.25$					
$CH(OH)(OO^{\bullet})CH(OH)(OH) + 0.22 CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) + H_2O - O_2$					
Pathway 1: $CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^{\bullet} \rightarrow C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^{\bullet} \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) + NO_3^- +$	R(666)	$1.0 \cdot 10^6$			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
$H^+ - O_2$					
$CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) + OH^- \rightarrow CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(O^{\bullet})(OO^{\bullet}) + H_2O$		$4.0 \cdot 10^9$			
$CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(O^{\bullet})(OO^{\bullet}) \rightarrow CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2^{\bullet-}$					16
$CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) + OH^- \rightarrow CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + O_2^{\bullet-} + H_2O$	R(667)	$4.0 \cdot 10^9$			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
$CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO^{\bullet}) \rightarrow CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO_2^{\bullet}$	R(668)	$1.0 \cdot 10^6$			27
<b>Oxidation of 2,4-dioxo-3-hydroxybutanoic acid</b>					32
Pathway 1: $CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + H_2O$		$4.1 \cdot 10^8$			BR: 41% - 33
$CH(OH)(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) \rightarrow CHO(OH) + C^{\bullet}H(OH)C(OH)(OH)CO(OH)$					4 - 5
$C^{\bullet}H(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(OH)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CO(OH) + H_2O$		$3.3 \cdot 10^8$			BR: 33% - 33
$C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^{\bullet})CH(OH)C(OH)(OH)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 3: $CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(OH)CH(OH)C(OH)(O^{\bullet})CO(OH) + H_2O$		$2.6 \cdot 10^8$			BR: 26% - 33
$CH(OH)(OH)CH(OH)C(OH)(O^{\bullet})CO(OH) \rightarrow CH(OH)(OH)C^{\bullet}H(OH) + CO(OH)CO(OH)$					4 - 5
$CH(OH)(OH)C^{\bullet}H(OH) + O_2 \rightarrow CH(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow 0.41 CHO(OH) + 0.41 CH(OH)(OO^{\bullet})C(OH)(OH)CO(OH) + 0.33$	R(669)	$1.0 \cdot 10^9$			12
$C(OH)(OH)(OO^{\bullet})CH(OH)C(OH)(OH)CO(OH) + 0.26 CH(OH)(OH)CH(OH)(OO^{\bullet}) + 0.26 CO(OH)CO(OH) + H_2O - O_2$					
Pathway 1: $CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^{\bullet} \rightarrow C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CO(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}(OH)(OH)CH(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^{\bullet})CH(OH)C(OH)(OH)CO(OH)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH) + NO_3^{\bullet} \rightarrow C(OH)(OH)(OO^{\bullet})CH(OH)C(OH)(OH)CO(OH) + NO_3^- + H^+ - O_2$	R(670)	$1.0 \cdot 10^6$			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
Pathway 1: $CO(O^{\bullet})COCH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow CH(OH)(O^{\bullet})CH(OH)COCO(O^{\bullet}) + H_2O$		$4.9 \cdot 10^8$			BR: 58% - 34
$CH(OH)(O^{\bullet})CH(OH)COCO(O^{\bullet}) \rightarrow CHO(OH) + C^{\bullet}H(OH)COCO(O^{\bullet})$					4 - 5
$C^{\bullet}H(OH)COCO(O^{\bullet}) + O_2 \rightarrow CH(OH)(OO^{\bullet})COCO(O^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(O^{\bullet})COCH(OH)CH(OH)(OH) + HO^{\bullet} \rightarrow C^{\bullet}(OH)(OH)CH(OH)COCO(O^{\bullet}) + H_2O$		$3.5 \cdot 10^8$			BR: 42% - 34
$C^{\bullet}(OH)(OH)CH(OH)COCO(O^{\bullet}) + O_2 \rightarrow C(OH)(OH)(OO^{\bullet})CH(OH)COCO(O^{\bullet})$		$2.0 \cdot 10^9$			3

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(O^-)COCH(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.58 CHO(OH) + 0.58 CH(OH)(OO^\bullet)COCO(O^-) + 0.42$ $C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-) + H_2O - O_2$ Pathway 1: $CO(O^-)COCH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow C^\bullet(OH)(OH)CH(OH)COCO(O^-) + NO_3^- + H^+$ $C^\bullet(OH)(OH)CH(OH)COCO(O^-) + O_2 \rightarrow C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-)$ $CO(O^-)COCH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-) + NO_3^- + H^+ - O_2$	R(671)	$8.4 \cdot 10^8$			12
$C(OH)(OH)(OO^\bullet)CH(OH)C(OH)(OH)CO(OH) + OH^- \rightarrow C(OH)(O^-)(OO^\bullet)CH(OH)C(OH)(OH)CO(OH) + H_2O$ $C(OH)(O^-)(OO^\bullet)CH(OH)C(OH)(OH)CO(OH) \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + O_2^\bullet$ $C(OH)(OH)(OO^\bullet)CH(OH)C(OH)(OH)CO(OH) + OH^- \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + O_2^\bullet + H_2O$ $C(OH)(OH)(OO^\bullet)CH(OH)C(OH)(OH)CO(OH) \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + HO_2^\bullet$ $C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-) + OH^- \rightarrow C(OH)(O^-)(OO^\bullet)CH(OH)COCO(O^-) + H_2O$ $C(OH)(O^-)(OO^\bullet)CH(OH)COCO(O^-) \rightarrow CO(O^-)CH(OH)C(OH)(OH)CO(OH) + O_2^\bullet$ $C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-) + OH^- \rightarrow CO(O^-)CH(OH)C(OH)(OH)CO(OH) + O_2^\bullet + H_2O$ $C(OH)(OH)(OO^\bullet)CH(OH)COCO(O^-) \rightarrow CO(O^-)CH(OH)C(OH)(OH)CO(OH) + HO_2^\bullet$	R(672)	$1.0 \cdot 10^6$			BR: 100% 3 = $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet) - 13$
		$4.0 \cdot 10^9$			16
	R(673)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
	R(674)	$1.0 \cdot 10^6$			27
		$4.0 \cdot 10^9$			16
	R(675)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
	R(676)	$1.0 \cdot 10^6$			27
<b>Oxidation of 2,3-dioxobutanal</b>					<b>35</b>
Pathway 1: $CH_3COC(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3COC(OH)(OH)CH(OH)(O^\bullet) + H_2O$ $CH_3COC(OH)(OH)CH(OH)(O^\bullet) \rightarrow CH_3COC^\bullet(OH)(OH) + CHO(OH)$ $CH_3COC^\bullet(OH)(OH) + O_2 \rightarrow CH_3COC(OH)(OH)(OO^\bullet)$ Pathway 2: $CH_3COC(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3COC(OH)(O^\bullet)CH(OH)(OH) + H_2O$ $CH_3COC(OH)(O^\bullet)CH(OH)(OH) \rightarrow CH_3C^\bullet O + CH(OH)(OH)CO(OH)$ $CH_3C^\bullet O + O_2 \rightarrow CH_3CO(OO^\bullet)$ $CH_3COC(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.54 CH_3COC(OH)(OH)(OO^\bullet) + 0.54 CHO(OH) + 0.46 CH_3CO(OO^\bullet) +$ $0.46 CH(OH)(OH)CO(OH) + H_2O - O_2$ Pathway 1: $CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3C(OH)(O^\bullet)C(OH)(OH)CH(OH)(OH) + H_2O$ $CH_3C(OH)(O^\bullet)C(OH)(OH)CH(OH)(OH) \rightarrow CH_3CO(OH) + C^\bullet(OH)(OH)CH(OH)(OH)$ $C^\bullet(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)(OO^\bullet)$ Pathway 2: $CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3C(OH)(OH)C(OH)(OH)CH(OH)(O^\bullet) + H_2O$ $CH_3C(OH)(OH)C(OH)(OH)CH(OH)(O^\bullet) \rightarrow CH_3C(OH)(OH)C^\bullet(OH)(OH) + CHO(OH)$ $CH_3C(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_3C(OH)(OH)C(OH)(OH)(OO^\bullet)$ Pathway 3: $CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3C(OH)(OH)C(OH)(O^\bullet)CH(OH)(OH) + H_2O$ $CH_3C(OH)(OH)C(OH)(O^\bullet)CH(OH)(OH) \rightarrow CH_3C^\bullet(OH)(OH) + CH(OH)(OH)CO(OH)$ $CH_3C^\bullet(OH)(OH) + O_2 \rightarrow CH_3C(OH)(OH)(OO^\bullet)$ $CH_3C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.35 CH_3CO(OH) + 0.35 CH(OH)(OH)C(OH)(OH)(OO^\bullet) + 0.33$ $CH_3C(OH)(OH)C(OH)(OH)(OO^\bullet) + 0.33 CHO(OH) + 0.32 CH_3C(OH)(OH)(OO^\bullet) + 0.32 CH(OH)(OH)CO(OH) + H_2O -$ $O_2$	R(677)	$8.6 \cdot 10^8$			BR: 54% - 36 4 - 5 3 BR: 46% - 36 4 - 5 3 12
		$4.5 \cdot 10^8$			BR: 35% - 37 4 - 5
		$2.0 \cdot 10^9$			3
		$4.3 \cdot 10^8$			BR: 33% - 37 4 - 5
		$2.0 \cdot 10^9$			3
		$4.2 \cdot 10^8$			BR: 32% - 37 4 - 5
		$2.0 \cdot 10^9$			3
	R(678)	$1.3 \cdot 10^9$			12
<b>Oxidation of 2-hydroxy, 3-oxobutanal</b>					<b>38</b>
Pathway 1: $CH_3COCH(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3COCH(OH)CH(OH)(O^\bullet) + H_2O$ $CH_3COCH(OH)CH(OH)(O^\bullet) \rightarrow CH_3COC^\bullet H(OH) + CHO(OH)$ $CH_3COC^\bullet H(OH) + O_2 \rightarrow CH_3COCH(OH)(OO^\bullet)$ Pathway 2: $CH_3COCH(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH_3COCH(OH)C^\bullet(OH)(OH) + H_2O$ $CH_3COCH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_3COCH(OH)C(OH)(OH)(OO^\bullet)$ $CH_3COCH(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.58 CH_3COCH(OH)(OO^\bullet) + 0.58 CHO(OH) + 0.42$ $CH_3COCH(OH)C(OH)(OH)(OO^\bullet) + H_2O - O_2$ Pathway 1: $CH_3COCH(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow CH_3COCH(OH)C^\bullet(OH)(OH) + NO_3^- + H^+$ $CH_3COCH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH_3COCH(OH)C(OH)(OH)(OO^\bullet)$	R(679)	$8.7 \cdot 10^8$			BR: 58% - 39 4 - 5 3 BR: 42% - 39 3 12
		$2.0 \cdot 10^9$			BR: 100% 3
		$2.0 \cdot 10^9$			3

Reactions		k <sub>298</sub> (M <sup>-n+1</sup> s <sup>-1</sup> )	Ea/R (K)	References	Notes
CH <sub>3</sub> COCH(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>•</sup> → CH <sub>3</sub> COCH(OH)C(OH)(OH)(OO <sup>•</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(680)	1.0 10 <sup>6</sup>			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
CH <sub>3</sub> COCH(OH)C(OH)(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> → CH <sub>3</sub> COCH(OH)C(O <sup>-</sup> )(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CH <sub>3</sub> COCH(OH)C(O <sup>-</sup> )(OH)(OO <sup>•</sup> ) → CH <sub>3</sub> COCH(OH)CO(OH) + O <sub>2</sub> <sup>-•</sup>					16
CH <sub>3</sub> COCH(OH)C(OH)(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> → CH <sub>3</sub> COCH(OH)CO(OH) + O <sub>2</sub> <sup>-•</sup> + H <sub>2</sub> O	R(681)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
CH <sub>3</sub> COCH(OH)C(OH)(OH)(OO <sup>•</sup> ) → CH <sub>3</sub> COCH(OH)CO(OH) + HO <sub>2</sub> <sup>•</sup>	R(682)	1.0 10 <sup>6</sup>			27
<b>Oxidation of 2-hydroxy,3-oxobutanoic acid</b>					<b>40</b>
Pathway 1: CH <sub>3</sub> COCH(OH)CO(OH) + HO <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(OH) + H <sub>2</sub> O		9.4 10 <sup>7</sup>			BR: 63% - 41
C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(OH) + O <sub>2</sub> → CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>3</sub> COCH(OH)CO(OH) + HO <sup>•</sup> → CH <sub>3</sub> COCH(O <sup>•</sup> )CO(OH) + H <sub>2</sub> O		5.6 10 <sup>7</sup>			BR: 37% - 41
CH <sub>3</sub> COCH(O <sup>•</sup> )CO(OH) → CH <sub>3</sub> COCHO + C <sup>•</sup> O(OH)					4 - 5
C <sup>•</sup> O(OH) + O <sub>2</sub> → CO(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> COCH(OH)CO(OH) + HO <sup>•</sup> → 0.63 CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + 0.37 CH <sub>3</sub> COCHO + 0.37 CO(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O - O <sub>2</sub>	R(683)	1.5 10 <sup>8</sup>			12
Pathway 1: CH <sub>3</sub> COCH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		2.1 10 <sup>6</sup>			BR: 100%
C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(OH) + O <sub>2</sub> → CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> COCH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> → CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(684)	2.1 10 <sup>6</sup>	3248		= k(CH <sub>3</sub> CH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
Pathway 1: CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH) + HO <sup>•</sup> → CH <sub>3</sub> C(OH)(O <sup>•</sup> )CH(OH)CO(OH) + H <sub>2</sub> O		4.6 10 <sup>8</sup>			BR: 85% - 42
CH <sub>3</sub> C(OH)(O <sup>•</sup> )CH(OH)CO(OH) → CH <sub>3</sub> CO(OH) + C <sup>•</sup> H(OH)CO(OH)					4 - 5
C <sup>•</sup> H(OH)CO(OH) + O <sub>2</sub> → CH(OH)(OO <sup>•</sup> )CO(OH)		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH) + HO <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> C(OH)(OH)CH(OH)CO(OH) + H <sub>2</sub> O		8.0 10 <sup>7</sup>			BR: 15% - 42
C <sup>•</sup> H <sub>2</sub> C(OH)(OH)CH(OH)CO(OH) + O <sub>2</sub> → CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH) + HO <sup>•</sup> → 0.85 CH <sub>3</sub> CO(OH) + 0.85 CH(OH)(OO <sup>•</sup> )CO(OH) + 0.15 CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> ) + H <sub>2</sub> O - O <sub>2</sub>	R(685)	5.4 10 <sup>8</sup>			12
CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> C(OH)(OH)CH(OH)CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		2.1 10 <sup>6</sup>			BR: 100%
C <sup>•</sup> H <sub>2</sub> C(OH)(OH)CH(OH)CO(OH) + O <sub>2</sub> → CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> → CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(686)	2.1 10 <sup>6</sup>	3248		= k(CH <sub>3</sub> CH(OH)CO(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
Pathway 1: CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH <sub>3</sub> COCH(OH)CO(O <sup>•</sup> ) + OH <sup>-</sup>		1.1 10 <sup>8</sup>			BR: 36% - 43
CH <sub>3</sub> COCH(OH)CO(O <sup>•</sup> ) → CH <sub>3</sub> COC <sup>•</sup> H(OH) + CO <sub>2</sub>					4 - 5
CH <sub>3</sub> COC <sup>•</sup> H(OH) + O <sub>2</sub> → CH <sub>3</sub> COCH(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH <sub>3</sub> COCH(O <sup>•</sup> )CO(O <sup>-</sup> ) + H <sub>2</sub> O		1.1 10 <sup>8</sup>			BR: 33% - 43
CH <sub>3</sub> COCH(O <sup>•</sup> )CO(O <sup>-</sup> ) → CH <sub>3</sub> COCHO + C <sup>•</sup> O(O <sup>-</sup> )					4 - 5
C <sup>•</sup> O(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 3: CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(O <sup>-</sup> ) + H <sub>2</sub> O		1.0 10 <sup>8</sup>			BR: 31% - 43
C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → 0.36 CH <sub>3</sub> COCH(OH)(OO <sup>•</sup> ) + 0.33 CH <sub>3</sub> COCHO + 0.31 CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + 0.33 CO(O <sup>-</sup> )(OO <sup>•</sup> ) + 0.36 CO <sub>2</sub> + 0.64 H <sub>2</sub> O + 0.36 OH <sup>-</sup> - O <sub>2</sub>	R(687)	3.2 10 <sup>8</sup>			12
Pathway 1: CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> → C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		1.0·10 <sup>7</sup>			BR: 100%
C <sup>•</sup> H <sub>2</sub> COCH(OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> → CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(688)	1.0·10 <sup>7</sup>	2646		= k(CH <sub>3</sub> CH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> ) - 13
Pathway 1: 2 CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) → 2 CO(OH)CH(OH)COCHO + H <sub>2</sub> O <sub>2</sub>		1.8 10 <sup>8</sup>			BR: 45%
Pathway 2: 2 CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) → CO(OH)CH(OH)COCHO + CO(OH)CH(OH)COCH <sub>2</sub> (OH) + O <sub>2</sub>		8.0 10 <sup>7</sup>			BR: 20%
Pathway 3: 2 CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) → 2 CO(OH)CH(OH)COCH <sub>2</sub> (O <sup>•</sup> ) + O <sub>2</sub>		1.4 10 <sup>8</sup>			BR: 35%
CO(OH)CH(OH)COCH <sub>2</sub> (O <sup>•</sup> ) → CO(OH)CH(OH)C <sup>•</sup> O + CH <sub>2</sub> O					4 - 5





Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(O^-)CH(OH)COCH(OH)(OO^\bullet) + OH^- \rightarrow CO(O^-)CH(OH)COCH(O^-)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CO(O^-)CH(OH)COCH(O^-)(OO^\bullet) \rightarrow CO(O^-)CH(OH)COCHO + O_2^{\bullet-}$					
$CO(O^-)CH(OH)COCH(OH)(OO^\bullet) + OH^- \rightarrow CO(O^-)CH(OH)COCHO + O_2^{\bullet-} + H_2O$	R(698)	$4.0 \cdot 10^9$			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
$CO(O^-)CH(OH)COCH(OH)(OO^\bullet) \rightarrow CO(O^-)CH(OH)COCHO + HO_2^\bullet$	R(699)	$1.9 \cdot 10^2$			17
<b>Oxidation of 2-hydroxy, 3,4-dioxobutanoic acid</b>					<b>47</b>
Pathway 1: $CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CO(OH)CH(OH)C(OH)(OH)CH(OH)(O^\bullet) + H_2O$		$4.6 \cdot 10^8$			BR: 50% - 48
$CO(OH)CH(OH)C(OH)(OH)CH(OH)(O^\bullet) \rightarrow CO(OH)CH(OH)C^\bullet(OH)(OH) + CHO(OH)$					4 - 5
$CO(OH)CH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(OH)CH(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CO(OH)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) + H_2O$		$4.6 \cdot 10^8$			BR: 50% - 48
$CO(OH)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) \rightarrow CO(OH)C^\bullet H(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CO(OH)C^\bullet H(OH) + O_2 \rightarrow CH(OH)(OO^\bullet)CO(OH)$		$2.0 \cdot 10^9$			3
$CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.50 CO(OH)CH(OH)C(OH)(OH)(OO^\bullet) + 0.50 CHO(OH) + 0.50 CH(OH)(OO^\bullet)CO(OH) + 0.50 CH(OH)(OH)CO(OH) + H_2O - O_2$	R(700)	$9.2 \cdot 10^8$			12
Pathway 1: $CO(O^-)CH(OH)COCH(OH)(OH) + HO^\bullet \rightarrow CO(O^-)CH(OH)COCH(OH)(O^\bullet) + H_2O$		$4.1 \cdot 10^8$			BR: 58% - 49
$CO(O^-)CH(OH)COCH(OH)(O^\bullet) \rightarrow CO(O^-)CH(OH)C^\bullet O + CHO(OH)$					4 - 5
$CO(O^-)CH(OH)C^\bullet O + O_2 \rightarrow CO(O^-)CH(OH)CO(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(O^-)CH(OH)COCH(OH)(OH) + HO^\bullet \rightarrow CO(O^-)CH(OH)COC^\bullet(OH)(OH) + H_2O$		$1.9 \cdot 10^8$			BR: 26% - 49
$CO(O^-)CH(OH)COC^\bullet(OH)(OH) + O_2 \rightarrow CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 3: $CO(O^-)CH(OH)COCH(OH)(OH) + HO^\bullet \rightarrow CO(O^\bullet)CH(OH)COCH(OH)(OH) + OH^-$		$1.1 \cdot 10^8$			BR: 16% - 49
$CO(O^\bullet)CH(OH)COCH(OH)(OH) \rightarrow CO_2 + C^\bullet H(OH)COCH(OH)(OH)$					4 - 5
$C^\bullet H(OH)COCH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)COCH(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(O^-)CH(OH)COCH(OH)(OH) + HO^\bullet \rightarrow 0.58 CO(O^-)CH(OH)CO(OO^\bullet) + 0.58 CHO(OH) + 0.26 CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet) + 0.16 CH(OH)(OH)COCH(OH)(OO^\bullet) + 0.16 CO_2 + 0.84 H_2O + 0.16 OH^- - O_2$	R(701)	$7.1 \cdot 10^8$			12
Pathway 1: $CO(O^-)CH(OH)COCH(OH)(OH) + NO_3^\bullet \rightarrow CO(O^-)CH(OH)COC^\bullet(OH)(OH) + NO_3^- + H^+$		$1.8 \cdot 10^5$			BR: 100%
$CO(O^-)CH(OH)COC^\bullet(OH)(OH) + O_2 \rightarrow CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(O^-)CH(OH)COCH(OH)(OH) + NO_3^\bullet \rightarrow CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet) + NO_3^- + H^+ - O_2$	R(702)	$1.8 \cdot 10^5$			= k(CH(OH)(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> ) - 13
Pathway 1: $CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CO(O^-)CH(OH)C(OH)(OH)CH(OH)(O^\bullet) + H_2O$		$4.6 \cdot 10^8$			BR: 42% - 50
$CO(O^-)CH(OH)C(OH)(OH)CH(OH)(O^\bullet) \rightarrow CO(O^-)CH(OH)C^\bullet(OH)(OH) + CHO(OH)$					4 - 5
$CO(O^-)CH(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(O^-)CH(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CO(O^-)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) + H_2O$		$4.6 \cdot 10^8$			BR: 42% - 50
$CO(O^-)CH(OH)C(OH)(O^\bullet)CH(OH)(OH) \rightarrow CO(O^-)C^\bullet H(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CO(O^-)C^\bullet H(OH) + O_2 \rightarrow CH(OH)(OO^\bullet)CO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 3: $CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CO(O^-)CH(OH)C(OH)(OH)C^\bullet(OH)(OH) + H_2O$		$1.8 \cdot 10^8$			BR: 16% - 50
$CO(O^-)CH(OH)C(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(O^-)CH(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.42 CO(O^-)CH(OH)C(OH)(OH)(OO^\bullet) + 0.42 CHO(OH) + 0.42 CH(OH)(OO^\bullet)CO(O^-) + 0.42 CH(OH)(OH)CO(OH) + 0.16 CO(O^-)CH(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet) + H_2O - O_2$	R(703)	$1.1 \cdot 10^9$			12
Pathway 1: $CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow CO(O^-)CH(OH)C(OH)(OH)C^\bullet(OH)(OH) + NO_3^- + H^+$		$1.8 \cdot 10^5$			BR: 100%
$CO(O^-)CH(OH)C(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(O^-)CH(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(O^-)CH(OH)C(OH)(OH)CH(OH)(OH) + NO_3^\bullet \rightarrow CO(O^-)CH(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet) + NO_3^- + H^+ - O_2$	R(704)	$1.8 \cdot 10^5$			= k(CH(OH)(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> ) - 13
$CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet) + OH^- \rightarrow CO(O^-)CH(OH)COC(O^-)(OH)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			16
$CO(O^-)CH(OH)COC(O^-)(OH)(OO^\bullet) \rightarrow CO(O^-)CH(OH)COCO(OH) + O_2^{\bullet-}$					
$CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet) + OH^- \rightarrow CO(O^-)CH(OH)COCO(OH) + O_2^{\bullet-} + H_2O$	R(705)	$4.0 \cdot 10^9$			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
$CO(O^-)CH(OH)COC(OH)(OH)(OO^\bullet) \rightarrow CO(O^-)CH(OH)COCO(OH) + HO_2^\bullet$	R(706)	$1.0 \cdot 10^6$			27
$CO(OH)CH(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet) + OH^- \rightarrow CO(OH)CH(OH)C(OH)(OH)C(O^-)(OH)(OO^\bullet) + H_2O$		$4.0 \cdot 10^9$			
$CO(OH)CH(OH)C(OH)(OH)C(O^-)(OH)(OO^\bullet) \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-}$					16

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(OH)CH(OH)C(OH)(OH)C(OH)(OH)(OO^{\bullet}) + OH^{-} \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-} + H_2O$	R(707)	$4.0 \cdot 10^9$			$= k(CH_3CH(OH)(OO^{\bullet}) + OH^{-})$
$CO(OH)CH(OH)C(OH)(OH)C(OH)(OH)(OO^{\bullet}) \rightarrow CO(OH)CH(OH)C(OH)(OH)CO(OH) + HO_2^{\bullet}$	R(708)	$1.0 \cdot 10^6$			27
$CO(O^{\bullet})CH(OH)C(OH)(OH)C(OH)(OH)(OO^{\bullet}) + OH^{-} \rightarrow CO(O^{\bullet})CH(OH)C(OH)(OH)C(O^{\bullet})(OH)(OO^{\bullet}) + H_2O$		$4.0 \cdot 10^9$			
$CO(O^{\bullet})CH(OH)C(OH)(OH)C(O^{\bullet})(OH)(OO^{\bullet}) \rightarrow CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-}$					16
$CO(O^{\bullet})CH(OH)C(OH)(OH)C(OH)(OH)(OO^{\bullet}) + OH^{-} \rightarrow CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-} + H_2O$	R(709)	$4.0 \cdot 10^9$			$= k(CH_3CH(OH)(OO^{\bullet}) + OH^{-})$
$CO(O^{\bullet})CH(OH)C(OH)(OH)C(OH)(OH)(OO^{\bullet}) \rightarrow CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + HO_2^{\bullet}$	R(710)	$1.0 \cdot 10^6$			27
<b>Oxidation of 2-oxomalic acid</b>					<b>51</b>
Pathway 1: $CO(OH)CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CO(OH)CH(OH)C(OH)(O^{\bullet})CO(OH) + H_2O$		$3.0 \cdot 10^8$			BR: 100% - 52
$CO(OH)CH(OH)C(OH)(O^{\bullet})CO(OH) \rightarrow CO(OH)CH(OH)CO(OH) + C^{\bullet}O(OH)$					4 - 5
$C^{\bullet}O(OH) + O_2 \rightarrow CO(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(OH)CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CO(OH)CH(OH)CO(OH) + CO(OH)(OO^{\bullet}) + H_2O - O_2$	R(711)	$3.0 \cdot 10^8$			12
Pathway 1: $CO(OH)CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(OH)CH(OH)COCO(O^{\bullet}) + OH^{-}$		$6.0 \cdot 10^7$			BR: 50% - 53
$CO(OH)CH(OH)COCO(O^{\bullet}) \rightarrow CO(OH)CH(OH)C^{\bullet}O + CO_2$					4 - 5
$CO(OH)CH(OH)C^{\bullet}O + O_2 \rightarrow CO(OH)CH(OH)CO(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(OH)CH(O^{\bullet})COCO(O^{\bullet}) + H_2O$		$6.0 \cdot 10^7$			BR: 50% - 53
$CO(OH)CH(O^{\bullet})COCO(O^{\bullet}) \rightarrow C^{\bullet}O(OH) + CO(O^{\bullet})COCHO$					4 - 5
$C^{\bullet}O(OH) + O_2 \rightarrow CO(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(OH)CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow 0.50 CO(OH)CH(OH)CO(OO^{\bullet}) + 0.50 CO(O^{\bullet})COCHO + 0.50 CO(OH)(OO^{\bullet}) + 0.50 H_2O + 0.50 OH^{-} - O_2$	R(712)	$1.2 \cdot 10^8$			12
Pathway 1: $CO(OH)CH(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(OH)CH(OH)C(OH)(O^{\bullet})CO(O^{\bullet}) + H_2O$		$5.4 \cdot 10^8$			BR: 100% - 54
$CO(OH)CH(OH)C(OH)(O^{\bullet})CO(O^{\bullet}) \rightarrow CO(OH)CH(OH)CO(OH) + C^{\bullet}O(O^{\bullet})$					4 - 5
$C^{\bullet}O(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(OH)CH(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(OH)CH(OH)CO(OH) + CO(O^{\bullet})(OO^{\bullet}) + H_2O - O_2$	R(713)	$5.4 \cdot 10^8$			
Pathway 1: $CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CO(O^{\bullet})CH(OH)C(OH)(O^{\bullet})CO(OH) + H_2O$		$2.6 \cdot 10^8$			BR: 55% - 55
$CO(O^{\bullet})CH(OH)C(OH)(O^{\bullet})CO(OH) \rightarrow CO(OH)CH(OH)CO(O^{\bullet}) + C^{\bullet}O(OH)$					4 - 5
$C^{\bullet}O(OH) + O_2 \rightarrow CO(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + OH^{-}$		$1.1 \cdot 10^8$			BR: 24% - 55
$CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) \rightarrow CO_2 + C^{\bullet}H(OH)C(OH)(OH)CO(OH)$					4 - 5
$C^{\bullet}H(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(OH)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 3: $CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CO(O^{\bullet})CH(O^{\bullet})C(OH)(OH)CO(OH) + H_2O$		$1.0 \cdot 10^8$			BR: 21% - 55
$CO(O^{\bullet})CH(O^{\bullet})C(OH)(OH)CO(OH) \rightarrow C^{\bullet}O(O^{\bullet}) + CO(OH)C(OH)(OH)CHO$					4 - 5
$C^{\bullet}O(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(O^{\bullet})CH(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow 0.55 CO(OH)CH(OH)CO(O^{\bullet}) + 0.24 CH(OH)(OO^{\bullet})C(OH)(OH)CO(OH) + 0.21 CO(OH)C(OH)(OH)CHO + 0.24 CO_2 + 0.55 CO(OH)(OO^{\bullet}) + 0.21 CO(O^{\bullet})(OO^{\bullet}) + 0.76 H_2O + 0.24 OH^{-} - O_2$	R(714)	$4.7 \cdot 10^8$			12
Pathway 1: $CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + OH^{-}$		$1.1 \cdot 10^8$			BR: 39% - 56
$CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) \rightarrow CO_2 + C^{\bullet}H(OH)COCO(O^{\bullet})$					4 - 5
$C^{\bullet}H(OH)COCO(O^{\bullet}) + O_2 \rightarrow CH(OH)(OO^{\bullet})COCO(O^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(O^{\bullet})CH(O^{\bullet})COCO(O^{\bullet}) + H_2O$		$1.0 \cdot 10^8$			BR: 35% - 56
$CO(O^{\bullet})CH(O^{\bullet})COCO(O^{\bullet}) \rightarrow C^{\bullet}O(O^{\bullet}) + CO(O^{\bullet})COCHO$					4 - 5
$C^{\bullet}O(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 3: $CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CO(O^{\bullet})C^{\bullet}(OH)COCO(O^{\bullet}) + H_2O$		$8.0 \cdot 10^7$			BR: 26% - 56
$CO(O^{\bullet})C^{\bullet}(OH)COCO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})C(OH)(OO^{\bullet})COCO(O^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow 0.39 CH(OH)(OO^{\bullet})COCO(O^{\bullet}) + 0.35 CO(O^{\bullet})COCHO + 0.26 CO(O^{\bullet})C(OH)(OO^{\bullet})COCO(O^{\bullet}) + 0.39 CO_2 + 0.35 CO(O^{\bullet})(OO^{\bullet}) + 0.39 OH^{-} + 0.61 H_2O - O_2$	R(715)	$2.9 \cdot 10^8$			12
Pathway 1: $CO(O^{\bullet})CH(OH)COCO(O^{\bullet}) + NO_3^{\bullet} \rightarrow CO(O^{\bullet})C^{\bullet}(OH)COCO(O^{\bullet}) + NO_3^{-} + H^{\bullet}$		$2.3 \cdot 10^7$			BR: 100%
$CO(O^{\bullet})C^{\bullet}(OH)COCO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})C(OH)(OO^{\bullet})COCO(O^{\bullet})$		$2.0 \cdot 10^9$			3

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(O^-)CH(OH)COCO(O^-) + NO_3^\bullet \rightarrow CO(O^-)C(OH)(OO^\bullet)COCO(O^-) + NO_3^- + H^+ - O_2$	R(716)	$2.3 \cdot 10^7$			= $k(CO(O^-)CH_2CO(O^-) + NO_3^\bullet)$ - 13
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) + OH^- \rightarrow CO(OH)C(O^-)(OO^\bullet)C(OH)(OH)CO(OH) + H_2O$		$4.0 \cdot 10^9$			16
$CO(OH)C(O^-)(OO^\bullet)C(OH)(OH)CO(OH) \rightarrow CO(OH)COC(OH)(OH)CO(OH) + O_2^\bullet$					
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) + OH^- \rightarrow CO(OH)COC(OH)(OH)CO(OH) + O_2^\bullet + H_2O$	R(717)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) \rightarrow CO(OH)COC(OH)(OH)CO(OH) + HO_2^\bullet$	R(718)	$1.9 \cdot 10^2$			17
$CO(OH)C(OH)(OO^\bullet)COCO(O^-) + OH^- \rightarrow CO(OH)C(O^-)(OO^\bullet)COCO(O^-) + H_2O$		$4.0 \cdot 10^9$			16
$CO(OH)C(O^-)(OO^\bullet)COCO(O^-) \rightarrow CO(OH)COCOCO(O^-) + O_2^\bullet$					
$CO(OH)C(OH)(OO^\bullet)COCO(O^-) + OH^- \rightarrow CO(OH)COCOCO(O^-) + O_2^\bullet + H_2O$	R(719)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CO(OH)C(OH)(OO^\bullet)COCO(O^-) \rightarrow CO(OH)COCOCO(O^-) + HO_2^\bullet$	R(720)	$1.9 \cdot 10^2$			17
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(O^-) + OH^- \rightarrow CO(OH)C(O^-)(OO^\bullet)C(OH)(OH)CO(O^-) + H_2O$		$4.0 \cdot 10^9$			16
$CO(OH)C(O^-)(OO^\bullet)C(OH)(OH)CO(O^-) \rightarrow CO(OH)COC(OH)(OH)CO(O^-) + O_2^\bullet$					
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(O^-) + OH^- \rightarrow CO(OH)COC(OH)(OH)CO(O^-) + O_2^\bullet + H_2O$	R(721)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CO(OH)C(OH)(OO^\bullet)C(OH)(OH)CO(O^-) \rightarrow CO(OH)COC(OH)(OH)CO(O^-) + HO_2^\bullet$	R(722)	$1.9 \cdot 10^2$			17
$CO(O^-)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) + OH^- \rightarrow CO(O^-)C(O^-)(OO^\bullet)C(OH)(OH)CO(OH) + H_2O$		$4.0 \cdot 10^9$			16
$CO(O^-)C(O^-)(OO^\bullet)C(OH)(OH)CO(OH) \rightarrow CO(OH)C(OH)(OH)COCO(O^-) + O_2^\bullet$					
$CO(O^-)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) + OH^- \rightarrow CO(OH)C(OH)(OH)COCO(O^-) + O_2^\bullet + H_2O$	R(723)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CO(O^-)C(OH)(OO^\bullet)C(OH)(OH)CO(OH) \rightarrow CO(OH)C(OH)(OH)COCO(O^-) + HO_2^\bullet$	R(724)	$1.9 \cdot 10^2$			17
$CO(O^-)C(OH)(OO^\bullet)COCO(O^-) + OH^- \rightarrow CO(O^-)C(O^-)(OO^\bullet)COCO(O^-) + H_2O$		$4.0 \cdot 10^9$			16
$CO(O^-)C(O^-)(OO^\bullet)COCO(O^-) \rightarrow CO(O^-)COCOCO(O^-) + O_2^\bullet$					
$CO(O^-)C(OH)(OO^\bullet)COCO(O^-) + OH^- \rightarrow CO(O^-)COCOCO(O^-) + O_2^\bullet + H_2O$	R(725)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CO(O^-)C(OH)(OO^\bullet)COCO(O^-) \rightarrow CO(O^-)COCOCO(O^-) + HO_2^\bullet$	R(726)	$1.9 \cdot 10^2$			17
<b>Oxidation of Dioxosuccinic acid</b>					<b>57</b>
Pathway 1: $CO(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^\bullet \rightarrow CO(OH)C(OH)(OH)C(OH)(O^\bullet)CO(OH) + H_2O$		$4.6 \cdot 10^8$			BR: 100% - 58
$CO(OH)C(OH)(OH)C(OH)(O^\bullet)CO(OH) \rightarrow CO(OH)C(OH)(OH)CO(OH) + C^\bullet O(OH)$					4 - 5
$C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^\bullet \rightarrow CO(OH)C(OH)(OH)CO(OH) + CO(OH)(OO^\bullet) + H_2O - O_2$	R(727)	$4.6 \cdot 10^8$			12
Pathway 1: $CO(OH)C(OH)(OH)COCO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(O^\bullet)COCO(O^-) + H_2O$		$2.5 \cdot 10^8$			BR: 100% - 59
$CO(OH)C(OH)(O^\bullet)COCO(O^-) \rightarrow C^\bullet O(OH) + CO(OH)COCO(O^-)$					4 - 5
$C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(OH)COCO(O^-) + HO^\bullet \rightarrow CO(OH)COCO(O^-) + CO(OH)(OO^\bullet) + H_2O - O_2$	R(728)	$2.5 \cdot 10^8$			12
Pathway 1: $CO(OH)C(OH)(OH)C(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(OH)C(OH)(O^\bullet)CO(O^-) + H_2O$		$4.3 \cdot 10^8$			BR: 64% - 60
$CO(OH)C(OH)(OH)C(OH)(O^\bullet)CO(O^-) \rightarrow CO(OH)C(OH)(OH)CO(OH) + C^\bullet O(O^-)$					4 - 5
$C^\bullet O(O^-) + O_2 \rightarrow CO(O^-)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)C(OH)(OH)C(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(O^\bullet)C(OH)(OH)CO(O^-) + H_2O$		$2.4 \cdot 10^8$			BR: 36% - 60
$CO(OH)C(OH)(O^\bullet)C(OH)(OH)CO(O^-) \rightarrow C^\bullet O(OH) + CO(OH)C(OH)(OH)CO(O^-)$					4 - 5
$C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(OH)C(OH)(OH)CO(O^-) + HO^\bullet \rightarrow 0.64 CO(OH)C(OH)(OH)CO(OH) + 0.36 CO(OH)C(OH)(OH)CO(O^-) + 0.64 CO(O^-)(OO^\bullet) + 0.36 CO(OH)(OO^\bullet) + H_2O - O_2$	R(729)	$6.7 \cdot 10^8$			12
Pathway 1: $CO(O^-)COCOCO(O^-) + HO^\bullet \rightarrow CO(O^-)COCOCO(O^-) + OH^\bullet$		$8.3 \cdot 10^7$			BR: 100% - 61
$CO(O^-)COCOCO(O^-) \rightarrow CO(O^-)COC^\bullet O + CO_2$					4 - 5
$CO(O^-)COC^\bullet O + O_2 \rightarrow CO(O^-)COCO(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CO(O^-)COCOCO(O^-) + HO^\bullet \rightarrow CO(O^-)COCO(OO^\bullet) + CO_2 + OH^- - O_2$	R(730)	$8.3 \cdot 10^7$			12
Pathway 1: $CO(O^-)COC(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CO(O^-)COC(OH)(O^\bullet)CO(O^-) + H_2O$		$4.4 \cdot 10^8$			BR: 100% - 62
$CO(O^-)COC(OH)(O^\bullet)CO(O^-) \rightarrow CO(OH)COCO(O^-) + C^\bullet O(O^-)$					4 - 5
$C^\bullet O(O^-) + O_2 \rightarrow CO(O^-)(OO^\bullet)$		$2.0 \cdot 10^9$			3

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(O^-)COC(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CO(OH)COCO(O^-) + CO(O^-)(OO^\bullet) + H_2O - O_2$	R(731)	$4.4 \cdot 10^8$			12
<b>Oxidation of 2,3-dioxobutanedial</b>					63
Pathway 1: $CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(O^\bullet) + H_2O$		$8.8 \cdot 10^8$			BR: 52% - 64
$CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(O^\bullet) \rightarrow CH(OH)(OH)C(OH)(OH)C^\bullet(OH)(OH) + CHO(OH)$					4 - 5
$CH(OH)(OH)C(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(O^\bullet)CH(OH)(OH) + H_2O$		$8.2 \cdot 10^8$			BR: 48% - 64
$CH(OH)(OH)C(OH)(OH)C(OH)(O^\bullet)CH(OH)(OH) \rightarrow CH(OH)(OH)C(OH)(OH)C^\bullet(OH)(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CH(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^\bullet \rightarrow 0.52 CH(OH)(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet) + 0.52$	R(732)	$1.7 \cdot 10^9$			12
$CHO(OH) + 0.48 CH(OH)(OH)C(OH)(OH)(OO^\bullet) + 0.48 CH(OH)(OH)CO(OH) + H_2O - O_2$					
<b>Oxidation of 2,3-dioxobutanoic acid</b>					65
Pathway 1: $CH_3C(OH)(OH)C(OH)(OH)CO(OH) + HO^\bullet \rightarrow CH_3C(OH)(O^\bullet)C(OH)(OH)CO(OH) + H_2O$		$6.2 \cdot 10^8$			BR: 62% - 66
$CH_3C(OH)(O^\bullet)C(OH)(OH)CO(OH) \rightarrow CH_3CO(OH) + CO(OH)C^\bullet(OH)(OH)$					4 - 5
$CO(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_3C(OH)(OH)C(OH)(OH)CO(OH) + HO^\bullet \rightarrow CH_3C(OH)(OH)C(OH)(O^\bullet)CO(OH) + H_2O$		$2.6 \cdot 10^8$			BR: 38% - 66
$CH_3C(OH)(OH)C(OH)(O^\bullet)CO(OH) \rightarrow CH_3C^\bullet(OH)(OH) + CO(OH)CO(OH)$					4 - 5
$CH_3C^\bullet(OH)(OH) + O_2 \rightarrow CH_3C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_3C(OH)(OH)C(OH)(OH)CO(OH) + HO^\bullet \rightarrow 0.62 CH_3CO(OH) + 0.62 CO(OH)C(OH)(OH)(OO^\bullet) + 0.38$	R(733)	$6.8 \cdot 10^8$			12
$CO(OH)CO(OH) + 0.38 CH_3C(OH)(OH)(OO^\bullet) + H_2O - O_2$					
Pathway 1: $CH_3COCOCO(O^-) + HO^\bullet \rightarrow C^\bullet H_2COCOCO(O^-) + H_2O$		$6.9 \cdot 10^7$			BR: 63% - 67
$C^\bullet H_2COCOCO(O^-) + O_2 \rightarrow CH_2(OO^\bullet)COCOCO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_3COCOCO(O^-) + HO^\bullet \rightarrow CH_3COCOCO(O^\bullet) + OH^\bullet$		$4.1 \cdot 10^7$			BR: 37% - 67
$CH_3COCOCO(O^\bullet) \rightarrow CH_3COC^\bullet O + CO_2$					4 - 5
$CH_3COC^\bullet O + O_2 \rightarrow CH_3COCO(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_3COCOCO(O^-) + HO^\bullet \rightarrow 0.63 CH_2(OO^\bullet)COCOCO(O^-) + 0.37 CH_3COCO(OO^\bullet) + 0.37 CO_2 + 0.63 H_2O + 0.37 OH^- - O_2$	R(734)	$1.1 \cdot 10^8$			12
Pathway 1: $CH_3COCOCO(O^-) + NO_3^\bullet \rightarrow C^\bullet H_2COCOCO(O^-) + NO_3^- + H^+$		$1.9 \cdot 10^7$			BR: 100%
$C^\bullet H_2COCOCO(O^-) + O_2 \rightarrow CH_2(OO^\bullet)COCOCO(O^-)$		$2.0 \cdot 10^9$			3
$CH_3COCOCO(O^-) + NO_3^\bullet \rightarrow CH_2(OO^\bullet)COCOCO(O^-) + NO_3^- + H^+ - O_2$	R(735)	$1.9 \cdot 10^7$	2887		= $k(CH_3COCO(O^-) + NO_3^\bullet) - 13$
Pathway 1: $CH_3C(OH)(OH)COCO(O^-) + HO^\bullet \rightarrow CH_3C(OH)(O^\bullet)COCO(O^-) + H_2O$		$4.5 \cdot 10^8$			BR: 100% - 68
$CH_3C(OH)(O^\bullet)COCO(O^-) \rightarrow CH_3CO(OH) + CO(O^-)C^\bullet O$					4 - 5
$CO(O^-)C^\bullet O + O_2 \rightarrow CO(O^-)CO(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_3C(OH)(OH)COCO(O^-) + HO^\bullet \rightarrow CH_3CO(OH) + CO(O^-)CO(OO^\bullet) + H_2O - O_2$	R(736)	$4.5 \cdot 10^8$			12
Pathway 1: $CH_3COC(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CH_3COC(OH)(O^\bullet)CO(O^-) + H_2O$		$4.8 \cdot 10^8$			BR: 100% - 69
$CH_3COC(OH)(O^\bullet)CO(O^-) \rightarrow CH_3COCO(OH) + C^\bullet O(O^-)$					4 - 5
$C^\bullet O(O^-) + O_2 \rightarrow CO(O^-)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$CH_3COC(OH)(OH)CO(O^-) + HO^\bullet \rightarrow CH_3COCO(OH) + CO(O^-)(OO^\bullet) + H_2O - O_2$	R(737)	$4.8 \cdot 10^8$			12
Pathway 1: $2 CH_2(OO^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) \rightarrow 2 CHOC(OH)(OH)C(OH)(OH)CO(OH) + H_2O_2$		$1.8 \cdot 10^8$			BR: 45%
Pathway 2: $2 CH_2(OO^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) \rightarrow CHOC(OH)(OH)C(OH)(OH)CO(OH) + CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + O_2$		$8.0 \cdot 10^7$			BR: 20%
Pathway 3: $2 CH_2(OO^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) \rightarrow 2 CH_2(O^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) + O_2$		$1.4 \cdot 10^8$			BR: 35%
$CH_2(O^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) \rightarrow CO(OH)C(OH)(OH)C^\bullet(OH)(OH) + CH_2O$					4 - 5
$CO(OH)C(OH)(OH)C^\bullet(OH)(OH) + O_2 \rightarrow CO(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet)$		$2.0 \cdot 10^9$			3
$2 CH_2(OO^\bullet)C(OH)(OH)C(OH)(OH)CO(OH) \rightarrow 1.10 CHOC(OH)(OH)C(OH)(OH)CO(OH) + 0.20$	R(738)	$4.0 \cdot 10^8$			= $k(2 CH_3COCH_2(OO^\bullet)) - 6$
$CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + 0.70 CO(OH)C(OH)(OH)C(OH)(OH)(OO^\bullet) + 0.70 CH_2O + 0.45 H_2O_2 - 0.15 O_2$					

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
Pathway 1: $2 CH_2(OO^*)COCOCO(O^-) \rightarrow 2 CHOCOCOCO(O^-) + H_2O_2$		$1.8 \cdot 10^8$			BR: 45%
Pathway 2: $2 CH_2(OO^*)COCOCO(O^-) \rightarrow CHOCOCOCO(O^-) + CH_2(OH)COCOCO(O^-) + O_2$		$8.0 \cdot 10^7$			BR: 20%
Pathway 3: $2 CH_2(OO^*)COCOCO(O^-) \rightarrow 2 CH_2(O^*)COCOCO(O^-) + O_2$		$1.4 \cdot 10^8$			BR: 35%
$CH_2(O^*)COCOCO(O^-) \rightarrow CO(O^-)COC^*O + CH_2O$					4 - 5
$CO(O^-)COC^*O + O_2 \rightarrow CO(O^-)COCO(OO^*)$		$2.0 \cdot 10^9$			3
$2 CH_2(OO^*)COCOCO(O^-) \rightarrow 1.10 CHOCOCOCO(O^-) + 0.20 CH_2(OH)COCOCO(O^-) + 0.70 CO(O^-)COCO(OO^*) + 0.70 CH_2O + 0.45 H_2O_2 - 0.15 O_2$	R(739)	$4.0 \cdot 10^8$			= $k(2 CH_3COCH_2(OO^*)) - 6$
Pathway 1: $2 CH_2(OO^*)C(OH)(OH)COCO(O^-) \rightarrow 2 CHOC(OH)(OH)COCO(O^-) + H_2O_2$		$1.8 \cdot 10^8$			BR: 45%
Pathway 2: $2 CH_2(OO^*)C(OH)(OH)COCO(O^-) \rightarrow CHOC(OH)(OH)COCO(O^-) + CH_2(OH)C(OH)(OH)COCO(O^-) + O_2$		$8.0 \cdot 10^7$			BR: 20%
Pathway 3: $2 CH_2(OO^*)C(OH)(OH)COCO(O^-) \rightarrow 2 CH_2(O^*)C(OH)(OH)COCO(O^-) + O_2$		$1.4 \cdot 10^8$			BR: 35%
$CH_2(O^*)C(OH)(OH)COCO(O^-) \rightarrow CO(O^-)COC^*(OH)(OH) + CH_2O$					4 - 5
$CO(O^-)COC^*(OH)(OH) + O_2 \rightarrow CO(O^-)COC(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
$2 CH_2(OO^*)C(OH)(OH)COCO(O^-) \rightarrow 1.10 CHOC(OH)(OH)COCO(O^-) + 0.20 CH_2(OH)C(OH)(OH)COCO(O^-) + 0.70 CO(O^-)COC(OH)(OH)(OO^*) + 0.70 CH_2O + 0.45 H_2O_2 - 0.15 O_2$	R(740)	$4.0 \cdot 10^8$			= $k(2 CH_3COCH_2(OO^*)) - 6$
Pathway 1: $2 CH_2(OO^*)COC(OH)(OH)CO(O^-) \rightarrow 2 CHOCOC(OH)(OH)CO(O^-) + H_2O_2$		$1.8 \cdot 10^8$			BR: 45%
Pathway 2: $2 CH_2(OO^*)COC(OH)(OH)CO(O^-) \rightarrow CHOCOC(OH)(OH)CO(O^-) + CH_2(OH)COC(OH)(OH)CO(O^-) + O_2$		$8.0 \cdot 10^7$			BR: 20%
Pathway 3: $2 CH_2(OO^*)COC(OH)(OH)CO(O^-) \rightarrow 2 CH_2(O^*)COC(OH)(OH)CO(O^-) + O_2$		$1.4 \cdot 10^8$			BR: 35%
$CH_2(O^*)COC(OH)(OH)CO(O^-) \rightarrow CO(O^-)C(OH)(OH)C^*O + CH_2O$					4 - 5
$CO(O^-)C(OH)(OH)C^*O + O_2 \rightarrow CO(O^-)C(OH)(OH)CO(OO^*)$		$2.0 \cdot 10^9$			3
$2 CH_2(OO^*)COC(OH)(OH)CO(O^-) \rightarrow 1.10 CHOCOC(OH)(OH)CO(O^-) + 0.20 CH_2(OH)COC(OH)(OH)CO(O^-) + 0.70 CO(O^-)C(OH)(OH)CO(OO^*) + 0.70 CH_2O + 0.45 H_2O_2 - 0.15 O_2$	R(741)	$4.0 \cdot 10^8$			= $k(2 CH_3COCH_2(OO^*)) - 6$
<b>Oxidation of 2,3-dioxo-4-hydroxybutanal</b>					<b>70</b>
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(O^*) + H_2O$		$4.2 \cdot 10^8$			BR: 28% - 71
$CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(O^*) \rightarrow CH_2(OH)C(OH)(OH)C^*(OH)(OH) + CHO(OH)$					4 - 5
$CH_2(OH)C(OH)(OH)C^*(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)C(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)C(OH)(O^*)C(OH)(OH)CH(OH)(OH) + H_2O$		$4.0 \cdot 10^8$			BR: 27% - 71
$CH_2(OH)C(OH)(O^*)C(OH)(OH)CH(OH)(OH) \rightarrow CH_2(OH)CO(OH) + CH(OH)(OH)C^*(OH)(OH)$					4 - 5
$CH(OH)(OH)C^*(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^* \rightarrow CH_2(OH)C(OH)(OH)C(OH)(O^*)CH(OH)(OH) + H_2O$		$3.8 \cdot 10^8$			BR: 25% - 71
$CH_2(OH)C(OH)(OH)C(OH)(O^*)CH(OH)(OH) \rightarrow CH_2(OH)C^*(OH)(OH) + CH(OH)(OH)CO(OH)$					4 - 5
$CH_2(OH)C^*(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)(OO^*)$		$2.0 \cdot 10^9$			3
Pathway 4: $CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^* \rightarrow C^*H(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + H_2O$		$3.0 \cdot 10^8$			BR: 20% - 71
$C^*H(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO^* \rightarrow 0.28 CH_2(OH)C(OH)(OH)C(OH)(OH)(OO^*) + 0.28 CHO(OH) + 0.27 CH_2(OH)CO(OH) + 0.27 CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*) + 0.25 CH_2(OH)C(OH)(OH)(OO^*) + 0.25 CH(OH)(OH)CO(OH) + 0.20 CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*) + H_2O - O_2$	R(742)	$1.5 \cdot 10^9$			12
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + NO_3^* \rightarrow C^*H(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^*H(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH) + NO_3^* \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*) + NO_3^- + H^+ - O_2$	R(743)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^*) - 13$
$CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*) + OH^- \rightarrow CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(O^-)(OO^*) + H_2O$		$4.0 \cdot 10^9$			
$CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(O^-)(OO^*) \rightarrow CHOC(OH)(OH)C(OH)(OH)CH(OH)(OH) + O_2^* + H_2O$	R(744)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^*) \rightarrow CHOC(OH)(OH)C(OH)(OH)CH(OH)(OH) + HO_2^*$		$1.9 \cdot 10^2$			17
<b>Oxidation of 2,3-dioxo-4-hydroxybutanoic acid</b>					<b>72</b>
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^* \rightarrow CH_2(OH)C(OH)(O^*)C(OH)(OH)CO(OH) + H_2O$		$4.0 \cdot 10^8$			BR: 42% - 73

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CH_2(OH)C(OH)(O^{\bullet})C(OH)(OH)CO(OH) \rightarrow CH_2(OH)CO(OH) + CO(OH)C^{\bullet}(OH)(OH)$					4 - 5
$CO(OH)C^{\bullet}(OH)(OH) + O_2 \rightarrow CO(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(OH) + H_2O$		$2.9 \cdot 10^8$			BR: 31% - 73
$C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow CH_2(OH)C(OH)(OH)C(OH)(O^{\bullet})CO(OH) + H_2O$		$2.5 \cdot 10^8$			BR: 27% - 73
$CH_2(OH)C(OH)(OH)C(OH)(O^{\bullet})CO(OH) \rightarrow CH_2(OH)C^{\bullet}(OH)(OH) + CO(OH)CO(OH)$					4 - 5
$CH_2(OH)C^{\bullet}(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO^{\bullet} \rightarrow 0.42 CH_2(OH)CO(OH) + 0.42 CO(OH)C(OH)(OH)(OO^{\bullet}) + 0.31 CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + 0.27 CO(OH)CO(OH) + 0.27 CH_2(OH)C(OH)(OH)(OO^{\bullet}) + H_2O - O_2$	R(745)	$9.4 \cdot 10^8$			12
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + NO_3^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CO(OH) + NO_3^{\bullet} \rightarrow CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(746)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
Pathway 1: $CH_2(OH)C(OH)(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow CH_2(OH)C(OH)(O^{\bullet})COCO(O^{\bullet}) + H_2O$		$4.0 \cdot 10^8$			BR: 58% - 74
$CH_2(OH)C(OH)(O^{\bullet})COCO(O^{\bullet}) \rightarrow CH_2(OH)CO(OH) + CO(O^{\bullet})C^{\bullet}O$					4 - 5
$CO(O^{\bullet})C^{\bullet}O + O_2 \rightarrow CO(O^{\bullet})CO(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)COCO(O^{\bullet}) + H_2O$		$2.9 \cdot 10^8$			BR: 42% - 74
$C^{\bullet}H(OH)C(OH)(OH)COCO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)COCO(O^{\bullet}) + HO^{\bullet} \rightarrow 0.58 CH_2(OH)CO(OH) + 0.58 CO(O^{\bullet})CO(OO^{\bullet}) + 0.42 CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet}) + H_2O - O_2$	R(747)	$6.9 \cdot 10^8$			12
Pathway 1: $CH_2(OH)C(OH)(OH)COCO(O^{\bullet}) + NO_3^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)COCO(O^{\bullet}) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}H(OH)C(OH)(OH)COCO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)COCO(O^{\bullet}) + NO_3^{\bullet} \rightarrow CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(748)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow CH_2(OH)C(OH)(OH)C(OH)(O^{\bullet})CO(O^{\bullet}) + H_2O$		$4.7 \cdot 10^8$			BR: 39% - 75
$CH_2(OH)C(OH)(OH)C(OH)(O^{\bullet})CO(O^{\bullet}) \rightarrow CH_2(OH)C^{\bullet}(OH)(OH) + CO(OH)CO(O^{\bullet})$					4 - 5
$CH_2(OH)C^{\bullet}(OH)(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow CH_2(OH)C(OH)(O^{\bullet})C(OH)(OH)CO(O^{\bullet}) + H_2O$		$4.2 \cdot 10^8$			BR: 35% - 75
$CH_2(OH)C(OH)(O^{\bullet})C(OH)(OH)CO(O^{\bullet}) \rightarrow CH_2(OH)CO(OH) + CO(O^{\bullet})C^{\bullet}(OH)(OH)$					4 - 5
$CO(O^{\bullet})C^{\bullet}(OH)(OH) + O_2 \rightarrow CO(O^{\bullet})C(OH)(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 3: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + H_2O$		$3.1 \cdot 10^8$			BR: 26% - 75
$C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + HO^{\bullet} \rightarrow 0.39 CO(OH)CO(O^{\bullet}) + 0.39 CH_2(OH)C(OH)(OH)(OO^{\bullet}) + 0.35 CH_2(OH)CO(OH) + 0.35 CO(O^{\bullet})C(OH)(OH)(OO^{\bullet}) + 0.26 CO(O^{\bullet})C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + H_2O - O_2$	R(749)	$1.2 \cdot 10^9$			12
Pathway 1: $CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + NO_3^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}H(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + O_2 \rightarrow CO(O^{\bullet})C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(OH)C(OH)(OH)CO(O^{\bullet}) + NO_3^{\bullet} \rightarrow CO(O^{\bullet})C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + NO_3^- + H^+ - O_2$	R(750)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet}) - 13$
$CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + OH^{\bullet} \rightarrow CO(OH)C(OH)(OH)C(OH)(OH)CH(O^{\bullet})(OO^{\bullet}) + H_2O$		$4.0 \cdot 10^9$			
$CO(OH)C(OH)(OH)C(OH)(OH)CH(O^{\bullet})(OO^{\bullet}) \rightarrow CHOC(OH)(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-} + H_2O$	R(751)	$4.0 \cdot 10^9$			16
$CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) + OH^{\bullet} \rightarrow CHOC(OH)(OH)C(OH)(OH)CO(OH) + O_2^{\bullet-} + H_2O$	R(752)	$1.9 \cdot 10^2$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^{\bullet})$
$CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO^{\bullet}) \rightarrow CHOC(OH)(OH)C(OH)(OH)CO(OH) + HO_2^{\bullet}$					17
$CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet}) + OH^{\bullet} \rightarrow CO(O^{\bullet})COC(OH)(OH)CH(O^{\bullet})(OO^{\bullet}) + H_2O$		$4.0 \cdot 10^9$			
$CO(O^{\bullet})COC(OH)(OH)CH(O^{\bullet})(OO^{\bullet}) \rightarrow CHOC(OH)(OH)COCO(O^{\bullet}) + O_2^{\bullet-}$					16
$CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet}) + OH^{\bullet} \rightarrow CHOC(OH)(OH)COCO(O^{\bullet}) + O_2^{\bullet-} + H_2O$	R(753)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^{\bullet})$
$CO(O^{\bullet})COC(OH)(OH)CH(OH)(OO^{\bullet}) \rightarrow CHOC(OH)(OH)COCO(O^{\bullet}) + HO_2^{\bullet}$	R(754)	$1.9 \cdot 10^2$			17

Reactions		k <sub>298</sub> (M <sup>-n+1</sup> s <sup>-1</sup> )	Ea/R (K)	References	Notes
CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> → CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(O <sup>-</sup> )(OO <sup>•</sup> ) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(O <sup>-</sup> )(OO <sup>•</sup> ) → CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> ) + O <sub>2</sub> <sup>••</sup>					16
CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> ) → CHOC(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + O <sub>2</sub> <sup>••</sup> + H <sub>2</sub> O	R(755)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO <sup>•</sup> ) + OH <sup>-</sup> )
CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> ) → CHOC(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + HO <sub>2</sub> <sup>•</sup>	R(756)	1.9 10 <sup>2</sup>			17
<b>Oxidation of 2,3,4-trioxobutanoic acid</b>					<b>76</b>
Pathway 1: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO <sup>•</sup> → CH(OH)(O <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(OH) + H <sub>2</sub> O		4.3 10 <sup>8</sup>			BR: 39% - 77
CH(OH)(O <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(OH)→ CHO(OH) + CO(OH)C(OH)(OH)C <sup>•</sup> (OH)(OH)					4 - 5
CO(OH)C(OH)(OH)C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CO(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO <sup>•</sup> → CH(OH)(OH)C(OH)(O <sup>•</sup> )C(OH)(OH)CO(OH) + H <sub>2</sub> O		4.0 10 <sup>8</sup>			BR: 36% - 77
CH(OH)(OH)C(OH)(O <sup>•</sup> )C(OH)(OH)CO(OH) → CH(OH)(OH)CO(OH) + CO(OH)C <sup>•</sup> (OH)(OH)					4 - 5
CO(OH)C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CO(OH)C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 3: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO <sup>•</sup> → CH(OH)(OH)C(OH)(OH)C(OH)(O <sup>•</sup> )CO(OH) + H <sub>2</sub> O		2.7 10 <sup>8</sup>			BR: 25% - 77
CH(OH)(OH)C(OH)(OH)C(OH)(O <sup>•</sup> )CO(OH) → CH(OH)(OH)C <sup>•</sup> (OH)(OH) + CO(OH)CO(OH)					4 - 5
CH(OH)(OH)C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CH(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH) + HO <sup>•</sup> → 0.39 CHO(OH) + 0.39 CO(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> ) + 0.36 CH(OH)(OH)CO(OH) + 0.36 CO(OH)C(OH)(OH)(OO <sup>•</sup> ) + 0.25 CO(OH)CO(OH) + 0.25	R(757)	1.1 10 <sup>9</sup>			12
CH(OH)(OH)C(OH)(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O - O <sub>2</sub>					
Pathway 1: CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(O <sup>•</sup> )C(OH)(OH)COCO(O <sup>-</sup> ) + H <sub>2</sub> O		4.5 10 <sup>8</sup>			BR: 54% - 78
CH(OH)(O <sup>•</sup> )C(OH)(OH)COCO(O <sup>-</sup> ) → CHO(OH) + CO(O <sup>-</sup> )COC <sup>•</sup> (OH)(OH)					4 - 5
CO(O <sup>-</sup> )COC <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CO(O <sup>-</sup> )COC(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(OH)C(OH)(O <sup>•</sup> )COCO(O <sup>-</sup> ) + H <sub>2</sub> O		3.8 10 <sup>8</sup>			BR: 46% - 78
CH(OH)(OH)C(OH)(O <sup>•</sup> )COCO(O <sup>-</sup> ) → CH(OH)(OH)CO(OH) + CO(O <sup>-</sup> )C <sup>•</sup> O					4 - 5
CO(O <sup>-</sup> )C <sup>•</sup> O + O <sub>2</sub> → CO(O <sup>-</sup> )CO(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> ) + HO <sup>•</sup> → 0.54 CHO(OH) + 0.54 CO(O <sup>-</sup> )COC(OH)(OH)(OO <sup>•</sup> ) + 0.46	R(758)	8.3 10 <sup>8</sup>			12
CH(OH)(OH)CO(OH) + 0.46 CO(O <sup>-</sup> )CO(OO <sup>•</sup> ) + H <sub>2</sub> O - O <sub>2</sub>					
Pathway 1: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(OH)C(OH)(OH)C(OH)(O <sup>•</sup> )CO(O <sup>-</sup> ) + H <sub>2</sub> O		4.7 10 <sup>8</sup>			BR: 36% - 79
CH(OH)(OH)C(OH)(OH)C(OH)(O <sup>•</sup> )CO(O <sup>-</sup> ) → CH(OH)(OH)C <sup>•</sup> (OH)(OH) + CO(OH)CO(O <sup>-</sup> )					4 - 5
CH(OH)(OH)C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CH(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(O <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + H <sub>2</sub> O		4.3 10 <sup>8</sup>			BR: 33% - 79
CH(OH)(O <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) → CHO(OH) + CO(O <sup>-</sup> )C(OH)(OH)C <sup>•</sup> (OH)(OH)					4 - 5
CO(O <sup>-</sup> )C(OH)(OH)C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
Pathway 3: CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(OH)C(OH)(O <sup>•</sup> )C(OH)(OH)CO(O <sup>-</sup> ) + H <sub>2</sub> O		4.0 10 <sup>8</sup>			BR: 31% - 79
CH(OH)(OH)C(OH)(O <sup>•</sup> )C(OH)(OH)CO(O <sup>-</sup> ) → CH(OH)(OH)CO(OH) + CO(O <sup>-</sup> )C <sup>•</sup> (OH)(OH)					4 - 5
CO(O <sup>-</sup> )C <sup>•</sup> (OH)(OH) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(OH)(OO <sup>•</sup> )		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ) + HO <sup>•</sup> → 0.36 CO(OH)CO(O <sup>-</sup> ) + 0.36 CH(OH)(OH)C(OH)(OH)(OO <sup>•</sup> ) + 0.33 CHO(OH) + 0.33 CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> ) + 0.31 CH(OH)(OH)CO(OH) + 0.31 CO(O <sup>-</sup> )C(OH)(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O - O <sub>2</sub>	R(759)	1.3 10 <sup>9</sup>			12
<b>Hydrolysis of Methacrylic Acid Epoxide (MAE)</b>					<b>80</b>
CH <sub>3</sub> C1(CO(OH))-O-C1H <sub>2</sub> + H <sup>+</sup> → CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH) - H <sub>2</sub> O + H <sup>+</sup>	R(760)	5.9 10 <sup>-5</sup>		Birdsall et al., 2014	
<b>Hydrolysis of Hydroxymethyl-methyl-α-lactone (HMML)</b>					<b>81</b>
CH <sub>3</sub> C1(CH <sub>2</sub> (OH))-O-C1O → CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH) - H <sub>2</sub> O	R(761)	1.0 10 <sup>6</sup>			82
<b>Oxidation of 2- Methylglyceric Acid (2-MG)</b>					<b>83</b>
Pathway 1: CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH) + HO <sup>•</sup> → C <sup>•</sup> H(OH)C(OH)(CH <sub>3</sub> )CO(OH) + H <sub>2</sub> O		6.1 10 <sup>8</sup>			BR: 80% - 84
C <sup>•</sup> H(OH)C(OH)(CH <sub>3</sub> )CO(OH) + O <sub>2</sub> → CH(OH)(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(OH)		2.0 10 <sup>9</sup>			3
Pathway 2: CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH) + HO <sup>•</sup> → CH <sub>2</sub> (OH)C(OH)(C <sup>•</sup> H <sub>2</sub> )CO(OH) + H <sub>2</sub> O		1.5 10 <sup>8</sup>			BR: 20% - 84



Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CH_2(OH)C(OH)(C^*H_2)CO(OH) + O_2 \rightarrow CH_2(OH)C(OH)(CH_2(OO^*))CO(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_3)CO(OH) + HO^{\bullet} \rightarrow 0.80 CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH) + 0.20$	R(762)	$7.6 \cdot 10^8$			12
$CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) + H_2O - O_2$					
Pathway 1: $CH_2(OH)C(OH)(CH_3)CO(OH) + NO_3^{\bullet} \rightarrow C^*H(OH)C(OH)(CH_3)CO(OH) + NO_3^- + H^+$		$8.0 \cdot 10^5$			BR: 80%
$C^*H(OH)C(OH)(CH_3)CO(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(CH_3)CO(OH) + NO_3^{\bullet} \rightarrow CH_2(OH)C(OH)(C^*H_2)CO(OH) + NO_3^- + H^+$		$2.0 \cdot 10^5$			BR:20%
$CH_2(OH)C(OH)(C^*H_2)CO(OH) + O_2 \rightarrow CH_2(OH)C(OH)(CH_2(OO^*))CO(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_3)CO(OH) + NO_3^{\bullet} \rightarrow 0.80 CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH) + 0.20$	R(763)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet})$ - 13
$CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) + NO_3^- + H^+ - O_2$					
Pathway 1: $CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + HO^{\bullet} \rightarrow C^*H(OH)C(OH)(CH_3)CO(O^{\bullet}) + H_2O$		$1.1 \cdot 10^9$			BR: 81% - 85
$C^*H(OH)C(OH)(CH_3)CO(O^{\bullet}) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + HO^{\bullet} \rightarrow CH_2(OH)C(OH)(C^*H_2)CO(O^{\bullet}) + H_2O$		$3.0 \cdot 10^8$			BR: 19% - 85
$CH_2(OH)C(OH)(C^*H_2)CO(O^{\bullet}) + O_2 \rightarrow CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + HO^{\bullet} \rightarrow 0.81 CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) + 0.19$	R(764)	$1.4 \cdot 10^9$			12
$CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) + H_2O - O_2$					
Pathway 1: $CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + NO_3^{\bullet} \rightarrow C^*H(OH)C(OH)(CH_3)CO(O^{\bullet}) + NO_3^- + H^+$		$8.1 \cdot 10^5$			BR: 81%
$C^*H(OH)C(OH)(CH_3)CO(O^{\bullet}) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet})$		$2.0 \cdot 10^9$			3
Pathway 2: $CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + NO_3^{\bullet} \rightarrow CH_2(OH)C(OH)(C^*H_2)CO(O^{\bullet}) + NO_3^- + H^+$		$1.9 \cdot 10^5$			BR: 19%
$CH_2(OH)C(OH)(C^*H_2)CO(O^{\bullet}) + O_2 \rightarrow CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet})$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_3)CO(O^{\bullet}) + NO_3^{\bullet} \rightarrow 0.81 CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) + 0.19$		$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet})$ - 13
$CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) + NO_3^- + H^+ - O_2$					
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH) + OH^- \rightarrow CH(O^{\bullet})(OO^{\bullet})C(OH)(CH_3)CO(OH) + H_2O$		$4.0 \cdot 10^9$			
$CH(O^{\bullet})(OO^{\bullet})C(OH)(CH_3)CO(OH) \rightarrow CHOC(OH)(CH_3)CO(OH) + O_2^{\bullet-}$					16
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH) + OH^- \rightarrow CHOC(OH)(CH_3)CO(OH) + O_2^{\bullet-} + H_2O$	R(765)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(OH) \rightarrow CHOC(OH)(CH_3)CO(OH) + HO_2^{\bullet}$	R(766)	$1.9 \cdot 10^2$			17
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) + OH^- \rightarrow CH(O^{\bullet})(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) + H_2O$		$4.0 \cdot 10^9$			
$CH(O^{\bullet})(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) \rightarrow CHOC(OH)(CH_3)CO(O^{\bullet}) + O_2^{\bullet-}$					16
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) + OH^- \rightarrow CHOC(OH)(CH_3)CO(O^{\bullet}) + O_2^{\bullet-} + H_2O$	R(767)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$
$CH(OH)(OO^{\bullet})C(OH)(CH_3)CO(O^{\bullet}) \rightarrow CHOC(OH)(CH_3)CO(O^{\bullet}) + HO_2^{\bullet}$	R(768)	$1.9 \cdot 10^2$			17
Pathway 1: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 2 CHOC(OH)(CH_2(OH))CO(OH) + H_2O_2$		$5.0 \cdot 10^7$			BR: 50%
Pathway 2: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow CHOC(OH)(CH_2(OH))CO(OH) + CH_2(OH)C(OH)(CH_2(OH))CO(OH) + O_2$		$3.3 \cdot 10^7$			BR: 33%
Pathway 3: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 2 CH_2(OH)C(OH)(CH_2(O^{\bullet}))CO(OH) + O_2$		$1.7 \cdot 10^7$			BR: 17%
$CH_2(OH)C(OH)(CH_2(O^{\bullet}))CO(OH) \rightarrow CH_2(OH)C^{\bullet}(OH)CO(OH) + CH_2O$					4 - 5
$CH_2(OH)C^{\bullet}(OH)CO(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OO^{\bullet})CO(OH)$		$2.0 \cdot 10^9$			3
$2 CH_2(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 1.33 CHOC(OH)(CH_2(OH))CO(OH) + 0.33$	R(769)	$1.0 \cdot 10^8$			= $k(2 CH_2(OH)CH_2(OO^*))$ - 6
$CH_2(OH)C(OH)(CH_2(OH))CO(OH) + 0.34 CH_2(OH)C(OH)(OO^{\bullet})CO(OH) + 0.34 CH_2O + 0.50 H_2O_2 + 0.16 O_2$					
Pathway 1: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) \rightarrow 2 CHOC(OH)(CH_2(OH))CO(O^{\bullet}) + H_2O_2$		$5.0 \cdot 10^7$			BR: 50%
Pathway 2: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) \rightarrow CHOC(OH)(CH_2(OH))CO(O^{\bullet}) + CH_2(OH)C(OH)(CH_2(OH))CO(O^{\bullet}) + O_2$		$3.3 \cdot 10^7$			BR: 33%
Pathway 3: $2 CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) \rightarrow 2 CH_2(OH)C(OH)(CH_2(O^{\bullet}))CO(O^{\bullet}) + O_2$		$1.7 \cdot 10^7$			BR: 17%
$CH_2(OH)C(OH)(CH_2(O^{\bullet}))CO(O^{\bullet}) \rightarrow CH_2(OH)C^{\bullet}(OH)CO(O^{\bullet}) + CH_2O$					4 - 5
$CH_2(OH)C^{\bullet}(OH)CO(O^{\bullet}) + O_2 \rightarrow CH_2(OH)C(OH)(OO^{\bullet})CO(O^{\bullet})$		$2.0 \cdot 10^9$			3
$2 CH_2(OH)C(OH)(CH_2(OO^*))CO(O^{\bullet}) \rightarrow 1.33 CHOC(OH)(CH_2(OH))CO(O^{\bullet}) + 0.33 CH_2(OH)C(OH)(CH_2(OH))CO(O^{\bullet}) +$	R(770)	$1.0 \cdot 10^8$			= $k(2 CH_2(OH)CH_2(OO^*))$ - 6
$0.34 CH_2(OH)C(OH)(OO^{\bullet})CO(O^{\bullet}) + 0.34 CH_2O + 0.50 H_2O_2 + 0.16 O_2$					
<b>2-hydroxy,3-oxomethylpropanoic acid</b>					<b>86</b>
Pathway 1: $CH(OH)(OH)C(OH)(CH_3)CO(OH) + HO^{\bullet} \rightarrow CH(OH)(O^{\bullet})C(OH)(CH_3)CO(OH) + H_2O$		$4.7 \cdot 10^8$			BR: 61% - 87
$CH(OH)(O^{\bullet})C(OH)(CH_3)CO(OH) \rightarrow CHO(OH) + CH_3C^{\bullet}(OH)CO(OH)$					4 - 5

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CH_3C^*(OH)CO(OH) + O_2 \rightarrow CH_3C(OH)(OO^*)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_3)CO(OH) + HO^* \rightarrow C^*(OH)(OH)C(OH)(CH_3)CO(OH) + H_2O$		$3.0 \cdot 10^8$			BR: 39% - 87
$C^*(OH)(OH)C(OH)(CH_3)CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_3)CO(OH) + HO^* \rightarrow 0.61 CHO(OH) + 0.61 CH_3C(OH)(OO^*)CO(OH) + 0.39$	R(771)	$7.7 \cdot 10^8$			12
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH) + H_2O - O_2$					
Pathway 1: $CH(OH)(OH)C(OH)(CH_3)CO(OH) + NO_3^* \rightarrow C^*(OH)(OH)C(OH)(CH_3)CO(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^*(OH)(OH)C(OH)(CH_3)CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_3)CO(OH) + NO_3^* \rightarrow C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH) + NO_3^- + H^+ - O_2$	R(772)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^*)$ - 13
Pathway 1: $CH(OH)(OH)C(OH)(CH_3)CO(O^-) + HO^* \rightarrow C^*(OH)(OH)C(OH)(CH_3)CO(O^-) + H_2O$		$4.9 \cdot 10^8$			BR: 41% - 88
$C^*(OH)(OH)C(OH)(CH_3)CO(O^-) + O_2 \rightarrow C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_3)CO(O^-) + HO^* \rightarrow CH(OH)(O^*)C(OH)(CH_3)CO(O^-) + H_2O$		$4.6 \cdot 10^8$			BR: 38% - 88
$CH(OH)(O^*)C(OH)(CH_3)CO(O^-) \rightarrow CHO(OH) + CH_3C^*(OH)CO(O^-)$					4 - 5
$CH_3C^*(OH)CO(O^-) + O_2 \rightarrow CH_3C(OH)(OO^*)CO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH(OH)(OH)C(OH)(CH_3)CO(O^-) + HO^* \rightarrow CH(OH)(OH)C(OH)(C^*H_2)CO(O^-) + H_2O$		$2.5 \cdot 10^8$			BR: 21% - 88
$CH(OH)(OH)C(OH)(C^*H_2)CO(O^-) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_3)CO(O^-) + HO^* \rightarrow 0.41 C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-) + 0.38 CHO(OH) + 0.38$	R(773)	$1.2 \cdot 10^9$			12
$CH_3C(OH)(OO^*)CO(O^-) + 0.21 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) + H_2O - O_2$					
Pathway 1: $CH(OH)(OH)C(OH)(CH_3)CO(O^-) + NO_3^* \rightarrow C^*(OH)(OH)C(OH)(CH_3)CO(O^-) + NO_3^- + H^+$		$6.7 \cdot 10^5$			BR: 67%
$C^*(OH)(OH)C(OH)(CH_3)CO(O^-) + O_2 \rightarrow C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_3)CO(O^-) + NO_3^* \rightarrow CH(OH)(OH)C(OH)(C^*H_2)CO(O^-) + NO_3^- + H^+$		$3.3 \cdot 10^5$			BR: 33%
$CH(OH)(OH)C(OH)(C^*H_2)CO(O^-) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_3)CO(O^-) + NO_3^* \rightarrow 0.67 C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-) + 0.33$	R(774)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^*)$ - 13
$CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) + NO_3^- + H^+ - O_2$					
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH) + OH^- \rightarrow C(OH)(O^-)(OO^*)C(OH)(CH_3)CO(OH) + H_2O$		$4.0 \cdot 10^9$			
$C(OH)(O^-)(OO^*)C(OH)(CH_3)CO(OH) \rightarrow CO(OH)C(OH)(CH_3)CO(OH) + O_2^{\bullet-}$					16
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CH_3)CO(OH) + O_2^{\bullet-} + H_2O$	R(775)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(OH) \rightarrow CO(OH)C(OH)(CH_3)CO(OH) + HO_2^*$	R(776)	$1.0 \cdot 10^6$			27
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-) + OH^- \rightarrow C(OH)(O^-)(OO^*)C(OH)(CH_3)CO(O^-) + H_2O$		$4.0 \cdot 10^9$			
$C(OH)(O^-)(OO^*)C(OH)(CH_3)CO(O^-) \rightarrow CO(OH)C(OH)(CH_3)CO(O^-) + O_2^{\bullet-}$					16
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CH_3)CO(O^-) + O_2^{\bullet-} + H_2O$	R(777)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^*) + OH^-)$
$C(OH)(OH)(OO^*)C(OH)(CH_3)CO(O^-) \rightarrow CO(OH)C(OH)(CH_3)CO(O^-) + HO_2^*$	R(778)	$1.0 \cdot 10^6$			27
Pathway 1: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 2 CH(OH)(OH)C(OH)(CHO)CO(OH) + H_2O_2$		$5.0 \cdot 10^7$			BR: 50%
Pathway 2: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(O^-) + CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + O_2$		$3.3 \cdot 10^7$			BR: 33%
Pathway 3: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 2 CH(OH)(OH)C(OH)(CH_2(O^*))CO(OH) + O_2$		$1.7 \cdot 10^7$			BR: 17%
$CH(OH)(OH)C(OH)(CH_2(O^*))CO(OH) \rightarrow CH(OH)(OH)C^*(OH)CO(OH) + CH_2O$					4 - 5
$CH(OH)(OH)C^*(OH)CO(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(OO^*)CO(OH)$		$2.0 \cdot 10^9$			3
$2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(OH) \rightarrow 1.33 CH(OH)(OH)C(OH)(CHO)CO(OH) + 0.33$	R(779)	$1.0 \cdot 10^8$			= $k(2 CH_2(OH)CH_2(OO^*))$ - 6
$CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + 0.34 CH(OH)(OH)C(OH)(OO^*)CO(OH) + 0.34 CH_2O + 0.50 H_2O_2 + 0.16 O_2$					
Pathway 1: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) \rightarrow 2 CH(OH)(OH)C(OH)(CHO)CO(O^-) + H_2O_2$		$5.0 \cdot 10^7$			BR: 50%
Pathway 2: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(O^-) + CH(OH)(OH)C(OH)(CH_2(OH))CO(O^-) + O_2$		$3.3 \cdot 10^7$			BR: 33%
Pathway 3: $2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) \rightarrow 2 CH(OH)(OH)C(OH)(CH_2(O^*))CO(O^-) + O_2$		$1.7 \cdot 10^7$			BR: 17%
$CH(OH)(OH)C(OH)(CH_2(O^*))CO(O^-) \rightarrow CH(OH)(OH)C^*(OH)CO(O^-) + CH_2O$					4 - 5
$CH(OH)(OH)C^*(OH)CO(O^-) + O_2 \rightarrow CH(OH)(OH)C(OH)(OO^*)CO(O^-)$		$2.0 \cdot 10^9$			3
$2 CH(OH)(OH)C(OH)(CH_2(OO^*))CO(O^-) \rightarrow 1.33 CH(OH)(OH)C(OH)(CHO)CO(O^-) + 0.33$	R(780)	$1.0 \cdot 10^8$			= $k(2 CH_2(OH)CH_2(OO^*))$ - 6
$CH(OH)(OH)C(OH)(CH_2(OH))CO(O^-) + 0.34 CH(OH)(OH)C(OH)(OO^*)CO(O^-) + 0.34 CH_2O + 0.50 H_2O_2 + 0.16 O_2$					

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
<b>2-hydroxy-2-(hydroxymethyl)-3-oxopropanoic acid</b>					<b>89</b>
Pathway 1: $CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + HO^\bullet \rightarrow CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(OH) + H_2O$		$5.3 \cdot 10^8$			BR: 43% - 90
$CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + HO^\bullet \rightarrow CH(OH)(O^\bullet)C(OH)(CH_2(OH))CO(OH) + H_2O$		$4.2 \cdot 10^8$			BR: 35% - 90
$CH(OH)(O^\bullet)C(OH)(CH_2(OH))CO(OH) \rightarrow CHO(OH) + CH_2(OH)C^\bullet(OH)CO(OH)$					4 - 5
$CH_2(OH)C^\bullet(OH)CO(OH) + O_2 \rightarrow CH_2(OH)C(OH)(OO^\bullet)CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + HO^\bullet \rightarrow C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(OH) + H_2O$		$2.5 \cdot 10^8$			BR: 22% - 90
$C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + HO^\bullet \rightarrow 0.43 CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + 0.35 CHO(OH) + 0.35 CH_2(OH)C(OH)(OO^\bullet)CO(OH) + 0.22 C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) + H_2O - O_2$	R(781)	$1.2 \cdot 10^9$			12
Pathway 1: $CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^\bullet \rightarrow CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(OH) + NO_3^- + H^+$		$6.7 \cdot 10^5$			BR: 67%
$CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(OH) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^\bullet \rightarrow C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^- + H^+$		$3.3 \cdot 10^5$			BR: 33%
$C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(OH) + O_2 \rightarrow C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^\bullet \rightarrow 0.67 CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + 0.33 C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) + NO_3^- + H^+ - O_2$	R(782)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet)$ - 13
Pathway 1: $CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + HO^\bullet \rightarrow CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(O^\bullet) + H_2O$		$9.2 \cdot 10^8$			BR: 51% - 91
$CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(O^\bullet) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + HO^\bullet \rightarrow C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + H_2O$		$4.5 \cdot 10^8$			BR: 25% - 91
$C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + O_2 \rightarrow C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 3: $CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + HO^\bullet \rightarrow CH(OH)(O^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + H_2O$		$4.3 \cdot 10^8$			BR: 24% - 91
$CH(OH)(O^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) \rightarrow CHO(OH) + CH_2(OH)C^\bullet(OH)CO(O^\bullet)$					4 - 5
$CH_2(OH)C^\bullet(OH)CO(O^\bullet) + O_2 \rightarrow CH_2(OH)C(OH)(OO^\bullet)CO(O^\bullet)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + HO^\bullet \rightarrow 0.51 CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet) + 0.25 C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + 0.24 CHO(OH) + 0.24 CH_2(OH)C(OH)(OO^\bullet)CO(O^\bullet) + H_2O - O_2$	R(783)	$1.8 \cdot 10^9$			12
Pathway 1: $CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + NO_3^\bullet \rightarrow CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(O^\bullet) + NO_3^- + H^+$		$6.7 \cdot 10^5$			BR: 67%
$CH(OH)(OH)C(OH)(C^\bullet H(OH))CO(O^\bullet) + O_2 \rightarrow CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet)$		$2.0 \cdot 10^9$			3
Pathway 2: $CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + NO_3^\bullet \rightarrow C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + NO_3^- + H^+$		$3.3 \cdot 10^5$			BR: 33%
$C^\bullet(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + O_2 \rightarrow C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet)$		$2.0 \cdot 10^9$			3
$CH(OH)(OH)C(OH)(CH_2(OH))CO(O^\bullet) + NO_3^\bullet \rightarrow 0.67 CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet) + 0.33 C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + NO_3^- + H^+ - O_2$	R(784)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet)$ - 13
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CH(OH)(OH)C(OH)(CH(O^\bullet)(OO^\bullet))CO(OH) + H_2O$		$4.0 \cdot 10^9$			
$CH(OH)(OH)C(OH)(CH(O^\bullet)(OO^\bullet))CO(OH) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(OH) + O_2^{\bullet-}$	R(785)	$4.0 \cdot 10^9$			16
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CH(OH)(OH)C(OH)(CHO)CO(OH) + O_2^{\bullet-} + H_2O$	R(786)	$1.9 \cdot 10^2$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(OH) + HO_2^\bullet$					17
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet) + OH^- \rightarrow CH(OH)(OH)C(OH)(CH(O^\bullet)(OO^\bullet))CO(O^\bullet) + H_2O$		$4.0 \cdot 10^9$			
$CH(OH)(OH)C(OH)(CH(O^\bullet)(OO^\bullet))CO(O^\bullet) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(O^\bullet) + O_2^{\bullet-}$					16
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet) + OH^- \rightarrow CH(OH)(OH)C(OH)(CHO)CO(O^\bullet) + O_2^{\bullet-} + H_2O$	R(787)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$CH(OH)(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^\bullet) \rightarrow CH(OH)(OH)C(OH)(CHO)CO(O^\bullet) + HO_2^\bullet$	R(788)	$1.9 \cdot 10^2$			17
$C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) + OH^- \rightarrow C(OH)(O^\bullet)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) + H_2O$		$4.0 \cdot 10^9$			
$C(OH)(O^\bullet)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) \rightarrow CO(OH)C(OH)(CH_2(OH))CO(OH) + O_2^{\bullet-}$					16
$C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CH_2(OH))CO(OH) + O_2^{\bullet-} + H_2O$	R(789)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$
$C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(OH) \rightarrow CO(OH)C(OH)(CH_2(OH))CO(OH) + HO_2^\bullet$	R(790)	$1.0 \cdot 10^6$			27
$C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + OH^- \rightarrow C(OH)(O^\bullet)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + H_2O$		$4.0 \cdot 10^9$			
$C(OH)(O^\bullet)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) \rightarrow CO(OH)C(OH)(CH_2(OH))CO(O^\bullet) + O_2^{\bullet-}$					16
$C(OH)(OH)(OO^\bullet)C(OH)(CH_2(OH))CO(O^\bullet) + OH^- \rightarrow CO(OH)C(OH)(CH_2(OH))CO(O^\bullet) + O_2^{\bullet-} + H_2O$	R(791)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^\bullet) + OH^-)$

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$C(OH)(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) \rightarrow CO(OH)C(OH)(CH_2(OH))CO(O^-) + HO_2^{\bullet}$	R(792)	$1.0 \cdot 10^6$			27
<b>2,3-hydroxy-2-(hydroxymethyl)-propanoic acid</b>					<b>92</b>
Pathway 1: $CH_2(OH)C(OH)(CH_2(OH))CO(OH) + HO^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(OH) + H_2O$		$1.2 \cdot 10^9$			BR: 100% - 93
$C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_2(OH))CO(OH) + HO^{\bullet} \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) + H_2O - O_2$	R(793)	$1.2 \cdot 10^9$			12
Pathway 1: $CH_2(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(OH) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_2(OH))CO(OH) + NO_3^{\bullet} \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) + NO_3^- + H^+ - O_2$	R(794)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet})$ - 13
Pathway 1: $CH_2(OH)C(OH)(CH_2(OH))CO(O^-) + HO^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(O^-) + H_2O$		$2.0 \cdot 10^9$			BR: 100% - 94
$C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(O^-) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_2(OH))CO(O^-) + HO^{\bullet} \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) + H_2O - O_2$	R(795)	$2.0 \cdot 10^9$			12
Pathway 1: $CH_2(OH)C(OH)(CH_2(OH))CO(O^-) + NO_3^{\bullet} \rightarrow C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(O^-) + NO_3^- + H^+$		$1.0 \cdot 10^6$			BR: 100%
$C^{\bullet}H(OH)C(OH)(CH_2(OH))CO(O^-) + O_2 \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-)$		$2.0 \cdot 10^9$			3
$CH_2(OH)C(OH)(CH_2(OH))CO(O^-) + NO_3^{\bullet} \rightarrow CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) + NO_3^- + H^+ - O_2$	R(796)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^{\bullet})$ - 13
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) + OH^- \rightarrow CH(O^-)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) + H_2O$		$4.0 \cdot 10^9$			
$CH(O^-)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) \rightarrow CHOC(OH)(CH_2(OH))CO(OH) + O_2^{\bullet-}$					16
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) + OH^- \rightarrow CHOC(OH)(CH_2(OH))CO(OH) + O_2^{\bullet-} + H_2O$	R(797)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(OH) \rightarrow CHOC(OH)(CH_2(OH))CO(OH) + HO_2^{\bullet}$	R(798)	$1.9 \cdot 10^2$			17
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) + OH^- \rightarrow CH(O^-)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) + H_2O$		$4.0 \cdot 10^9$			
$CH(O^-)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) \rightarrow CHOC(OH)(CH_2(OH))CO(O^-) + O_2^{\bullet-}$					16
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) + OH^- \rightarrow CHOC(OH)(CH_2(OH))CO(O^-) + O_2^{\bullet-} + H_2O$	R(799)	$4.0 \cdot 10^9$			= $k(CH_3CH(OH)(OO^{\bullet}) + OH^-)$
$CH(OH)(OO^{\bullet})C(OH)(CH_2(OH))CO(O^-) \rightarrow CHOC(OH)(CH_2(OH))CO(O^-) + HO_2^{\bullet}$	R(800)	$1.9 \cdot 10^2$			17
<b>Methyltartronic acid</b>					<b>95</b>
Pathway 1: $CO(OH)C(OH)(CH_3)CO(OH) + HO^{\bullet} \rightarrow CO(OH)C(OH)(C^{\bullet}H_2)CO(OH) + H_2O$		$8.0 \cdot 10^7$			BR: 66% - 96
$CO(OH)C(OH)(C^{\bullet}H_2)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(OH)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)C(OH)(CH_3)CO(OH) + HO^{\bullet} \rightarrow CO(OH)C(O^{\bullet})(CH_3)CO(OH) + H_2O$		$4.0 \cdot 10^7$			BR: 34% - 96
$CO(OH)C(O^{\bullet})(CH_3)CO(OH) \rightarrow C^{\bullet}O(OH) + CH_3COCO(OH)$					4 - 5
$C^{\bullet}O(OH) + O_2 \rightarrow CO(OH)(OO^{\bullet})$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(CH_3)CO(OH) + HO^{\bullet} \rightarrow 0.66 CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(OH) + 0.34 CH_3COCO(OH) + 0.34 CO(OH)(OO^{\bullet}) + H_2O - O_2$	R(801)	$1.2 \cdot 10^8$			12
Pathway 1: $CO(OH)C(OH)(CH_3)CO(OH) + NO_3^{\bullet} \rightarrow CO(OH)C(OH)(C^{\bullet}H_2)CO(OH) + NO_3^- + H^+$		$2.1 \cdot 10^6$			BR: 100%
$CO(OH)C(OH)(C^{\bullet}H_2)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(OH)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(CH_3)CO(OH) + NO_3^{\bullet} \rightarrow CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(OH) + NO_3^- + H^+ - O_2$	R(802)	$2.1 \cdot 10^6$	3248		= $k(CH_3CH(OH)CO(OH) + NO_3^{\bullet})$ - 13
Pathway 1: $CO(OH)C(OH)(CH_3)CO(O^-) + HO^{\bullet} \rightarrow CO(OH)C(OH)(C^{\bullet}H_2)CO(O^-) + H_2O$		$1.8 \cdot 10^8$			BR: 64% - 97
$CO(OH)C(OH)(C^{\bullet}H_2)CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(O^-)$		$2.0 \cdot 10^9$			3
Pathway 2: $CO(OH)C(OH)(CH_3)CO(O^-) + HO^{\bullet} \rightarrow CO(OH)C(OH)(CH_3)CO(O^{\bullet}) + HO^{\bullet}$		$1.0 \cdot 10^8$			BR: 36% - 97
$CO(OH)C(OH)(CH_3)CO(O^{\bullet}) \rightarrow CH_3C^{\bullet}(OH)CO(OH) + CO_2$					4 - 5
$CH_3C^{\bullet}(OH)CO(OH) + O_2 \rightarrow CH_3C(OH)(OO^{\bullet})CO(OH)$		$2.0 \cdot 10^9$			3
$CO(OH)C(OH)(CH_3)CO(O^-) + HO^{\bullet} \rightarrow 0.64 CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(O^-) + 0.36 CH_3C(OH)(OO^{\bullet})CO(OH) + 0.36 CO_2 + 0.36 HO^{\bullet} + 0.64 H_2O - O_2$	R(803)	$2.8 \cdot 10^8$			12
Pathway 1: $CO(OH)C(OH)(CH_3)CO(O^-) + NO_3^{\bullet} \rightarrow CO(OH)C(OH)(C^{\bullet}H_2)CO(O^-) + NO_3^- + H^+$		$1.0 \cdot 10^7$			BR: 100%
$CO(OH)C(OH)(C^{\bullet}H_2)CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(CH_2(OO^{\bullet}))CO(O^-)$		$2.0 \cdot 10^9$			3

Reactions		k <sub>298</sub> (M <sup>-n+1</sup> s <sup>-1</sup> )	Ea/R (K)	References	Notes
CO(OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> → CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(804)	1.0·10 <sup>7</sup>	2646		= k(CH <sub>3</sub> CH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> ) - 13 BR: 47% - 98
Pathway 1: CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + HO <sup>•</sup> → CO(O <sup>-</sup> )C(OH)(C <sup>•</sup> H <sub>2</sub> )CO(O <sup>-</sup> ) + H <sub>2</sub> O		2.9 10 <sup>8</sup>			3
CO(O <sup>-</sup> )C(OH)(C <sup>•</sup> H <sub>2</sub> )CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			BR: 53% - 98
Pathway 2: CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + HO <sup>•</sup> → CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>•</sup> ) + HO <sup>-</sup>		3.3 10 <sup>8</sup>			4 - 5
CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>•</sup> ) → CH <sub>3</sub> C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + CO <sub>2</sub>					3
CH <sub>3</sub> C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CH <sub>3</sub> C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			12
CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + HO <sup>•</sup> → 0.47 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + 0.53 CH <sub>3</sub> C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> ) + 0.53 CO <sub>2</sub>	R(805)	6.2 10 <sup>8</sup>			
+ 0.53 HO <sup>-</sup> + 0.47 H <sub>2</sub> O - O <sub>2</sub>					
Pathway 1: CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> → CO(O <sup>-</sup> )C(OH)(C <sup>•</sup> H <sub>2</sub> )CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		1.0 10 <sup>7</sup>			BR: 100%
CO(O <sup>-</sup> )C(OH)(C <sup>•</sup> H <sub>2</sub> )CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
CO(O <sup>-</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> → CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(806)	1.0·10 <sup>7</sup>	2646		= k(CH <sub>3</sub> CH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>•</sup> ) - 13 BR: 50%
Pathway 1: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) → 2 CO(OH)C(OH)(CHO)CO(OH) + H <sub>2</sub> O <sub>2</sub>		5.0 10 <sup>7</sup>			BR: 33%
Pathway 2: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) → CO(OH)C(OH)(CHO)CO(OH) + CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + O <sub>2</sub>		3.3 10 <sup>7</sup>			BR: 17%
Pathway 3: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) → 2 CO(OH)C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(OH) + O <sub>2</sub>		1.7 10 <sup>7</sup>			4 - 5
CO(OH)C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(OH) → CO(OH)C <sup>•</sup> (OH)CO(OH) + CH <sub>2</sub> O					3
CO(OH)C <sup>•</sup> (OH)CO(OH) + O <sub>2</sub> → CO(OH)C(OH)(OO <sup>•</sup> )CO(OH)		2.0·10 <sup>9</sup>			
2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) → 1.33 CO(OH)C(OH)(CHO)CO(OH) + 0.33 CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	R(807)	1.0 10 <sup>8</sup>			= k(2 CH <sub>2</sub> (OH)CH <sub>2</sub> (OO <sup>•</sup> )) - 6
+ 0.34 CO(OH)C(OH)(OO <sup>•</sup> )CO(OH) + 0.34 CH <sub>2</sub> O + 0.50 H <sub>2</sub> O <sub>2</sub> + 0.16 O <sub>2</sub>					
Pathway 1: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 2 CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) + H <sub>2</sub> O <sub>2</sub>		5.0 10 <sup>7</sup>			BR: 50%
Pathway 2: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) + CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + O <sub>2</sub>		3.3 10 <sup>7</sup>			BR: 33%
Pathway 3: 2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 2 CO(OH)C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(O <sup>-</sup> ) + O <sub>2</sub>		1.7 10 <sup>7</sup>			BR: 17%
CO(OH)C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(O <sup>-</sup> ) → CO(OH)C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + CH <sub>2</sub> O					4 - 5
CO(OH)C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(OH)C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> )		2.0·10 <sup>9</sup>			3
2 CO(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 1.33 CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) + 0.33 CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) +	R(808)	1.0 10 <sup>8</sup>			= k(2 CH <sub>2</sub> (OH)CH <sub>2</sub> (OO <sup>•</sup> )) - 6
0.34 CO(OH)C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> ) + 0.34 CH <sub>2</sub> O + 0.50 H <sub>2</sub> O <sub>2</sub> + 0.16 O <sub>2</sub>					
Pathway 1: 2 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 2 CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ) + H <sub>2</sub> O <sub>2</sub>		5.0 10 <sup>7</sup>			BR: 50%
Pathway 2: 2 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ) + CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + O <sub>2</sub>		3.3 10 <sup>7</sup>			BR: 33%
Pathway 3: 2 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 2 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(O <sup>-</sup> ) + O <sub>2</sub>		1.7 10 <sup>7</sup>			BR: 17%
CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (O <sup>•</sup> ))CO(O <sup>-</sup> ) → CO(O <sup>-</sup> )C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + CH <sub>2</sub> O					4 - 5
CO(O <sup>-</sup> )C <sup>•</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> )		2.0·10 <sup>9</sup>			3
2 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) → 1.33 CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ) + 0.33 CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + 0.34	R(809)	1.0 10 <sup>8</sup>			= k(2 CH <sub>2</sub> (OH)CH <sub>2</sub> (OO <sup>•</sup> )) - 6
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> ) + 0.34 CH <sub>2</sub> O + 0.50 H <sub>2</sub> O <sub>2</sub> + 0.16 O <sub>2</sub>					
<b>2- hydroxy-2-(oxomethyl)-3-oxopropanoic acid</b>					99
Pathway 1: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + HO <sup>•</sup> → CH(OH)(O <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH) + H <sub>2</sub> O		7.7 10 <sup>8</sup>			BR: 64% - 100
CH(OH)(O <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH) → CHO(OH) + CH(OH)(OH)C <sup>•</sup> (OH)CO(OH)					4 - 5
CH(OH)(OH)C <sup>•</sup> (OH)CO(OH) + O <sub>2</sub> → CH(OH)(OH)C(OH)(OO <sup>•</sup> )CO(OH)		2.0 10 <sup>9</sup>			3
Pathway 2: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + HO <sup>•</sup> → C <sup>•</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + H <sub>2</sub> O		4.3 10 <sup>8</sup>			BR: 36% - 100
C <sup>•</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + O <sub>2</sub> → C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH)		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + HO <sup>•</sup> → 0.64 CH(OH)(OH)C(OH)(OO <sup>•</sup> )CO(OH) + 0.64 CHO(OH) + 0.36	R(810)	1.2 10 <sup>9</sup>			12
C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH) + H <sub>2</sub> O - O <sub>2</sub>					
Pathway 1: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + NO <sub>3</sub> <sup>•</sup> → C <sup>•</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		1.0 10 <sup>6</sup>			BR: 100%
C <sup>•</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + O <sub>2</sub> → C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH)		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(CH(OH)(OH))CO(OH) + NO <sub>3</sub> <sup>•</sup> → C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH(OH)(OH))CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> -	R(811)	1.0 10 <sup>6</sup>			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>•</sup> ) - 13
O <sub>2</sub>					
Pathway 1: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + HO <sup>•</sup> → CH(OH)(O <sup>•</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O		8.0 10 <sup>8</sup>			BR: 50% - 101

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
CH(OH)(O <sup>-</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) → CHO(OH) + CH(OH)(OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> )					4 - 5
CH(OH)(OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CH(OH)(OH)C(OH)(OO <sup>*</sup> )CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → C <sup>*</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O		8.0 10 <sup>8</sup>			BR: 50% - 101
C <sup>*</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> → C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → 0.50 CH(OH)(OH)C(OH)(OO <sup>*</sup> )CO(O <sup>-</sup> ) + 0.50 CHO(OH) + 0.50 C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O - O <sub>2</sub>	R(812)	1.6 10 <sup>9</sup>			12
Pathway 1: CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>*</sup> → C <sup>*</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		1.0 10 <sup>6</sup>			BR: 100%
C <sup>*</sup> (OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> → C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>*</sup> → C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(813)	1.0 10 <sup>6</sup>			= k(CH(OH)(OH)CH(OH)(OH) + NO <sub>3</sub> <sup>*</sup> ) - 13
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(OH) + OH <sup>-</sup> → C(OH)(O <sup>-</sup> )(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(OH) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
C(OH)(O <sup>-</sup> )(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(OH) → CO(OH)C(OH)(CH(OH)(OH))CO(OH) + O <sub>2</sub> <sup>*</sup>					16
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(OH) + OH <sup>-</sup> → CO(OH)C(OH)(CH(OH)(OH))CO(OH) + O <sub>2</sub> <sup>*</sup> + H <sub>2</sub> O	R(814)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO <sup>*</sup> ) + OH <sup>-</sup> )
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(OH) → CO(OH)C(OH)(CH(OH)(OH))CO(OH) + HO <sub>2</sub> <sup>*</sup>	R(815)	1.0 10 <sup>6</sup>			17
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + OH <sup>-</sup> → C(OH)(O <sup>-</sup> )(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O		4.0 10 <sup>9</sup>			
C(OH)(O <sup>-</sup> )(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) → CO(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> <sup>*</sup>					16
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + OH <sup>-</sup> → CO(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> <sup>*</sup> + H <sub>2</sub> O	R(816)	4.0 10 <sup>9</sup>			= k(CH <sub>3</sub> CH(OH)(OO <sup>*</sup> ) + OH <sup>-</sup> )
C(OH)(OH)(OO <sup>*</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) → CO(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ) + HO <sub>2</sub> <sup>*</sup>	R(817)	1.0 10 <sup>6</sup>			17
<b>2-(hydroxymethyl)-tarttronic acid</b>					<b>102</b>
Pathway 1: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + HO <sup>*</sup> → CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(OH) + H <sub>2</sub> O		3.2 10 <sup>8</sup>			BR: 78% - 103
CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(OH) + O <sub>2</sub> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(OH)		2.0 10 <sup>9</sup>			3
Pathway 2: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + HO <sup>*</sup> → CO(OH)C(OH)(CH <sub>2</sub> (O <sup>*</sup> ))CO(OH) + H <sub>2</sub> O		9.0 10 <sup>7</sup>			BR: 22% - 103
CO(OH)C(OH)(CH <sub>2</sub> (O <sup>*</sup> ))CO(OH) → CH <sub>2</sub> O + CO(OH)C <sup>*</sup> (OH)CO(OH)					4 - 5
CO(OH)C <sup>*</sup> (OH)CO(OH) + O <sub>2</sub> → CO(OH)C(OH)(OO <sup>*</sup> )CO(OH)		2.0 10 <sup>9</sup>			3
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + HO <sup>*</sup> → 0.78 CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(OH) + 0.22 CH <sub>2</sub> O + 0.22 CO(OH)C(OH)(OO <sup>*</sup> )CO(OH) + H <sub>2</sub> O - O <sub>2</sub>	R(818)	4.1 10 <sup>8</sup>			12
Pathway 1: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + NO <sub>3</sub> <sup>*</sup> → CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		2.1 10 <sup>6</sup>			BR: 100%
CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(OH) + O <sub>2</sub> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(OH)		2.0 10 <sup>9</sup>			3
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) + NO <sub>3</sub> <sup>*</sup> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(OH) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(819)	2.1·10 <sup>6</sup>	3248		= k(CH <sub>3</sub> CH(OH)CO(OH) + NO <sub>3</sub> <sup>*</sup> ) - 13
Pathway 1: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O		6.4 10 <sup>8</sup>			BR: 86% - 104
CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → CO(OH)C(OH)(CH <sub>2</sub> (O <sup>*</sup> ))CO(O <sup>-</sup> ) + H <sub>2</sub> O		1.0 10 <sup>8</sup>			BR: 14% - 104
CO(OH)C(OH)(CH <sub>2</sub> (O <sup>*</sup> ))CO(O <sup>-</sup> ) → CH <sub>2</sub> O + CO(OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> )					4 - 5
CO(OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(OH)C(OH)(OO <sup>*</sup> )CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → 0.86 CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(O <sup>-</sup> ) + 0.14 CH <sub>2</sub> O + 0.14 CO(OH)C(OH)(OO <sup>*</sup> )CO(O <sup>-</sup> ) + H <sub>2</sub> O - O <sub>2</sub>	R(820)	7.4 10 <sup>8</sup>			12
Pathway 1: CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>*</sup> → CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup>		1.0 10 <sup>7</sup>			BR: 100%
CO(OH)C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>*</sup> → CO(OH)C(OH)(CH(OH)(OO <sup>*</sup> ))CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>-</sup> + H <sup>+</sup> - O <sub>2</sub>	R(821)	1.0·10 <sup>7</sup>	2646		= k(CH <sub>3</sub> CH(OH)CO(O <sup>-</sup> ) + NO <sub>3</sub> <sup>*</sup> ) - 13
Pathway 1: CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → CO(O <sup>-</sup> )C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O		1.1 10 <sup>9</sup>			BR: 79% - 105
CO(O <sup>-</sup> )C(OH)(C <sup>*</sup> H(OH))CO(O <sup>-</sup> ) + O <sub>2</sub> → CO(O <sup>-</sup> )C(OH)(CH(OH)(OO <sup>*</sup> ))CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3
Pathway 2: CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + HO <sup>*</sup> → CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + OH <sup>-</sup>		3.0 10 <sup>8</sup>			BR: 21% - 105
CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) → CH <sub>2</sub> (OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> ) + CO <sub>2</sub>					4 - 5
CH <sub>2</sub> (OH)C <sup>*</sup> (OH)CO(O <sup>-</sup> ) + O <sub>2</sub> → CH <sub>2</sub> (OH)C(OH)(OO <sup>*</sup> )CO(O <sup>-</sup> )		2.0 10 <sup>9</sup>			3

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
$CO(O^-)C(OH)(CH_2(OH))CO(O^-) + HO^\bullet \rightarrow 0.79 CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + 0.21$ $CH_2(OH)C(OH)(OO^\bullet)CO(O^-) + 0.21 CO_2 + 0.21 OH^- + 0.79 H_2O - O_2$ Pathway 1: $CO(O^-)C(OH)(CH_2(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(O^-)C(OH)(C^\bullet H(OH))CO(O^-) + NO_3^- + H^+$ $CO(O^-)C(OH)(C^\bullet H(OH))CO(O^-) + O_2 \rightarrow CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-)$ $CO(O^-)C(OH)(CH_2(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + NO_3^- + H^+ - O_2$	R(822)	$1.4 \cdot 10^9$			12
$CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CH(O^-)(OO^\bullet))CO(OH) + H_2O$ $CO(OH)C(OH)(CH(O^-)(OO^\bullet))CO(OH) \rightarrow CO(OH)C(OH)(CHO)CO(OH) + O_2^\bullet$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CHO)CO(OH) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) \rightarrow CO(OH)C(OH)(CHO)CO(OH) + HO_2^\bullet$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(OH)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + O_2^\bullet$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + HO_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + HO_2^\bullet$	R(823)	$1.0 \cdot 10^7$	2646		BR: 100% 3 = $k(CH_3CH(OH)CO(O^-) + NO_3^\bullet) - 13$
$CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + HO_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + HO_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + HO_2^\bullet$	R(824) R(825)	$4.0 \cdot 10^9$ $1.9 \cdot 10^2$			16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17
$CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CHO)CO(O^-) + HO_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(O^-)C(OH)(CH(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + HO_2^\bullet$	R(826) R(827)	$4.0 \cdot 10^9$ $1.9 \cdot 10^2$			16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17
$CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(CH(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CHO)CO(O^-) + HO_2^\bullet$	R(828) R(829)	$4.0 \cdot 10^9$ $1.9 \cdot 10^2$			16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17
<b>2-(oxomethyl)-tartronic acid</b>					106
Pathway 1: $CO(OH)C(OH)(CH(OH)(OH))CO(OH) + HO^\bullet \rightarrow CO(OH)C(OH)(CH(OH)(O^\bullet))CO(OH) + H_2O$ $CO(OH)C(OH)(CH(OH)(O^\bullet))CO(OH) \rightarrow CHO(OH) + CO(OH)C^\bullet(OH)CO(OH)$ $CO(OH)C^\bullet(OH)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(OO^\bullet)CO(OH)$ Pathway 2: $CO(OH)C(OH)(CH(OH)(OH))CO(OH) + HO^\bullet \rightarrow CO(OH)C(OH)(C^\bullet(OH)(OH))CO(OH) + H_2O$ $CO(OH)C(OH)(C^\bullet(OH)(OH))CO(OH) + O_2 \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH)$ $CO(OH)C(OH)(CH(OH)(OH))CO(OH) + HO^\bullet \rightarrow 0.72 CO(OH)C(OH)(OO^\bullet)CO(OH) + 0.72 CHO(OH) + 0.28$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH) + H_2O - O_2$ Pathway 1: $CO(OH)C(OH)(CH(OH)(OH))CO(OH) + NO_3^\bullet \rightarrow CO(OH)C(OH)(C^\bullet(OH)(OH))CO(OH) + NO_3^- + H^+$ $CO(OH)C(OH)(C^\bullet(OH)(OH))CO(OH) + O_2 \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH)$ $CO(OH)C(OH)(CH(OH)(OH))CO(OH) + NO_3^\bullet \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH) + NO_3^- + H^+ - O_2$	R(830)	$3.9 \cdot 10^8$ $2.0 \cdot 10^9$ $1.5 \cdot 10^8$ $2.0 \cdot 10^9$ $5.4 \cdot 10^8$			BR: 72% - 107 4 - 5 3 BR: 28% - 107 3 12
Pathway 1: $CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(CH(OH)(O^\bullet))CO(O^-) + H_2O$ $CO(OH)C(OH)(CH(OH)(O^\bullet))CO(O^-) \rightarrow CHO(OH) + CO(OH)C^\bullet(OH)CO(O^-)$ $CO(OH)C^\bullet(OH)CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(OO^\bullet)CO(O^-)$ Pathway 2: $CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(C^\bullet(OH)(OH))CO(O^-) + H_2O$ $CO(OH)C(OH)(C^\bullet(OH)(OH))CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-)$ $CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow 0.60 CO(OH)C(OH)(OO^\bullet)CO(O^-) + 0.60 CHO(OH) + 0.40$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + H_2O - O_2$ Pathway 1: $CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(OH)C(OH)(C^\bullet(OH)(OH))CO(O^-) + NO_3^- + H^+$ $CO(OH)C(OH)(C^\bullet(OH)(OH))CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-)$ $CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + NO_3^- + H^+ - O_2$	R(831)	$1.0 \cdot 10^6$ $4.4 \cdot 10^8$ $2.0 \cdot 10^9$ $3.0 \cdot 10^8$ $2.0 \cdot 10^9$ $7.4 \cdot 10^8$			BR: 100% 3 = $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet) - 13$ BR: 60% - 108 4 - 5 3 BR: 40% - 108 3 12
Pathway 1: $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow CO(O^-)C(OH)(C^\bullet(OH)(OH))CO(O^-) + H_2O$ $CO(O^-)C(OH)(C^\bullet(OH)(OH))CO(O^-) + O_2 \rightarrow CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-)$ Pathway 2: $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow CO(O^-)C(OH)(CH(OH)(O^\bullet))CO(O^-) + H_2O$ $CO(O^-)C(OH)(CH(OH)(O^\bullet))CO(O^-) \rightarrow CHO(OH) + CO(O^-)C^\bullet(OH)CO(O^-)$ $CO(O^-)C^\bullet(OH)CO(O^-) + O_2 \rightarrow CO(O^-)C(OH)(OO^\bullet)CO(O^-)$	R(832)	$1.0 \cdot 10^6$ $2.0 \cdot 10^9$ $4.5 \cdot 10^8$ $2.0 \cdot 10^9$ $4.0 \cdot 10^8$ $2.0 \cdot 10^9$			BR: 100% 3 BR: 41% - 109 3 BR: 36% - 109 4 - 5 3
$CO(OH)C(OH)(CH(OH)(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + NO_3^- + H^+ - O_2$	R(833)	$1.0 \cdot 10^6$			= $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet) - 13$

Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
Pathway 3: $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow CO(O^-)C(OH)(CH(OH)(OH))CO(O^\bullet) + HO^-$ $CO(O^-)C(OH)(CH(OH)(OH))CO(O^\bullet) \rightarrow CH(OH)(OH)C^\bullet(OH)CO(O^-) + CO_2$ $CH(OH)(OH)C^\bullet(OH)CO(O^-) + O_2 \rightarrow CH(OH)(OH)C(OH)(OO^\bullet)CO(O^-)$ $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + HO^\bullet \rightarrow 0.41 CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + 0.36 CHO(OH) + 0.36$ $CO(O^-)C(OH)(OO^\bullet)CO(O^-) + 0.23 CH(OH)(OH)C(OH)(OO^\bullet)CO(O^-) + 0.23 CO_2 + 0.23 HO^\bullet + 0.77 H_2O - O_2$	R(834)	$2.5 \cdot 10^8$ $2.0 \cdot 10^9$ $1.1 \cdot 10^9$			BR: 23% -109 4 - 5 3 12
Pathway 1: $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(O^-)C(OH)(C^\bullet(OH)(OH))CO(O^-) + NO_3^- + H^+$ $CO(O^-)C(OH)(C^\bullet(OH)(OH))CO(O^-) + O_2 \rightarrow CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-)$ $CO(O^-)C(OH)(CH(OH)(OH))CO(O^-) + NO_3^\bullet \rightarrow CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + NO_3^- + H^+ - O_2$	R(835)	$1.0 \cdot 10^6$ $2.0 \cdot 10^9$ $1.0 \cdot 10^6$			BR: 100% 3 = $k(CH(OH)(OH)CH(OH)(OH) + NO_3^\bullet)$ - 13
$CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(C(OH)(O^-)(OO^\bullet))CO(OH) + H_2O$ $CO(OH)C(OH)(C(OH)(O^-)(OO^\bullet))CO(OH) \rightarrow CO(OH)C(OH)(CO(OH))CO(OH) + O_2^\bullet$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH) + OH^- \rightarrow CO(OH)C(OH)(CO(OH))CO(OH) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(OH) \rightarrow CO(OH)C(OH)(CO(OH))CO(OH) + HO_2^\bullet$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(C(OH)(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(OH)C(OH)(C(OH)(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CO(OH))CO(O^-) + O_2^\bullet$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(OH)C(OH)(CO(OH))CO(O^-) + O_2^\bullet + H_2O$ $CO(OH)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CO(OH))CO(O^-) + HO_2^\bullet$ $CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(C(OH)(O^-)(OO^\bullet))CO(O^-) + H_2O$ $CO(O^-)C(OH)(C(OH)(O^-)(OO^\bullet))CO(O^-) \rightarrow CO(OH)C(OH)(CO(O^-))CO(O^-) + O_2^\bullet$ $CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CO(OH))CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CO(OH))CO(O^-) + HO_2^\bullet$	R(836) R(837) R(838) R(839)	$4.0 \cdot 10^9$ $1.9 \cdot 10^2$ $4.0 \cdot 10^9$ $4.0 \cdot 10^9$ $4.0 \cdot 10^9$ $1.9 \cdot 10^2$ $1.9 \cdot 10^2$ $4.0 \cdot 10^9$			16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17 16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17
$CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) + OH^- \rightarrow CO(O^-)C(OH)(CO(OH))CO(O^-) + O_2^\bullet + H_2O$ $CO(O^-)C(OH)(C(OH)(OH)(OO^\bullet))CO(O^-) \rightarrow CO(O^-)C(OH)(CO(OH))CO(O^-) + HO_2^\bullet$	R(840) R(841)	$4.0 \cdot 10^9$ $1.9 \cdot 10^2$			16 = $k(CH_3CH(OH)(OO^\bullet) + OH^-)$ 17
<b>Hydroxymethanetricarboxylic acid</b>					<b>110</b>
Pathway 1: $CO(OH)C(OH)(CO(OH))CO(OH) + HO^\bullet \rightarrow CO(OH)C(O^\bullet)(CO(OH))CO(OH) + H_2O$ $CO(OH)C(O^\bullet)(CO(OH))CO(OH) \rightarrow C^\bullet O(OH) + CO(OH)COCO(OH)$ $C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$ $CO(OH)C(OH)(CO(OH))CO(OH) + HO^\bullet \rightarrow CO(OH)COCO(OH) + CO(OH)(OO^\bullet) + H_2O - O_2$ Pathway 1: $CO(OH)C(OH)(CO(OH))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(CO(OH))CO(O^\bullet) + OH^-$ $CO(OH)C(OH)(CO(OH))CO(O^\bullet) \rightarrow CO(OH)C^\bullet(OH)CO(OH) + CO_2$ $CO(OH)C^\bullet(OH)CO(OH) + O_2 \rightarrow CO(OH)C(OH)(OO^\bullet)CO(OH)$ Pathway 2: $CO(OH)C(OH)(CO(OH))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(O^\bullet)(CO(OH))CO(O^-) + H_2O$ $CO(OH)C(O^\bullet)(CO(OH))CO(O^-) \rightarrow C^\bullet O(OH) + CO(OH)COCO(O^-)$ $C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$ $CO(OH)C(OH)(CO(OH))CO(O^-) + HO^\bullet \rightarrow 0.52 CO(OH)C(OH)(OO^\bullet)CO(OH) + 0.52 CO_2 + 0.48 CO(OH)COCO(O^-) +$ $0.48 CO(OH)(OO^\bullet) + 0.52 OH^- + 0.48 H_2O - O_2$ Pathway 1: $CO(OH)C(OH)(CO(O^-))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(OH)(CO(O^-))CO(O^\bullet) + OH^-$ $CO(OH)C(OH)(CO(O^-))CO(O^\bullet) \rightarrow CO(OH)C^\bullet(OH)CO(O^-) + CO_2$ $CO(OH)C^\bullet(OH)CO(O^-) + O_2 \rightarrow CO(OH)C(OH)(OO^\bullet)CO(O^-)$ Pathway 2: $CO(OH)C(OH)(CO(O^-))CO(O^-) + HO^\bullet \rightarrow CO(OH)C(O^\bullet)(CO(O^-))CO(O^-) + H_2O$ $CO(OH)C(O^\bullet)(CO(O^-))CO(O^-) \rightarrow C^\bullet O(O^-) + CO(OH)COCO(O^-)$ $C^\bullet O(O^-) + O_2 \rightarrow CO(O^-)(OO^\bullet)$ $CO(OH)C(OH)(CO(O^-))CO(O^-) + HO^\bullet \rightarrow 0.69 CO(OH)C(OH)(OO^\bullet)CO(O^-) + 0.69 CO_2 + 0.31 CO(OH)COCO(O^-) +$ $0.31 CO(O^-)(OO^\bullet) + 0.69 OH^- + 0.31 H_2O - O_2$ Pathway 1: $CO(O^-)C(OH)(CO(O^-))CO(O^-) + HO^\bullet \rightarrow CO(O^-)C(OH)(CO(O^-))CO(O^\bullet) + OH^-$ $CO(O^-)C(OH)(CO(O^-))CO(O^\bullet) \rightarrow CO(O^-)C^\bullet(OH)CO(O^-) + CO_2$ $CO(O^-)C^\bullet(OH)CO(O^-) + O_2 \rightarrow CO(O^-)C(OH)(OO^\bullet)CO(O^-)$ $CO(O^-)C(OH)(CO(O^-))CO(O^-) + HO^\bullet \rightarrow CO(O^-)C(OH)(OO^\bullet)CO(O^-) + CO_2 + OH^- - O_2$	R(842) R(843) R(844) R(845)	$2.4 \cdot 10^7$ $2.0 \cdot 10^9$ $2.4 \cdot 10^7$ $4.5 \cdot 10^7$ $2.0 \cdot 10^9$ $4.2 \cdot 10^7$ $2.0 \cdot 10^9$ $8.7 \cdot 10^7$ $1.6 \cdot 10^8$ $2.0 \cdot 10^9$ $7.0 \cdot 10^7$ $2.0 \cdot 10^9$ $2.3 \cdot 10^8$ $5.5 \cdot 10^8$ $2.0 \cdot 10^9$ $5.5 \cdot 10^8$			BR: 100% - 111 4 - 5 3 12 BR: 52% - 112 4 - 5 3 BR: 48% - 112 4 - 5 3 12 BR: 69% - 113 4 - 5 3 BR: 31% - 113 4 - 5 3 12 BR: 100% - 114 4 - 5 3



Reactions		$k_{298}$ ( $M^{-n+1} s^{-1}$ )	Ea/R (K)	References	Notes
<b>Oxidation of Methacrylic Acid</b>					115
Pathway 1: $CH_2=C(CH_3)CO(OH) + HO^\bullet \rightarrow CH_2(OH)C^\bullet(CH_3)CO(OH)$ $CH_2(OH)C^\bullet(CH_3)CO(OH) + O_2 \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CO(OH)$ $CH_2=C(CH_3)CO(OH) + HO^\bullet \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CO(OH) - O_2$	R(846)	$9.4 \cdot 10^9$ $2.0 \cdot 10^9$ $1.1 \cdot 10^{10}$	1323	Schöne et al., 2014	BR: 100% - 116 3
Pathway 1: $CH_2=C(CH_3)CO(O^\bullet) + HO^\bullet \rightarrow CH_2(OH)C^\bullet(CH_3)CO(O^\bullet)$ $CH_2(OH)C^\bullet(CH_3)CO(O^\bullet) + O_2 \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CO(O^\bullet)$ $CH_2=C(CH_3)CO(O^\bullet) + HO^\bullet \rightarrow CH_2(OH)C(OO^\bullet)(CH_3)CO(O^\bullet) - O_2$	R(847)	$9.4 \cdot 10^9$ $2.0 \cdot 10^9$ $1.1 \cdot 10^{10}$	1924	Schöne et al., 2014	BR: 100% - 116 3
$2 CH_2(OH)C(OO^\bullet)(CH_3)CO(OH) \rightarrow 2 CH_2(OH)C(O^\bullet)(CH_3)CO(OH) + O_2$ $CH_2(OH)C(O^\bullet)(CH_3)CO(OH) \rightarrow CH_3COCH_2(OH) + C^\bullet O(OH)$ $C^\bullet O(OH) + O_2 \rightarrow CO(OH)(OO^\bullet)$ $2 CH_2(OH)C(OO^\bullet)(CH_3)CO(OH) \rightarrow 2 CH_3COCH_2(OH) + 2 CO(OH)(OO^\bullet) - O_2$ $2 CH_2(OH)C(OO^\bullet)(CH_3)CO(O^\bullet) \rightarrow 2 CH_2(OH)C(O^\bullet)(CH_3)CO(O^\bullet) + O_2$ $CH_2(OH)C(O^\bullet)(CH_3)CO(O^\bullet) \rightarrow CH_3COCH_2(OH) + C^\bullet O(O^\bullet)$ $C^\bullet O(O^\bullet) + O_2 \rightarrow CO(O^\bullet)(OO^\bullet)$ $2 CH_2(OH)C(OO^\bullet)(CH_3)CO(O^\bullet) \rightarrow 2 CH_3COCH_2(OH) + 2 CO(O^\bullet)(OO^\bullet) - O_2$	R(848) R(849)	$7.5 \cdot 10^7$ $2.0 \cdot 10^9$ $7.5 \cdot 10^7$ $2.0 \cdot 10^9$ $7.5 \cdot 10^7$			BR: 100% 4 - 5 3 = $k(2 CH_2(OO^\bullet)CO(O^\bullet)) - 6$ BR: 100% 4 - 5 3 = $k(2 CH_2(OO^\bullet)CO(O^\bullet)) - 6$

1 - MACR is not known to be readily hydrated. Only the non-hydrated form is considered.

2 - For MACR, MVK, HMAcR and MVKOH we suppose following Liu et al. (2009) for MACR that the addition on the external double bonded carbon is the main oxidation pathway. The SAR from Minakata et al. (2009) estimates a 97% branching ratio for this external addition on MACR.

3 - We assumed a fast rate constant equal to  $2.0 \cdot 10^9 M^{-1} s^{-1}$  based on values compiled in Neta et al. (1990). This reaction is not a rate-determining step.

4 - Hilborn and Pincok (1991) showed that acyl alkoxyl radical  $RCO(O^\bullet)$  are fragmented with a rate constant around  $1.0 \cdot 10^9 s^{-1}$ . We assumed that the alkoxy fragmentation is non limiting.

5 - For alkoxyl radical, we assume an electron transfer reaction. When an oxygenated functional group is in  $\beta$ -position, we assume a fragmentation of the corresponding c-c bond. When there are two oxygenated function in  $\beta$ -position, we assume that the fragmentation occurs in priority on the C-CO(OH) bond.

6 - For self-reaction of peroxy radicals, we follow these similarity criteria:

Peroxy categories	Model compounds	References
$>C(OO^\bullet)CO(OH)/>C(OO^\bullet)CO(O^\bullet)$	$CH_2(OO^\bullet)CO(O^\bullet)$	Schuchmann et al. (1985)
$>C(OH)C(OO^\bullet)<$	$CH_2(OH)CH_2(OO^\bullet)$	Piesiak et al. (1984)
$>COC(OO^\bullet)<$	$CH_3COCH_2(OO^\bullet)$	Zegota et al. (1986)
Others	$CH_3CH_2(OO^\bullet)$	Monod et al. (2007)

7 - As for MACR, only the non-hydrated form of HMAcR is considered.

8 - Two equilibriums are possible for MVK: the hydration of the ketone and the keto-enol tautomerism. Even if the enol form can exist in water because of the resonance with the second double bond, we suppose that its proportion is negligible (Smith and March, 2007). Like MACR, only the non-hydrated form is considered.

9 - As for MVK, only the non-hydrated form is considered.

10 - Hydroxybutandione can hydrate to three distinct forms :  $CH_3C(OH)(OH)COCH_2(OH)$ ,  $CH_3COC(OH)(OH)CH_2(OH)$  and  $CH_3C(OH)(OH)C(OH)(OH)CH_2(OH)$ . The hydration constants are estimated respectively to 2.28, 5.60 and 3.22, giving contributions of 19%, 46% and 27% to the total species. The non hydrated form is not considered as it contributes only to 8% of the total species.

11 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 44% for OH on C(OH)(OH), 38% on  $CH_2$ , 8% on  $CH_3$ , 10% for OH on  $CH_2(OH)$ . The first two pathways are considered corresponding to 82% of the total reactivity. They have been scaled to 54/46%.

12 - Rate constant calculated from Doussin and Monod (2013).


13 - The oxidation by the radicals ( $\text{NO}_3^\bullet$ ,  $\text{SO}_4^\bullet$ ,  $\text{Cl}^\bullet$ ,  $\text{Cl}_2^\bullet$ ,  $\text{CO}_3^\bullet$ ) is supposed to produce the same  $\text{R}(\text{OO}^\bullet)$  as the oxidation by  $\text{HO}^\bullet$  with the same branching ratios. The electron transfer pathways are not considered for these radicals. The H abstraction on an (OH) group by the  $\text{NO}_3^\bullet$  radical is also neglected because this reaction is thermodynamically disfavored.

14 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 45% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 33% on  $\text{CH}_2$ , 11% on  $\text{CH}_3$ , 12% for OH on  $\text{CH}_2(\text{OH})$ . The first two pathways are considered corresponding to 78% of the total reactivity. They have been scaled to 58/42%.

15 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 33% for OH on  $\text{CH}_3\text{C}(\text{OH})(\text{OH})$ , 31% for (OH) on  $\text{C}(\text{OH})(\text{OH})\text{CH}_2(\text{OH})$ , 23% on  $\text{CH}_2(\text{OH})$ , 7% for OH on  $\text{CH}_2(\text{OH})$ , 6% for  $\text{CH}_3$ . The first three pathways are considered corresponding to 87% of the total reactivity. They have been scaled to 38/36/26%.

16 - Non-limiting reaction following Bothe et al. (1978).

17 - The  $\text{HO}_2^\bullet$  elimination rate constant depends on the substituent attached to the carbon atom bearing the peroxy function.



Von Sonntag (1987) compiled the following rate constants for :

R	R'	k ( $\text{s}^{-1}$ )
H	H	<10
H	$\text{CH}_3$	52
H	$\text{CH}_2(\text{OH})$	190
$\text{CH}_3$	$\text{CH}_3$	665

For secondary carbon atom bearing the peroxy function, we assumed a rate of  $665 \text{ s}^{-1}$ .

For primary carbon atom, we assumed a value of  $52 \text{ s}^{-1}$ . If the neighboring carbon atom is bearing an oxygenated function, we assumed a value of  $190 \text{ s}^{-1}$ .

18 - 3,4-hydroxybutan-2-one hydration is estimated to  $K_h = 0.13$ . The proportion of the hydrate is 12%. Its oxidation is therefore neglected.

19 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 61% on  $\text{CH}_2$ , 14% on CH, 9% for OH on  $\text{CH}_2(\text{OH})$ , 8% on  $\text{CH}_3$  and 8% for OH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 75% of the total reactivity. They have been scaled to 81/19%.

20 - 1,4-dihydroxybutanedione has 2 hydrates: the monohydrate  $\text{CH}_2(\text{OH})\text{COC}(\text{OH})(\text{OH})\text{CH}_2(\text{OH})$  and the di-hydrate  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}_2(\text{OH})$  with hydration constant estimated respectively to  $K_h = 20.4$  and  $K_h = 52.5$ . The mono-hydrate and di-hydrate represent 28% and 70% of the total species. Therefore, only the reactivity of the di-hydrate is considered.

21 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 51% for OH on  $\text{C}(\text{OH})$ , 37% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 12% for OH on  $\text{CH}_2(\text{OH})$ . The first two pathways are considered corresponding to 88% of the total reactivity. They have been scaled to 58/42%.

22 - 1,3,4-trihydroxybutanone has one hydrate. The hydration constant leading to  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CH}_2(\text{OH})$  is estimated to  $K_h = 0.57$  and represents 64% of the total species. Only the reactivity of the non-hydrated form is considered.

23 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 47% for  $\text{CH}_2$  on  $\text{CH}(\text{OH})\text{CH}_2(\text{OH})$ , 24% for  $\text{CH}_2$  on  $\text{COCH}_2(\text{OH})$ , 10% for CH on  $\text{CH}(\text{OH})$ , 7% for OH of  $\text{CH}_2(\text{OH})$  on  $\text{CH}(\text{OH})\text{CH}_2(\text{OH})$ , 6% for OH on  $\text{CH}(\text{OH})$  and 6% for OH on  $\text{COCH}(\text{OH})$ . The three first pathways are considered corresponding to 82% of the total reactivity. They have been scaled to 58/30/12%.

24 - 2,4-dihydroxy-3-oxobutanal has three distinct hydrates. The hydration to  $\text{CH}_2(\text{OH})\text{COCH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$ ,  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CHO}$  and  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$  are estimated respectively to  $K_h = 44.9$ ,  $K_h = 2.5$  and  $K_h = 112.3$ . The first mono-hydrate represents 28% of the total species, the second mono-hydrate 2% and the di-hydrate 70%. Therefore, the reactivity of the first mono-hydrate and the di-hydrate was considered.

25 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 32% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 27% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 24% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 6% for OH on  $\text{CH}_2\text{OH}$ , 6% for OH on  $\text{CH}(\text{OH})$  and 4% for CH on  $\text{CH}(\text{OH})$ . The three first pathways are considered corresponding to 83% of the total reactivity. They have been scaled to 38/33/29%.

26 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 24% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 24% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 20% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 18% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 5% for OH on  $\text{CH}_2(\text{OH})$ , 5% for OH on  $\text{CH}(\text{OH})$  and 3% for CH on  $\text{CH}(\text{OH})$ . The four first pathways are considered corresponding to 86% of the total reactivity. They have been scaled to 28/28/23/21%.

27- Von Sonntag (1987) et Schuchmann & Von Sonntag (1988) have shown that the  $\text{HO}_2^\bullet$  elimination for  $\text{RC}(\text{OH})(\text{OH})(\text{OO}^\bullet)$  species is fast. This is confirmed by McElroy and Waygood (1991) for hydrated formaldehyde. We supposed a kinetic constant equal to  $1.0 \cdot 10^6 \text{ s}^{-1}$ .

---

28 - 2-oxo-3,4-dihydroxybutanal has three distinct hydrates. The hydration to  $\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{COCH}(\text{OH})(\text{OH})$ ,  $\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CHO}$  and  $\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$  are estimated respectively to  $K_h = 252.4$ ,  $K_h = 23.2$  and  $K_h = 2126.6$ . The first mono-hydrate represents 11% of the total species, the second mono-hydrate 1% and the di-hydrate 88%. Therefore, only the reactivity of the di-hydrate is considered.

29 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 37% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 20% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 20% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 7% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 6% for CH on  $\text{CH}(\text{OH})$ , 5% for OH on  $\text{CH}_2\text{OH}$ , 5% for OH on  $\text{CH}(\text{OH})$ . The three first pathways are considered corresponding to 77% of the total reactivity. They have been scaled to 48/26/26%.

30 - 2-oxo-3-hydroxybutanedial has seven different hydrates. The tri-hydrated form represents 95% of the total species ( $K_h = 1.46 \cdot 10^6$ ). Therefore, only the reactivity of the tri-hydrate is considered.

31 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 23% for OH of  $\text{CH}(\text{OH})(\text{OH})$  on  $\text{CH}(\text{OH})(\text{OH})\text{CH}(\text{OH})$ , 22% for OH of  $\text{CH}(\text{OH})(\text{OH})$  on  $\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$ , 21% for OH of  $\text{C}(\text{OH})(\text{OH})$ , 19% for CH of  $\text{CH}(\text{OH})(\text{OH})$  on  $\text{CH}(\text{OH})(\text{OH})\text{CH}(\text{OH})$ , 8% for CH of  $\text{CH}(\text{OH})(\text{OH})$  on  $\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$ , 5% for OH on  $\text{CH}(\text{OH})$ , 2% for CH on  $\text{CH}(\text{OH})$ . The first four pathways are considered corresponding to 86% of the total reactivity. They have been scaled to 27/26/25/22%.

32 - 2,4-dioxo-3-hydroxybutanoic acid has three hydrates. The hydration to  $\text{CO}(\text{OH})\text{COCH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$ ,  $\text{CO}(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CHO}$  and  $\text{CO}(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$  are estimated respectively to  $K_h = 79$ ,  $K_h = 86.1$  and  $K_h = 6740.8$ . The di-hydrated form represents 98% of the total species. Therefore, only the reactivity of the di-hydrated form is considered. For the monanion, the hydration to  $\text{CO}(\text{O}^-)\text{COCH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$ ,  $\text{CO}(\text{O}^-)\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CHO}$  and  $\text{CO}(\text{O}^-)\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$  are estimated respectively to  $K_h = 35.3$ ,  $K_h = 0.56$  and  $K_h = 19.7$ . The first hydrate represents 63% of the total species. Therefore, only the reactivity of this mono-hydrate form is considered.

33 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 36% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 30% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 23% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 8% for OH on  $\text{CH}(\text{OH})$ , 3% for CH on  $\text{CH}(\text{OH})$ . The three first pathways are considered corresponding to 89% of the total reactivity. They have been scaled to 41/33/26%.

34 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 45% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 33% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 9% for OH on  $\text{CH}(\text{OH})$ , 7% for CH on  $\text{CH}(\text{OH})$ , 6% for for the electron transfer on  $\text{CO}(\text{O}^-)$ . The two first pathways are considered corresponding to 78% of the total reactivity. They have been scaled to 58/42%.

35 - 2,3-dioxobutanal has seven distinct hydrates. The hydration to  $\text{CH}_3\text{C}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$  and  $\text{CH}_3\text{COC}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$  are estimated respectively to  $K_h = 1.97 \cdot 10^5$  and  $K_h = 5.15 \cdot 10^4$  and represent 77% and 20% of the total species. Therefore, only the reactivity of these two hydrates is considered.

36 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 42% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 36% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 13% for CH on  $\text{CH}(\text{OH})(\text{OH})$ . 9% on  $\text{CH}_3$ . The first two pathways are considered corresponding to 78% of the total reactivity. They have been scaled to 54/46%.

37 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 30% for OH on  $\text{CH}_3\text{C}(\text{OH})(\text{OH})$ , 28% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 27% for OH on the other  $\text{C}(\text{OH})(\text{OH})$ , 10% for CH on  $\text{C}(\text{OH})(\text{OH})$  and 5% on  $\text{CH}_3$ . The first three pathways are considered corresponding to 85% of the total reactivity. They have been scaled to 35/33/32%.

38 - 2-hydroxy,3-oxobutanal has three distinct hydrates. The hydration to  $\text{CH}_3\text{COCH}(\text{OH})\text{CH}(\text{OH})(\text{OH})$  is estimated to  $K_h = 3.5 \cdot 10^1$ . This hydrate represents 64% of the total species, therefore only its reactivity is considered.

39 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 44% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 32% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 9%  $\text{CH}_3$ . 8% for OH on  $\text{CH}(\text{OH})$  and 6% for CH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 76% of the total reactivity. They have been scaled to 58/42%.

40 - 2-hydroxy, 3-oxobutanoic acid hydration is estimated to  $K_h = 0.53$ . The hydrate represents 35% of the total species. Therefore the reactivity of both the hydrated and non-hydrated species are considered. 2-hydroxy, 3-oxobutanoate ion is estimated to  $K_h = 0.07$ . The hydrate represents 7% of the total species. Therefore only the reactivity of non hydrated ion is considered.

41 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 55% on  $\text{CH}_3$ , 33% for OH on  $\text{CH}(\text{OH})$  and 12% for CH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 88% of the total reactivity. They have been scaled to 63/37%.

42 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 74% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 13% on  $\text{CH}_3$ , 10% for OH on  $\text{CH}(\text{OH})$  and 3% for CH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 87% of the total reactivity. They have been scaled to 85/15%.

43 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 29% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 27% for OH on  $\text{CH}(\text{OH})$ , 25% on  $\text{CH}_3$  and 19% for CH on  $\text{CH}(\text{OH})$ . The first three pathways are considered corresponding to 81% of the total reactivity. They have been scaled to 36/33/31%.

44 - 2,4-dihydroxy-3-oxobutanoic acid has one hydrate  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{OH})$  with  $K_h = 2.36$ . The hydrated form represents 70% of the total species. Therefore, only the reactivity of the hydrate is considered. For the monoanion, the hydrated form represents only 24% of the total species ( $K_h = 0.31$ ). Therefore, only the reactivity of the non-hydrated form is considered.

45 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 47% for OH on  $\text{C}(\text{OH})(\text{OH})$  34% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 10% for OH on  $\text{CH}_2(\text{OH})$ , 7% for OH on  $\text{CH}(\text{OH})$  and 2% for CH on  $\text{CH}(\text{OH})$ . The two first pathways are considered corresponding to 81% of the total reactivity. They have been scaled to 58/42%.

46 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 50% for  $\text{CH}_2$  on  $\text{CH}_2(\text{OH})$ , 15% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 14% for OH on  $\text{CH}(\text{OH})$ , 12% for OH on  $\text{CH}_2(\text{OH})$ , 9% for CH on  $\text{CH}(\text{OH})$ . The three first pathways are considered corresponding to 79% of the total reactivity. They have been scaled to 63/19/18%.

47 - 2-hydroxy, 3,4-dioxobutanoic acid di-hydration is estimated to  $K_h = 1.5 \cdot 10^4$ . The dihydrate represents 96% of the total species. Therefore only the reactivity of the dihydrate is considered. 2-hydroxy, 3,4-dioxobutanoate ion is estimated to  $K_h = 9.2 \cdot 10^2$ . The dihydrate and the monohydrate (on the aldehyde function) represent respectively 81% and 18% of the total species. Therefore the reactivity of these two hydrates is considered.

48 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 39% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 39% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 14% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 6% for OH on  $\text{CH}(\text{OH})$  and 2% for CH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 78% of the total reactivity. They have been scaled to 50/50%.

49 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 46% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 21% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 13% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 12% for OH on  $\text{CH}(\text{OH})$ , 8% for CH on  $\text{CH}(\text{OH})$ . The first three pathways are considered corresponding to 80% of the total reactivity. They have been scaled to 58/26/16%.

50 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 33% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 33% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 12% CH on  $\text{CH}(\text{OH})(\text{OH})$ , 9% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 9% for OH on  $\text{CH}(\text{OH})$ , 4% for CH on  $\text{CH}(\text{OH})$ . The first three pathways are considered corresponding to 78% of the total reactivity. They have been scaled to 42/42/16%.

51 - 2-oxomalic acid hydration is estimated to  $K_h = 80$ . The hydrate represents 99% of the total species. Therefore only the reactivity of the hydrate is considered. The first 2-oxomale monoanion ( $\text{CO}(\text{OH})\text{CH}(\text{OH})\text{COCO}(\text{O}^-)$ ) hydration is estimated to  $K_h = 0.52$ . The hydrate represents 34% of the total species. Therefore the reactivity of both hydrated and non hydrated ions is considered. The second 2-oxomale monoanion ( $\text{CO}(\text{O}^-)\text{CH}(\text{OH})\text{COCO}(\text{OH})$ ) hydration is estimated to  $K_h = 10.8$ . The hydrate represents 92% of the total species. Therefore only the reactivity of the hydrate is considered. The 2-oxomale dianion hydration is estimated to  $K_h = 0.07$ . The hydrate represents 7% of the total species. Therefore only the reactivity of the non hydrated form is considered.

52 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 79% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 18% for OH on  $\text{CH}(\text{OH})$ , 3% for CH on  $\text{CH}(\text{OH})$ . The first pathway is considered corresponding to 79% of the total reactivity. It has been scaled to 100%.

53 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 42% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 42% for OH on  $\text{CH}(\text{OH})$ , 16% for CH on  $\text{CH}(\text{OH})$ . The first two pathways are considered corresponding to 84% of the total reactivity. They have been scaled to 50/50%.

54 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 79% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 10% for OH on  $\text{CH}(\text{OH})$ , 8% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 3% for CH on  $\text{CH}(\text{OH})$ . The first pathway is considered corresponding to 79% of the total reactivity. It has been scaled to 100%.

55 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 51% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 22% for the electron transfer on  $\text{CO}(\text{O}^-)$ , 20% for OH on  $\text{CH}(\text{OH})$ , 7% for CH on  $\text{CH}(\text{OH})$ . The first three pathways are considered corresponding to 93% of the total reactivity. They have been scaled to 55/24/21%.

56 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 32% for the electron transfer on  $\text{CO}(\text{O}^-)\text{CH}(\text{OH})$ , 29% for OH on  $\text{CH}(\text{OH})$ , 22% for CH on  $\text{CH}(\text{OH})$ . 17% for the electron transfer on  $\text{COCO}(\text{O}^-)$ . The first three pathways are considered corresponding to 83% of the total reactivity. They have been scaled to 39/35/26%.

57 - Dioxosuccinic acid di-hydration is estimated to  $1.0 \cdot 10^6$ . The dihydrate represents 99% of the total species. Therefore only the reactivity of the dihydrate is considered. Dioxosuccinate monoanion di-hydration is estimated to  $1.1 \cdot 10^3$ . The dihydrate and the monohydrate represent 81% and 17% of the total species. Therefore only the reactivity of the dihydrate and the monohydrate is considered. Dioxosuccinate dianion hydration is estimated to 3.3. The monohydrate and the non-hydrated form represent 58% and 23% of the total species respectively. Therefore only the reactivity of the monohydrate and the non-hydrated form is considered.

58 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 100% for OH on  $\text{C}(\text{OH})(\text{OH})$ .

59 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 82% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 18% for the electron transfer on  $\text{CO}(\text{O}^-)$ . The first pathway is considered corresponding to 82% of the total reactivity. It has been scaled to 100%.

60 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 60% for OH on  $\text{C}(\text{OH})(\text{OH})\text{CO}(\text{O}^-)$ , 34% for OH on  $\text{CO}(\text{OH})\text{C}(\text{OH})(\text{OH})$ , 6% for the electron transfer on  $\text{CO}(\text{O}^-)$ . The first two pathways are considered corresponding to 94% of the total reactivity. They have been scaled to 64/36%.

61 - Branching ratios are calculated by the SAR from Doussin and Monod (2013): 100% for the electron transfer on  $\text{CO}(\text{O}^-)$ .

62 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 82% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 10% for the electron transfer on  $\text{COCO}(\text{O}^-)$ , 8% for the electron transfer on  $\text{C}(\text{OH})(\text{OH})\text{CO}(\text{O}^-)$ . The first pathway is considered corresponding to 82% of the total reactivity. It has been scaled to 100%.

63 - 2,3-dioxobutanedial tri-hydration is estimated to  $2.58 \cdot 10^{11}$ . The dihydrate represents 98% of the total species. Therefore only the reactivity of the trihydrate is considered.

64 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 44% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 41% for OH  $\text{C}(\text{OH})(\text{OH})$ , 15% for H on  $\text{CH}(\text{OH})(\text{OH})$ . The two first pathways are considered corresponding to 85% of the total reactivity. It has been scaled to 52/48%.

65 - 2,3-dioxobutanoic acid di-hydration is estimated to  $1.1 \cdot 10^3$ . The dihydrate represents 82% of the total species. Therefore only the reactivity of the dihydrate is considered. For the first mono-hydrate  $\text{CH}_3\text{C}(\text{OH})(\text{OH})\text{COCO}(\text{O}^-)$ ,  $K_h = 1.25$  and for the second mono-hydrate,  $K_h = 1.25$ . For the di-hydrate,  $K_h = 0.78$ . The two hydrates represent 29% and 29% of the total species. The di-hydrate represents only 18% of the total species. Therefore the reactivity of the two mono-hydrates and the non-hydrated form is considered.

66 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 56% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{CH}_3\text{C}(\text{OH})(\text{OH})$ , 34% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{C}(\text{OH})(\text{OH})\text{CO}(\text{OH})$ , 10% for  $\text{CH}_3$ . The two first pathways are considered corresponding to 90% of the total reactivity. It has been scaled to 62/38%.

67 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 63% for  $\text{CH}_3$ , 37% for the electron transfer on  $\text{COCO}(\text{O}^-)$ . The two pathways are considered corresponding to 100% of the total reactivity.

68 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 76% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 14% for  $\text{CH}_3$  and 10% for the electron transfer on  $\text{COCO}(\text{O}^-)$ . The first pathway is considered corresponding to 76% of the total reactivity. It has been scaled to 100%.

69 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 76% for OH on  $\text{C}(\text{OH})(\text{OH})$ , 16% for  $\text{CH}_3$  and 10% for the electron transfer on  $\text{COCO}(\text{O}^-)$ . The first pathway is considered corresponding to 76% of the total reactivity. It has been scaled to 100%.

70 - 2,3-dioxo-4-hydroxybutanal tri-hydration is estimated to  $2.0 \cdot 10^6$ . The tri-hydrate represents 93% of the total species. Therefore only the reactivity of the trihydrate is considered.

71 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 24% for OH on  $\text{CH}(\text{OH})(\text{OH})$ , 24% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})$ , 22% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{C}(\text{OH})(\text{OH})\text{CH}(\text{OH})(\text{OH})$ , 17% for  $\text{CH}_2$ , 8% for CH on  $\text{CH}(\text{OH})(\text{OH})$ , 5% for OH on  $\text{CH}_2(\text{OH})$ . The 4 first pathways are considered corresponding to 87% of the total reactivity. It has been scaled to 28/27/25/20%.

72 - 2,3-dioxo-4-hydroxybutanoic acid dihydration is estimated to  $7.3 \cdot 10^3$ . The dihydrate represents 95% of the total species. Therefore only the reactivity of the dihydrate is considered. The  $K_h$  for the monohydrates  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{COCO}(\text{O}^-)$  and  $\text{CH}_2(\text{OH})\text{COC}(\text{OH})(\text{OH})\text{CO}(\text{O}^-)$  are respectively estimated to 5.6 and 2.3; for the di-hydrate,  $K_h = 6.4$ . Therefore, only the reactivity of  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})\text{COCO}(\text{O}^-)$  and of the di-hydrate is considered.

73 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 38% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{OH})$ , 28% for  $\text{CH}_2$ , 24% for OH of  $\text{C}(\text{OH})(\text{OH})$  on  $\text{C}(\text{OH})(\text{OH})\text{CO}(\text{OH})$ , 9% for OH on  $\text{CH}_2(\text{OH})$ . The three first pathways are considered corresponding to 90% of the total reactivity. It has been scaled to 42/31/27%.

---

74 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) :48% for OH on C(OH)(OH), 34% for CH<sub>2</sub>, 12% for OH on CH<sub>2</sub>(OH), 7% for the electron transfer on CO(O<sup>-</sup>). The two first pathways are considered corresponding to 82% of the total reactivity. It has been scaled to 58/42%.

75 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 35% for OH of C(OH)(OH) on C(OH)(OH)CO(O<sup>-</sup>), 31% for OH of C(OH)(OH) on CH<sub>2</sub>(OH)C(OH)(OH), 23% for CH<sub>2</sub>, 7% for OH on CH<sub>2</sub>(OH), 3% for the electron transfer on CO(O<sup>-</sup>). The three first pathways are considered corresponding to 89% of the total reactivity. It has been scaled to 39/35/26%.

76 - 2,3,4-trioxobutanoic acid tri-hydration is estimated to 5.08 10<sup>8</sup>. The trihydrate represents 99% of the total species. Therefore only the reactivity of the trihydrate is considered. The monoanion tri-hydration is estimated to 1.97 10<sup>5</sup>. The trihydrate and the dihydrate CH(OH)(OH)C(OH)(OH)COCO(O<sup>-</sup>) represent 76% and 20% of the total species. Therefore only the reactivity of the trihydrate and this dihydrate is considered.

77 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 34% for OH on CH(OH)(OH), 32% for OH of C(OH)(OH) on CH(OH)(OH)C(OH)(OH), 22% for OH on C(OH)(OH) on C(OH)(OH)CO(OH), 12% for CH on CH(OH)(OH). The three first pathways are considered corresponding to 88% of the total reactivity. It has been scaled to 39/36/25%.

78 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 44% for OH on CH(OH)(OH), 37% for OH on C(OH)(OH), 13% for CH on CH(OH)(OH), 6% for the electron transfer on CO(O<sup>-</sup>). The two first pathways are considered corresponding to 81% of the total reactivity. It has been scaled to 54/46%.

79 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 32% for OH of C(OH)(OH) on C(OH)(OH)CO(O<sup>-</sup>), 29% for OH on CH(OH)(OH), 27% for OH of C(OH)(OH) on CH(OH)(OH)C(OH)(OH), 10% for CH of CH(OH)(OH), 3% for for the electron transfer on CO(O<sup>-</sup>).The three first pathways are considered corresponding to 88% of the total reactivity. It has been scaled to 36/33/31%.

80 - Methacrylic acid epoxide is supposed to be quickly hydrolysed. The pH dependence of this hydrolysis has been studied by Birdsall et al. (2014) and is considered for this species.

81 - Hydroxymethyl-methyl- $\alpha$ -lactone is supposed to be quickly hydrolysed like methacrylic acid. The same hypothesis can be found in Kjaergaard et al. (2012). We do not consider here the potential reactions with nitric acid proposed by Kjaergaard et al. (2012).

82 - The hydrolysis kinetics for HMML is unknown. An arbitrarily fast value ( $k = 10^6 \text{ s}^{-1}$ ) is therefore applied here.

83 - 2-Methylglyceric acid can be protonated. The acidic form and the anionic form are considered.

84 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 65% for CH<sub>2</sub>(OH), 16% for CH<sub>3</sub>, 11% for OH on CH<sub>2</sub>(OH) and 8% for OH on C(OH). The first two pathways are considered corresponding to 81% of the total reactivity. They have been scaled to 80/20%.

85 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 62% for CH<sub>2</sub>(OH), 15% for CH<sub>3</sub>, 9% for the electron transfer, 8% for OH on C(OH) and 6% for OH on CH<sub>2</sub>(OH). The first two pathways are considered corresponding to 77% of the total reactivity. They have been scaled to 81/19%.

86 - 2-hydroxy,3-(oxomethyl)-propanoic acid hydration is estimated to 46. The hydrate represents 98% of the total species. Therefore only the reactivity of the hydrate is considered. 2-hydroxy,3-(oxomethyl)-propanoate anion hydration is estimated to 6.1. The monohydrate represents 86% of the total species. Therefore only the reactivity the hydrate is considered.

87 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 47% for OH on CH(OH)(OH), 30% for CH(OH)(OH), 15% for CH<sub>3</sub> and 8% for OH on C(OH). The first two pathways are considered corresponding to 77% of the total reactivity. They have been scaled to 61/39%.

88 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 34% for CH(OH)(OH), 31% for OH on CH(OH)(OH), 17% for CH<sub>3</sub>, 9% for the electron transfer and 9% for OH on C(OH). The first three pathways are considered corresponding to 82% of the total reactivity. They have been scaled to 41/38/21%.

89 - 2-hydroxy-2-(hydroxymethyl)-3-oxopropanoic acid hydration is estimated to 84. The hydrate represents 99% of the total species. Therefore only the reactivity of the hydrate is considered. 2-hydroxy-2-(hydroxymethyl)-3-oxopropanoate anion hydration is estimated to 11. The monohydrate represents 92% of the total species. Therefore only the reactivity the hydrate is considered.

90 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 38% for CH<sub>2</sub>(OH), 31% for OH on CH(OH)(OH), 19% for CH on CH(OH)(OH), 7% for OH on CH<sub>2</sub>(OH) and 5% for OH on C(OH). The first three pathways are considered corresponding to 88% of the total reactivity. They have been scaled to 43/35/22%.

91 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 43% for CH<sub>2</sub>(OH), 21% for CH(OH)(OH), 20% for OH on CH(OH)(OH), 6% for the electron transfer, 5% for OH on C(OH) and 5% for OH on CH<sub>2</sub>(OH). The first three pathways are considered corresponding to 84% of the total reactivity. They have been scaled to 51/25/24%.

92 - 2,3-hydroxy-2-(hydroxymethyl)-propanoic acid can be protonated. The acidic form and the anionic form are considered.

93 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 80% for CH<sub>2</sub>(OH), 15% for OH on CH<sub>2</sub>(OH), 5% for OH on C(OH). The first pathway is considered corresponding to 80% of the total reactivity. It has been scaled to 100%.

94 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 81% for CH<sub>2</sub>(OH), 8% for OH on CH<sub>2</sub>(OH), 6% for the electron transfer and 5% for OH on C(OH). The first pathway is considered corresponding to 81% of the total reactivity. It has been scaled to 100%.

95 - Methyltartronic acid can be protonated two times. The acidic form and the two anionic forms are considered.

96 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 66% for CH<sub>3</sub> and 34% for OH on C(OH). The first two pathways are considered corresponding to 100% of the total reactivity.

97 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 48% for CH<sub>3</sub>, 27% for electron transfer, and 25% for OH on C(OH). The first two pathways are considered corresponding to 75% of the total reactivity. They have been scaled to 64/36%.

98 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 43% for electron transfer, 38% for CH<sub>3</sub>, and 19% for OH on C(OH). The first two pathways are considered corresponding to 80% of the total reactivity. They have been scaled to 53/47%.

99 - 2-hydroxy-2-(oxomethyl)-3-oxopropanoic acid hydration is estimated to 1.1 10<sup>5</sup>. The dihydrate represents 99% of the total species. Therefore only the reactivity of the dihydrate is considered. 2-hydroxy-2-(oxomethyl)-3-oxopropanoic anion hydration is estimated to 2 10<sup>3</sup>. The dihydrate represents 95% of the total species. Therefore only the reactivity of the dihydrate is considered.

---

100 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 61% for OH on CH(OH)(OH), 35% for CH(OH)(OH), and 4% for OH on C(OH). The first two pathways are considered corresponding to 96% of the total reactivity. They have been scaled to 64/36%.

101 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 44% for CH on CH(OH)(OH), 44% for OH on CH(OH)(OH), 6% for the electron transfer and 6% for OH on C(OH). The first two pathways are considered corresponding to 88% of the total reactivity. They have been scaled to 50/50%.

102 -2-(hydroxymethyl)-tartronic acid can be protonated two times. The acidic form and the two anionic forms are considered.

103 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 71% for CH<sub>2</sub>(OH), 20% for OH on CH<sub>2</sub>(OH), 9% for the electron transfer and 9% for OH on C(OH). The first two pathways are considered corresponding to 91% of the total reactivity. They have been scaled to 78/22%.

104 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 70% for CH<sub>2</sub>(OH), 11% for OH on CH<sub>2</sub>(OH), 10% for the electron transfer and 9% for OH on C(OH). The first two pathways are considered corresponding to 81% of the total reactivity. They have been scaled to 86/14%.

105 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 67% for CH<sub>2</sub>(OH), 18% for the electron transfer, 9% for OH on C(OH) and 6% for OH on CH<sub>2</sub>(OH). The first two pathways are considered corresponding to 85% of the total reactivity. They have been scaled to 79/21%.

106 - 2-(oxomethyl)-tartronic acid hydration is estimated to 343. The hydrate represents 99.7% of the total species. Therefore only the reactivity of the hydrate is considered. 2-(oxomethyl)-tartronate monoanion hydration is estimated to 46. The hydrate represents 98% of the total species. Therefore only the reactivity of the hydrate is considered. 2-(oxomethyl)-tartronate dianion hydration is estimated to 6.1. The hydrate represents 86% of the total species. Therefore only the reactivity of the hydrate is considered.

107 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 68% for OH on CH(OH)(OH), 26% for CH on CH(OH)(OH) and 6% fo OH on C(OH). The first two pathways are considered corresponding to 94% of the total reactivity. They have been scaled to 72/28%.

108 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 49% for OH on CH(OH)(OH), 33% for CH on CH(OH)(OH), 9% for the electron transfer and 9% fo OH on C(OH). The first two pathways are considered corresponding to 82% of the total reactivity. They have been scaled to 60/40%.

109 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 37% for CH on CH(OH)(OH), 32% for OH on CH(OH)(OH), 21% for the electron transfer and 10% fo OH on C(OH). The first three pathways are considered corresponding to 90% of the total reactivity. They have been scaled to 41/36/23%.

110 - Hydroxymethanetricarboxylic acid can be protonated three times. The acidic form and the three anionic forms are considered.

111 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 100% for OH on C(OH).

112 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 52% for the electron transfer, 48% for OH on C(OH). Both pathways are considered corresponding to 100% of the total reactivity.

113 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 69% for the electron transfer, 31% for OH on C(OH). Both pathways are considered corresponding to 100% of the total reactivity.

114 - Branching ratios are calculated by the SAR from Doussin and Monod (2013) : 77% for the electron transfer, 23% for OH on C(OH). The first pathway is considered corresponding to 77% of the total reactivity. It has been scaled to 100%.

115 - Methacrylic acid can be protonated. The acidic form and the anionic form are considered.

116 - For Methacrylic acid and Methacrylate, we suppose that the addition on the external double bonded carbon is the main oxidation pathway. This is corroborated by RPE measurements carried out by J.-L. Clément (pers. comm.).

---

## References:

Birdsall, A. W., Miner, C. R., Mael, L. E., Elrod, M. J.: Mechanistic study of secondary organic aerosol components formed from nucleophilic addition reactions of methacrylic acid epoxide, *Atmos. Chem. Phys.*, 14, 12951-12964, doi:10.5194/acp-14-12951-2014, 2014.

Bothe, E., Schuchmann, M. N., Schulte-Frohlinde, D., and Von Sonntag, C.: HO<sub>2</sub> Elimination from α-hydroxyalkylperoxyl radicals in aqueous solution, *Photochem. Photobiol.*, 28, 639-643, 1978.

Doussin, J. F., and Monod, A.: Structure–activity relationship for the estimation of OH-oxidation rate constants of carbonyl compounds in the aqueous phase, *Atmos. Chem. Phys.*, 13, 11625-11641, 2013.

Hilborn, J. W., and Pincock, J. A.: Rates of decarboxylation of acyloxy radicals formed in the photocleavage of substituted 1-naphthylmethyl alkanoates, *J. Am. Chem. Soc.*, 113, 2683-2686, 1991.

Kjaergaard, H. G., Knap, H. C., Ornsø, K. B., Jørgensen, S., Crounse, J. D., Paulot, F., and Wennberg, P. O.: Atmospheric fate of methacrolein. 2. Formation of lactone and implications for organic aerosol production, *J. Phys. Chem. A*, 116, 5763-5768, 10.1021/jp210853h, 2012.

McElroy, W. J., and Waygood, S. J.: Oxidation of formaldehyde by the hydroxyl radical in aqueous solution, *J. Chem. Soc. Far. Trans. ,* 87, 1513-1521, 1991.

Minakata, D., Li, K., Westerhoff, P., and Crittenden, J.: Development of a group contribution method to predict aqueous phase hydroxyl radical (HO•) reaction rate constants, *Environ. Sci. Tech.*, 43, 6220-6227, 10.1021/es900956c, 2009.

Monod, A., Chevallier, E., Durand Jolibois, R., Doussin, J. F., Picquet-Varrault, B., and Carlier, P.: Photooxidation of methylhydroperoxide and ethylhydroperoxide in the aqueous phase under simulated cloud droplet conditions, *Atmos. Environ.*, 41, 2412-2426, 2007.

Neta, P., Huie, R., and Ross, A.: Rate constants for reactions of peroxyl radicals in fluid solutions, *J. Phys. Chem. Ref. Data*, 19, 413, 1990.

- 
- Piesiak, A., Schuchmann, M. N., Zegota, H., and von Sonntag, C.:  $\beta$ -Hydroxyethylperoxyl radicals: A study of the  $\gamma$ -radiolysis and pulse radiolysis of ethylene in oxygenated aqueous solutions, *Z. Naturforsch.*, 39b, 1262-1267, 1984.
- Schuchmann, M. N., and Von Sonntag, C.: The rapid hydration of the acetyl radical. A pulse radiolysis study of acetaldehyde in aqueous solution, *J. Am. Chem. Soc.*, 110, 5698-5701, 1988.
- Schuchmann, M. N., Zegota, H., and Von Sonntag, C.: Acetate peroxyl radicals  $\cdot\text{O}_2\text{CH}_2\text{CO}_2^-$ : A study on the  $\gamma$ -radiolysis and pulse radiolysis of acetate in oxygenated aqueous solutions, *Z. Naturforsch.*, 40b, 215-221, 1985.
- Von Sonntag, C.: *The chemical basis of radiation biology*, Taylor & Francis, 1987.
- Yao, L., El Haddad, I., Scarfogliero, M., Nieto-Gligorovski, L., Temime-Roussel, B., Quivet, E., Marchand, N., Picquet-Varrault, B., and Monod, A.: In-cloud processes of methacrolein under simulated conditions – Part 1: Aqueous phase photooxidation, *Atmos. Chem. Phys.*, 9, 5093-5105, 10.5194/acp-9-5093-2009, 2009.
- Zegota, H., Schuchmann, M. N., and Von Sonntag, C.: Elucidation of the mechanism of peroxyl radical reactions in aqueous solutions using the pulse radiolysis technique, *J. Radioanal. Nucl. Chem.*, 101, 199-207, 1986.

## Equilibria

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
<b>C4 compounds</b>					
<b>Hydroxybutanedione</b>					
CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCH <sub>2</sub> (OH)	T(163)	2.3		Estimated with GROMHE	
CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CH <sub>2</sub> (OH)	T(164)	5.6		Estimated with GROMHE	
CH <sub>3</sub> COCOCH <sub>2</sub> (OH) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH)	T(165)	6.4		Estimated with GROMHE	
CH <sub>3</sub> COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCH(OH)(OO•)	T(166)	2.3			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCH <sub>2</sub> (OH)/CH <sub>3</sub> C(OH)(OH)COCH <sub>2</sub> (OH))
CH <sub>3</sub> COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CH(OH)(OO•)	T(167)	5.6			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCH <sub>2</sub> (OH)/CH <sub>3</sub> COC(OH)(OH)CH <sub>2</sub> (OH))
CH <sub>3</sub> COCOCH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OO•)	T(168)	6.4			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCH <sub>2</sub> (OH)/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH))
<b>3,4-dihydroxybutan-2-one</b>					
CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH <sub>3</sub>	T(169)	1.3 10 <sup>-1</sup>		Estimated with GROMHE	
CH(OH)(OO•)CH(OH)COCH <sub>3</sub> + H <sub>2</sub> O ↔ CH(OH)(OO•)CH(OH)C(OH)(OH)CH <sub>3</sub>	T(170)	1.3 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> /CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH <sub>3</sub> )
CH <sub>2</sub> (OH)C(OH)(OO•)COCH <sub>3</sub> + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OO•)C(OH)(OH)CH <sub>3</sub>	T(171)	1.3 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub> /CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH <sub>3</sub> )
<b>1,4-dihydroxybutanedione</b>					
CH <sub>2</sub> (OH)COCOCH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCH <sub>2</sub> (OH)	T(172)	2.0 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCH <sub>2</sub> (OH) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH)	T(173)	5.3 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCH(OH)(OO•)	T(174)	2.0 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCH <sub>2</sub> (OH)/CH <sub>2</sub> (OH)C(OH)(OH)COCH <sub>2</sub> (OH))
CH <sub>2</sub> (OH)COCOCH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•)	T(175)	5.3 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCH <sub>2</sub> (OH)/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH <sub>2</sub> (OH))
<b>1,3,4-trihydroxybutanone</b>					
CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH <sub>2</sub> (OH)	T(176)	5.7 10 <sup>-1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCH(OH)CH(OH)(OO•) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH(OH)(OO•)	T(177)	5.7 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH)/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH <sub>2</sub> (OH))
CH <sub>2</sub> (OH)CH(OH)COCH(OH)(OO•) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH(OH)(OO•)	T(178)	5.7 10 <sup>-1</sup>			1 =
CH <sub>2</sub> (OH)COC(OH)(OO•)CH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OO•)CH <sub>2</sub> (OH)	T(179)	5.7 10 <sup>-1</sup>			K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH)/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH <sub>2</sub> (OH)) 1



Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
					= K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH)/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH <sub>2</sub> (OH))
<b>2,4-dihydroxy-3-oxobutanal</b>					
CH <sub>2</sub> (OH)COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COCH(OH)CH(OH)(OH)	T(180)	4.5 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CHO	T(181)	2.5		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCH(OH)CHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH(OH)(OH)	T(182)	1.1 10 <sup>2</sup>		Estimated with GROMHE	
CHOCH(OH)COCH(OH)(OO•) + H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)COCH(OH)(OO•)	T(183)	4.5 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CHO/CH <sub>2</sub> (OH)COCH(OH)CH(OH)(OH))
CHOCH(OH)COCH(OH)(OO•) + H <sub>2</sub> O ↔ CHOCH(OH)C(OH)(OH)CH(OH)(OO•)	T(184)	2.5			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CHO/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CHO)
CHOCH(OH)COCH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OO•)	T(185)	1.1 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CHO/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH(OH)(OH))
CH <sub>2</sub> (OH)COCH(OH)CO(OO•) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COCH(OH)C(OH)(OH)(OO•)	T(186)	1.0 10 <sup>-3</sup>			2
CH <sub>2</sub> (OH)COCH(OH)CO(OO•) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CO(OO•)	T(187)	2.5			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CHO/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CHO)
CH <sub>2</sub> (OH)COCH(OH)CO(OO•) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO•)	T(188)	1.1 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCH(OH)CHO/CH <sub>2</sub> (OH)C(OH)(OH)CH(OH)CH(OH)(OH))
<b>2-oxo-3,4-dihydroxybutanal</b>					
CH <sub>2</sub> (OH)CH(OH)COCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)CH(OH)COCH(OH)(OH)	T(189)	2.5 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)CH(OH)COCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CHO	T(190)	2.3 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)CH(OH)COCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH(OH)(OH)	T(191)	2.1 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCH(OH)CH(OH)(OO•) + H <sub>2</sub> O ↔ CH(OH)(OH)COCH(OH)CH(OH)(OO•)	T(192)	2.5 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)CH(OH)COCHO/CH <sub>2</sub> (OH)CH(OH)COCH(OH)(OH))
CHOCOCH(OH)CH(OH)(OO•) + H <sub>2</sub> O ↔ CHOC(OH)(OH)CH(OH)CH(OH)(OO•)	T(193)	2.3 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)CH(OH)COCHO/CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CHO)
CHOCOCH(OH)CH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)CH(OH)CH(OH)(OO•)	T(194)	2.1 10 <sup>3</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)CH(OH)COCHO/CH <sub>2</sub> (OH)CH(OH)C(OH)(OH)CH(OH)(OH))
<b>2-oxo-3-hydroxybutanedial</b>					
CHOCH(OH)COCHO + H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)COCHO	T(195)	8.1 10 <sup>1</sup>		Estimated with GROMHE	
CHOCH(OH)COCHO + H <sub>2</sub> O ↔ CHOCH(OH)COCH(OH)(OH)	T(196)	4.6 10 <sup>2</sup>		Estimated with GROMHE	

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CHOCH(OH)COCHO + H <sub>2</sub> O ↔ CHOCH(OH)C(OH)(OH)CHO	T(197)	1.0 10 <sup>2</sup>		Estimated with GROMHE	
CHOCH(OH)COCHO + 2 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)COCH(OH)(OH)	T(198)	5.2 10 <sup>4</sup>		Estimated with GROMHE	
CHOCH(OH)COCHO + 2 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)C(OH)(OH)CHO	T(199)	8.2 10 <sup>3</sup>		Estimated with GROMHE	
CHOCH(OH)COCHO + 2 H <sub>2</sub> O ↔ CHOCH(OH)C(OH)(OH)CH(OH)(OH)	T(200)	1.7 10 <sup>4</sup>		Estimated with GROMHE	
CHOCH(OH)COCHO + 3 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH)	T(201)	1.4 10 <sup>6</sup>		Estimated with GROMHE	
CHOCOCH(OH)CO(OO•) + H <sub>2</sub> O ↔ CHOCOCH(OH)C(OH)(OH)(OO•)	T(202)	1.0 10 <sup>-3</sup>			2
CHOCOCH(OH)CO(OO•) + H <sub>2</sub> O ↔ CH(OH)(OH)COCH(OH)CO(OO•)	T(203)	4.6 10 <sup>2</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CHOCH(OH)COCH(OH)(OH))
CHOCOCH(OH)CO(OO•) + H <sub>2</sub> O ↔ CHOC(OH)(OH)CH(OH)CO(OO•)	T(204)	1.0 10 <sup>2</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CHOCH(OH)C(OH)(OH)CHO)
CHOCOCH(OH)CO(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COCH(OH)C(OH)(OH)(OO•)	T(205)	5.2 10 <sup>4</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)COCH(OH)(OH))
CHOCOCH(OH)CO(OO•) + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)CH(OH)C(OH)(OH)(OO•)	T(206)	8.2 10 <sup>3</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)C(OH)(OH)CHO)
CHOCOCH(OH)CO(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)CH(OH)CO(OO•)	T(207)	1.7 10 <sup>4</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CHOCH(OH)C(OH)(OH)CH(OH)(OH))
CHOCOCH(OH)CO(OO•) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)CH(OH)C(OH)(OH)(OO•)	T(208)	1.4 10 <sup>6</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH))
CHOCH(OH)COCO(OO•) + H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)COCO(OO•)	T(209)	8.1 10 <sup>1</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)COCHO)
CHOCH(OH)COCO(OO•) + H <sub>2</sub> O ↔ CHOCH(OH)COC(OH)(OH)(OO•)	T(210)	1.0 10 <sup>-3</sup>			2
CHOCH(OH)COCO(OO•) + H <sub>2</sub> O ↔ CHOCH(OH)C(OH)(OH)CO(OO•)	T(211)	1.0 10 <sup>2</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CHOCH(OH)C(OH)(OH)CHO)
CHOCH(OH)COCO(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)COC(OH)(OH)(OO•)	T(212)	5.2 10 <sup>4</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)COCH(OH)(OH))
CHOCH(OH)COCO(OO•) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)C(OH)(OH)CO(OO•)	T(213)	8.2 10 <sup>3</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)C(OH)(OH)CHO)
CHOCH(OH)COCO(OO•) + 2 H <sub>2</sub> O ↔ CHOCH(OH)C(OH)(OH)C(OH)(OH)(OO•)	T(214)	1.7 10 <sup>4</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CHOCH(OH)C(OH)(OH)CH(OH)(OH))
CHOCH(OH)COCO(OO•) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)CH(OH)C(OH)(OH)C(OH)(OH)(OO•)	T(215)	1.4 10 <sup>6</sup>			1 = K <sub>h</sub> (CHOCH(OH)COCHO/CH(OH)(OH)CH(OH)C(OH)(OH)CH(OH)(OH))
<b>2,4-dioxo-3-hydroxybutanoic acid</b>					
CO(OH)COCH(OH)CHO ↔ CO(O <sup>-</sup> )COCH(OH)CHO + H <sup>+</sup>	T(216)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>3</sub> COCO(OH)/CH <sub>3</sub> COCO(O <sup>-</sup> ))
CO(OH)COCH(OH)CHO + H <sub>2</sub> O ↔ CO(OH)COCH(OH)CH(OH)(OH)	T(217)	7.9 10 <sup>1</sup>		Estimated with GROMHE	

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CO(OH)COCH(OH)CHO + H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)CH(OH)CHO	T(218)	8.6 10 <sup>1</sup>		Estimated with GROMHE	
CO(OH)COCH(OH)CHO + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH)	T(219)	6.7 10 <sup>3</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )COCH(OH)CHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COCH(OH)CH(OH)(OH)	T(220)	3.5 10 <sup>1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )COCH(OH)CHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)CH(OH)CHO	T(221)	5.6 10 <sup>-1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )COCH(OH)CHO + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)CH(OH)CH(OH)(OH)	T(222)	19.7		Estimated with GROMHE	
CO(OO <sup>•</sup> )CH(OH)COCO(OH) ↔ CO(OO <sup>•</sup> )CH(OH)COCO(O <sup>-</sup> ) + H <sup>+</sup>	T(223)	4.1 10 <sup>-3</sup>			3 = K <sub>a</sub> (CO(OH)COCH(OH)CHO/CO(O <sup>-</sup> )COCH(OH)CHO)
CO(OO <sup>•</sup> )CH(OH)COCO(OH) + H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )CH(OH)COCO(OH)	T(224)	1.0 10 <sup>-3</sup>			2
CO(OO <sup>•</sup> )CH(OH)COCO(OH) + H <sub>2</sub> O ↔ CO(OO <sup>•</sup> )CH(OH)C(OH)(OH)CO(OH)	T(225)	8.6 10 <sup>1</sup>			1 = K <sub>h</sub> (CO(OH)COCH(OH)CHO/CO(OH)C(OH)(OH)CH(OH)CHO)
CO(OO <sup>•</sup> )CH(OH)COCO(OH) + 2 H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )CH(OH)C(OH)(OH)CO(OH)	T(226)	6.7 10 <sup>3</sup>			1 = K <sub>h</sub> (CO(OH)COCH(OH)CHO/CO(OH)C(OH)(OH)CH(OH)CH(OH)(OH))
CO(OO <sup>•</sup> )CH(OH)COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )CH(OH)COCO(O <sup>-</sup> )	T(227)	1.0 10 <sup>-3</sup>			2
CO(OO <sup>•</sup> )CH(OH)COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OO <sup>•</sup> )CH(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(228)	5.6 10 <sup>-1</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )COCH(OH)CHO/CO(O <sup>-</sup> )C(OH)(OH)CH(OH)CHO)
CO(OO <sup>•</sup> )CH(OH)COCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )CH(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(229)	19.7			1 = K <sub>h</sub> (CO(O <sup>-</sup> )COCH(OH)CHO/CO(O <sup>-</sup> )C(OH)(OH)CH(OH)CH(OH)(OH))
<b>2,3-dioxobutanal</b>					
CH <sub>3</sub> COCOCHO + H <sub>2</sub> O ↔ CH <sub>3</sub> COCOCH(OH)(OH)	T(230)	6.3 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCHO	T(231)	1.0 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CHO	T(232)	2.3 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCH(OH)(OH)	T(233)	3.1 10 <sup>3</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CH(OH)(OH)	T(234)	2.4 10 <sup>4</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO	T(235)	5.7 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCHO + 3 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OH)	T(236)	2.9 10 <sup>4</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> COCOC(OH)(OH)(OO <sup>•</sup> )	T(237)	1.0 10 <sup>-3</sup>			2
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCO(OO <sup>•</sup> )	T(238)	1.0 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)COCHO)
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CO(OO <sup>•</sup> )	T(239)	2.3 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> COC(OH)(OH)CHO)

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(240)	3.1 10 <sup>3</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)COCH(OH)(OH))
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(241)	2.4 10 <sup>4</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> COC(OH)(OH)CH(OH)(OH))
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(242)	5.7 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO)
CH <sub>3</sub> COCOCO(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(243)	2.9 10 <sup>4</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COCOCH(OH)(OH)	T(244)	6.3 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> COCOCH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)COCHO	T(245)	1.0 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)COCHO)
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COC(OH)(OH)CHO	T(246)	2.3 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> COC(OH)(OH)CHO)
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)COCH(OH)(OH)	T(247)	3.1 10 <sup>3</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)COCH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COC(OH)(OH)CH(OH)(OH)	T(248)	2.4 10 <sup>4</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> COC(OH)(OH)CH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)C(OH)(OH)CHO	T(249)	5.7 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CHO)
CH <sub>2</sub> (OO <sup>•</sup> )COCOCHO + 3 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)C(OH)(OH)CH(OH)(OH)	T(250)	2.9 10 <sup>4</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCHO/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CH(OH)(OH))
<b>2-hydroxy, 3-oxobutanal</b>					
CH <sub>3</sub> COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>3</sub> COCH(OH)CH(OH)(OH)	T(251)	3.5 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)CHO	T(252)	5.6 10 <sup>-1</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCH(OH)CHO + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)CH(OH)(OH)	T(253)	9.7		Estimated with GROMHE	
CH <sub>3</sub> COCH(OH)CO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> COCH(OH)C(OH)(OH)(OO <sup>•</sup> )	T(254)	10 <sup>-3</sup>			2
CH <sub>3</sub> COCH(OH)CO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OO <sup>•</sup> )	T(255)	5.6 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CHO/CH <sub>3</sub> C(OH)(OH)CH(OH)CHO)
CH <sub>3</sub> COCH(OH)CO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)C(OH)(OH)(OO <sup>•</sup> )	T(256)	9.7			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CHO/CH <sub>3</sub> C(OH)(OH)CH(OH)CH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COCH(OH)CH(OH)(OH)	T(257)	3.5 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CHO/CH <sub>3</sub> COCH(OH)CH(OH)(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCH(OH)CHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)CH(OH)CHO	T(258)	5.6 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CHO/CH <sub>3</sub> C(OH)(OH)CH(OH)CHO)
CH <sub>2</sub> (OO <sup>•</sup> )COCH(OH)CHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)CH(OH)CH(OH)(OH)	T(259)	9.7			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CHO/CH <sub>3</sub> C(OH)(OH)CH(OH)CH(OH)(OH))
<b>2-hydroxy, 3-oxobutanoic acid</b>					
CH <sub>3</sub> COCH(OH)CO(OH) ↔ CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + H <sup>+</sup>	T(260)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CH <sub>3</sub> COCH(OH)CO(OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH)	T(261)	5.3 10 <sup>-1</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)CH(OH)CO(O <sup>-</sup> )	T(262)	7.0 10 <sup>-2</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) ↔ CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + H <sup>+</sup>	T(263)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CH <sub>3</sub> COCH(OH)CO(OH)/CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> ))
CO(OH)CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> )	T(264)	5.3 10 <sup>-1</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CO(OH)/CH <sub>3</sub> C(OH)(OH)CH(OH)CO(OH))
CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH <sub>2</sub> (OO <sup>•</sup> )	T(265)	7.0 10 <sup>-2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCH(OH)CO(O <sup>-</sup> )/CH <sub>3</sub> C(OH)(OH)CH(OH)CO(O <sup>-</sup> ))
CH <sub>3</sub> COC(OH)(OO <sup>•</sup> )CO(OH) ↔ CH <sub>3</sub> COC(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(266)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CH <sub>3</sub> COC(OH)(OO <sup>•</sup> )CO(OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OO <sup>•</sup> )CO(OH)	T(267)	5.3 10 <sup>-1</sup>		Estimated with GROMHE	
CH <sub>3</sub> COC(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OO <sup>•</sup> )CO(O <sup>-</sup> )	T(268)	7.0 10 <sup>-2</sup>		Estimated with GROMHE	
<b>2,4-dihydroxy, 3-oxobutanoic acid</b>					
CO(OH)CH(OH)COCH <sub>2</sub> (OH) ↔ CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OH) + H <sup>+</sup>	T(269)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CO(OH)CH(OH)COCH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OH)	T(270)	2.4		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OH) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH <sub>2</sub> (OH)	T(271)	3.2 10 <sup>-1</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCH(OH)(OO <sup>•</sup> ) ↔ CO(O <sup>-</sup> )CH(OH)COCH(OH)(OO <sup>•</sup> ) + H <sup>+</sup>	T(272)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CO(OH)CH(OH)COCH <sub>2</sub> (OH)/CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OH))
CO(OH)CH(OH)COCH(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(273)	2.4			1 = K <sub>h</sub> (CO(OH)CH(OH)COCH <sub>2</sub> (OH)/CO(OH)CH(OH)C(OH)(OH)CH <sub>2</sub> (OH))
CO(O <sup>-</sup> )CH(OH)COCH(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(274)	3.2 10 <sup>-1</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCH <sub>2</sub> (OH)/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH <sub>2</sub> (OH))
<b>2-hydroxy, 3,4-dioxobutanoic acid</b>					
CO(OH)CH(OH)COCHO ↔ CO(O <sup>-</sup> )CH(OH)COCHO + H <sup>+</sup>	T(275)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CO(OH)CH(OH)COCHO + H <sub>2</sub> O ↔ CO(OH)CH(OH)COCH(OH)(OH)	T(276)	4.4 10 <sup>2</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCHO + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CHO	T(277)	9.5 10 <sup>1</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCHO + 2 H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH)	T(278)	7.1 10 <sup>3</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)COCH(OH)(OH)	T(279)	2.0 10 <sup>2</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CHO	T(280)	1.3 10 <sup>1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCHO + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH(OH)(OH)	T(281)	4.2 10 <sup>2</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCO(OO <sup>•</sup> ) ↔ CO(O <sup>-</sup> )CH(OH)COCO(OO <sup>•</sup> ) + H <sup>+</sup>	T(282)	3.0 10 <sup>-4</sup>			3

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CO(OH)CH(OH)COCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)CH(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(283)	1.0 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)COCHO) 2
CO(OH)CH(OH)COCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(284)	9.5 10 <sup>1</sup>			1 = K <sub>h</sub> (CO(OH)CH(OH)COCHO/CO(OH)CH(OH)C(OH)(OH)CHO)
CO(OH)CH(OH)COCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(285)	7.1 10 <sup>3</sup>			1 = K <sub>h</sub> (CO(OH)CH(OH)COCHO/CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH))
CO(O <sup>-</sup> )CH(OH)COCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(286)	1.0 10 <sup>-3</sup>			2
CO(O <sup>-</sup> )CH(OH)COCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(287)	1.3 10 <sup>1</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CHO)
CO(O <sup>-</sup> )CH(OH)COCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(288)	4.2 10 <sup>2</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH(OH)(OH))
CO(OH)C(OH)(OO <sup>•</sup> )COCHO ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCHO + H <sup>+</sup>	T(289)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CO(OH)CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)COCHO)
CO(OH)C(OH)(OO <sup>•</sup> )COCHO + H <sub>2</sub> O ↔ CO(OH)C(OH)(OO <sup>•</sup> )COCH(OH)(OH)	T(290)	4.4 10 <sup>2</sup>			1 = K <sub>h</sub> (CO(OH)CH(OH)COCHO/CO(OH)CH(OH)COCH(OH)(OH))
CO(OH)C(OH)(OO <sup>•</sup> )COCHO + H <sub>2</sub> O ↔ CO(OH)C(OH)(OO <sup>•</sup> )C(OH)(OH)CHO	T(291)	9.5 10 <sup>1</sup>			1 = K <sub>h</sub> (CO(OH)CH(OH)COCHO/CO(OH)CH(OH)C(OH)(OH)CHO)
CO(OH)C(OH)(OO <sup>•</sup> )COCHO + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OO <sup>•</sup> )C(OH)(OH)CH(OH)(OH)	T(292)	7.1 10 <sup>3</sup>			1 = K <sub>h</sub> (CO(OH)CH(OH)COCHO/CO(OH)CH(OH)C(OH)(OH)CH(OH)(OH))
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCH(OH)(OH)	T(293)	2.0 10 <sup>2</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)COCH(OH)(OH))
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCHO + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )C(OH)(OH)CHO	T(294)	1.3 10 <sup>1</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CHO)
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCHO + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )C(OH)(OH)CH(OH)(OH)	T(295)	4.2 10 <sup>2</sup>			1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCHO/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CH(OH)(OH))
<b>2-oxomalic acid</b>					
CO(OH)CH(OH)COCO(OH) ↔ CO(OH)CH(OH)COCO(O <sup>-</sup> ) + H <sup>+</sup>	T(296)	3.2 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)COCO(OH)/CO(OH)COCO(O <sup>-</sup> ))
CO(OH)CH(OH)COCO(OH) ↔ CO(O <sup>-</sup> )CH(OH)COCO(OH) + H <sup>+</sup>	T(297)	3.8 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)CH(OH)CO(OH)/CO(OH)CH(OH)CO(O <sup>-</sup> ))
CO(OH)CH(OH)COCO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )CH(OH)COCO(O <sup>-</sup> ) + H <sup>+</sup>	T(298)	1.3 10 <sup>-4</sup>			= K <sub>a</sub> (CO(OH)COCO(O <sup>-</sup> )/CO(O <sup>-</sup> )COCO(O <sup>-</sup> ))
CO(OH)CH(OH)COCO(OH) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CO(OH)	T(299)	8.0 10 <sup>1</sup>		Estimated with GROMHE	
CO(OH)CH(OH)COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)CH(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(300)	5.3 10 <sup>-1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCO(OH) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CO(OH)	T(301)	1.1 10 <sup>1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )CH(OH)COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(302)	7.0 10 <sup>-2</sup>		Estimated with GROMHE	
CO(OH)C(OH)(OO <sup>•</sup> )COCO(OH) ↔ CO(OH)C(OH)(OO <sup>•</sup> )COCO(O <sup>-</sup> ) + H <sup>+</sup>	T(303)	3.2 10 <sup>-3</sup>			3 = K <sub>a</sub> (CO(OH)CH(OH)COCO(OH)/CO(OH)CH(OH)COCO(O <sup>-</sup> ))
CO(OH)C(OH)(OO <sup>•</sup> )COCO(OH) ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCO(OH) + H <sup>+</sup>	T(304)	3.8 10 <sup>-3</sup>			3 = K <sub>a</sub> (CO(OH)CH(OH)COCO(OH)/CO(O <sup>-</sup> )CH(OH)COCO(OH))
CO(OH)C(OH)(OO <sup>•</sup> )COCO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCO(O <sup>-</sup> ) + H <sup>+</sup>	T(305)	1.3 10 <sup>-4</sup>			3

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CO(OH)C(OH)(OO <sup>•</sup> )COCO(OH) + H <sub>2</sub> O ↔ CO(OH)C(OH)(OO <sup>•</sup> )C(OH)(OH)CO(OH)	T(306)	8.0 10 <sup>1</sup>			= K <sub>a</sub> (CO(OH)CH(OH)COCO(O <sup>-</sup> )/CO(O <sup>-</sup> )CH(OH)COCO(O <sup>-</sup> )) 1
CO(OH)C(OH)(OO <sup>•</sup> )COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)C(OH)(OO <sup>•</sup> )C(OH)(OH)CO(O <sup>-</sup> )	T(307)	5.3 10 <sup>-1</sup>			= K <sub>h</sub> (CO(OH)CH(OH)COCO(OH)/CO(OH)CH(OH)C(OH)(OH)CO(OH)) 1
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCO(OH) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )C(OH)(OH)CO(OH)	T(308)	1.1 10 <sup>1</sup>			= K <sub>h</sub> (CO(OH)CH(OH)COCO(O <sup>-</sup> )/CO(OH)CH(OH)C(OH)(OH)CO(O <sup>-</sup> )) 1
CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )COCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OO <sup>•</sup> )C(OH)(OH)CO(O <sup>-</sup> )	T(309)	7.0 10 <sup>-2</sup>			= K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCO(OH)/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CO(OH)) 1 = K <sub>h</sub> (CO(O <sup>-</sup> )CH(OH)COCO(O <sup>-</sup> )/CO(O <sup>-</sup> )CH(OH)C(OH)(OH)CO(O <sup>-</sup> ))
<b>Dioxosuccinic acid</b>					
CO(OH)COCOCO(OH) ↔ CO(OH)COCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(310)	3.2 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)COCO(OH)/CO(OH)COCO(O <sup>-</sup> ))
CO(OH)COCOCO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )COCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(311)	1.3 10 <sup>-4</sup>			= K <sub>a</sub> (CO(OH)COCO(O <sup>-</sup> )/CO(O <sup>-</sup> )COCO(O <sup>-</sup> ))
CO(OH)COCOCO(OH) + H <sub>2</sub> O ↔ CO(OH)COC(OH)(OH)CO(OH)	T(312)	2.9 10 <sup>3</sup>		Estimated with GROMHE	
CO(OH)COCOCO(OH) + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)C(OH)(OH)CO(OH)	T(313)	1.0 10 <sup>6</sup>		Estimated with GROMHE	
CO(OH)COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)COCO(O <sup>-</sup> )	T(314)	1.9 10 <sup>2</sup>		Estimated with GROMHE	
CO(OH)COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)COC(OH)(OH)CO(O <sup>-</sup> )	T(315)	9.4		Estimated with GROMHE	
CO(OH)COCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(316)	4.5 10 <sup>2</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COC(OH)(OH)CO(O <sup>-</sup> )	T(317)	2.5		Estimated with GROMHE	
CO(O <sup>-</sup> )COCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(318)	8.0 10 <sup>-1</sup>		Estimated with GROMHE	
<b>2,3-dioxobutanedial</b>					
CHOCOCOCHO + H <sub>2</sub> O ↔ CH(OH)(OH)COCOCHO	T(319)	2.9 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCOCHO + H <sub>2</sub> O ↔ CHOC(OH)(OH)COCHO	T(320)	3.6 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCOCHO + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COCOCH(OH)(OH)	T(321)	2.9 10 <sup>6</sup>		Estimated with GROMHE	
CHOCOCOCHO + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCHO	T(322)	8.7 10 <sup>5</sup>		Estimated with GROMHE	
CHOCOCOCHO + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COC(OH)(OH)CHO	T(323)	2.6 10 <sup>6</sup>		Estimated with GROMHE	
CHOCOCOCHO + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)C(OH)(OH)CHO	T(324)	1.7 10 <sup>6</sup>		Estimated with GROMHE	
CHOCOCOCHO + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCH(OH)(OH)	T(325)	5.5 10 <sup>8</sup>		Estimated with GROMHE	

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CHOCOCOCHO + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CHO	T(326)	2.5 10 <sup>8</sup>		Estimated with GROMHE	
CHOCOCOCHO + 4 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH)	T(327)	2.0 10 <sup>10</sup>		Estimated with GROMHE	
CHOCOCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)COCOCO(OO <sup>•</sup> )	T(328)	2.9 10 <sup>3</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)COCOCOCHO)
CHOCOCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CHOC(OH)(OH)COCO(OO <sup>•</sup> )	T(329)	3.6 10 <sup>3</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CHOC(OH)(OH)COCHO)
CHOCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COCOC(OH)(OH)(OO <sup>•</sup> )	T(330)	2.9 10 <sup>6</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)COCOCH(OH)(OH))
CHOCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCO(OO <sup>•</sup> )	T(331)	8.7 10 <sup>5</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)C(OH)(OH)COCHO)
CHOCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COC(OH)(OH)CO(OO <sup>•</sup> )	T(332)	2.6 10 <sup>6</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)COC(OH)(OH)CHO)
CHOCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(333)	1.7 10 <sup>6</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CHOC(OH)(OH)C(OH)(OH)CHO)
CHOCOCOCO(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(334)	5.5 10 <sup>8</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)C(OH)(OH)COCH(OH)(OH))
CHOCOCOCO(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(335)	2.5 10 <sup>8</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)C(OH)(OH)C(OH)(OH)CHO)
CHOCOCOCO(OO <sup>•</sup> ) + 4 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(336)	2.0 10 <sup>10</sup>			1 = K <sub>h</sub> (CHOCOCOCHO/CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH))
<b>2,3-dioxobutanoic acid</b>					
CH <sub>3</sub> COCOCO(OH) ↔ CH <sub>3</sub> COCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(337)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>3</sub> COCO(OH)/CH <sub>3</sub> COCO(O <sup>-</sup> ))
CH <sub>3</sub> COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCO(OH)	T(338)	9.4		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CO(OH)	T(339)	1.9 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(OH) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CO(OH)	T(340)	4.5 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)COCO(O <sup>-</sup> )	T(341)	1.3		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>3</sub> COC(OH)(OH)CO(O <sup>-</sup> )	T(342)	1.3		Estimated with GROMHE	
CH <sub>3</sub> COCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(343)	3.9 10 <sup>-1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(OH) ↔ CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(344)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>3</sub> COCOCO(OH)/CH <sub>3</sub> COCOCO(O <sup>-</sup> ))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)COCO(OH)	T(345)	9.4			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCO(OH)/CH <sub>3</sub> C(OH)(OH)COCO(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COC(OH)(OH)CO(OH)	T(346)	1.9 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>3</sub> COCOCO(OH)/CH <sub>3</sub> COC(OH)(OH)CO(OH))
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(OH) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(OH)	T(347)	4.5 10 <sup>2</sup>			1



Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)COCO(O <sup>-</sup> )	T(348)	1.3			= K <sub>h</sub> (CH <sub>3</sub> COCOCO(OH)/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CO(OH)) 1
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )COC(OH)(OH)CO(O <sup>-</sup> )	T(349)	1.3			= K <sub>h</sub> (CH <sub>3</sub> COCOCO(O <sup>-</sup> )/CH <sub>3</sub> C(OH)(OH)COCO(O <sup>-</sup> )) 1
CH <sub>2</sub> (OO <sup>•</sup> )COCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OO <sup>•</sup> )C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(350)	3.9 10 <sup>-1</sup>			= K <sub>h</sub> (CH <sub>3</sub> COCOCO(O <sup>-</sup> )/CH <sub>3</sub> COC(OH)(OH)CO(O <sup>-</sup> )) 1
<b>2,3-dioxo-4-hydroxybutanal</b>					= K <sub>h</sub> (CH <sub>3</sub> COCOCO(O <sup>-</sup> )/CH <sub>3</sub> C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ))
CH <sub>2</sub> (OH)COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COCOCH(OH)(OH)	T(351)	8.0 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCHO	T(352)	4.5 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)CHO	T(353)	4.1 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCH(OH)(OH)	T(354)	1.7 10 <sup>4</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)CH(OH)(OH)	T(355)	5.5 10 <sup>4</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CHO	T(356)	4.7 10 <sup>3</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCHO + 3 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH)	T(357)	3.0 10 <sup>5</sup>		Estimated with GROMHE	
CHOCOCOCH(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)COCOCH(OH)(OO <sup>•</sup> )	T(358)	8.0 10 <sup>2</sup>			1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CHOCOC(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(359)	4.5 10 <sup>1</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)COCOCH(OH)(OH)) 1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CHOC(OH)(OH)COCH(OH)(OO <sup>•</sup> )	T(360)	4.1 10 <sup>2</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)COCHO) 1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COC(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(361)	1.7 10 <sup>4</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)COC(OH)(OH)CHO) 1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCH(OH)(OO <sup>•</sup> )	T(362)	5.5 10 <sup>4</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)COCH(OH)(OH)) 1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(363)	4.7 10 <sup>3</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)COC(OH)(OH)CH(OH)(OH)) 1
CHOCOCOCH(OH)(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO <sup>•</sup> )	T(364)	3.0 10 <sup>5</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH)) 1
CH <sub>2</sub> (OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COCOC(OH)(OH)(OO <sup>•</sup> )	T(365)	1.0 10 <sup>-3</sup>			2
CH <sub>2</sub> (OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCO(OO <sup>•</sup> )	T(366)	4.5 10 <sup>1</sup>			1
CH <sub>2</sub> (OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)CO(OO <sup>•</sup> )	T(367)	4.1 10 <sup>2</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)COCHO) 1
CH <sub>2</sub> (OH)COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(368)	1.7 10 <sup>4</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)COC(OH)(OH)CHO) 1

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CH <sub>2</sub> (OH)COCOCO(OO•) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)C(OH)(OH)(OO•)	T(369)	5.5 10 <sup>4</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)COCH(OH)(OH)) 1
CH <sub>2</sub> (OH)COCOCO(OO•) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CO(OO•)	T(370)	4.7 10 <sup>3</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)COC(OH)(OH)CH(OH)(OH)) 1
CH <sub>2</sub> (OH)COCOCO(OO•) + 3 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)C(OH)(OH)(OO•)	T(371)	3.0 10 <sup>5</sup>			= K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CHO) 1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCHO/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CH(OH)(OH))
<b>2,3-dioxo-4-hydroxybutanoic acid</b>					
CH <sub>2</sub> (OH)COCOCO(OH) ↔ CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(372)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>3</sub> COCO(OH)/CH <sub>3</sub> COCO(O <sup>-</sup> ))
CH <sub>2</sub> (OH)COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCO(OH)	T(373)	4.2 10 <sup>1</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCO(OH) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)CO(OH)	T(374)	3.5 10 <sup>2</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCO(OH) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CO(OH)	T(375)	3.7 10 <sup>3</sup>		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)COCO(O <sup>-</sup> )	T(376)	5.6		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)COC(OH)(OH)CO(O <sup>-</sup> )	T(377)	2.3		Estimated with GROMHE	
CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(378)	3.2		Estimated with GROMHE	
CO(OH)COCOCH(OH)(OO•) ↔ CO(O <sup>-</sup> )COCOCH(OH)(OO•) + H <sup>+</sup>	T(379)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)COCOCO(OH)/CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> ))
CO(OH)COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CO(OH)COC(OH)(OH)CH(OH)(OO•)	T(380)	4.2 10 <sup>1</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(OH)/CH <sub>2</sub> (OH)C(OH)(OH)COCO(OH))
CO(OH)COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)COCH(OH)(OO•)	T(381)	3.5 10 <sup>2</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(OH)/CH <sub>2</sub> (OH)COC(OH)(OH)CO(OH))
CO(OH)COCOCH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)C(OH)(OH)CH(OH)(OO•)	T(382)	3.7 10 <sup>3</sup>			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(OH)/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CO(OH))
CO(O <sup>-</sup> )COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COC(OH)(OH)CH(OH)(OO•)	T(383)	5.6			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> )/CH <sub>2</sub> (OH)C(OH)(OH)COCO(O <sup>-</sup> ))
CO(O <sup>-</sup> )COCOCH(OH)(OO•) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)COCH(OH)(OO•)	T(384)	2.3			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> )/CH <sub>2</sub> (OH)COC(OH)(OH)CO(O <sup>-</sup> ))
CO(O <sup>-</sup> )COCOCH(OH)(OO•) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CH(OH)(OO•)	T(385)	3.2			1 = K <sub>h</sub> (CH <sub>2</sub> (OH)COCOCO(O <sup>-</sup> )/CH <sub>2</sub> (OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ))
<b>2,3,4-trioxobutanoic acid</b>					
CHOCOCOCO(OH) ↔ CHOCOCOCO(O <sup>-</sup> ) + H <sup>+</sup>	T(386)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CH <sub>3</sub> COCO(OH)/CH <sub>3</sub> COCO(O <sup>-</sup> ))
CHOCOCOCO(OH) + H <sub>2</sub> O ↔ CH(OH)(OH)COCOCO(OH)	T(387)	1.4 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCOCO(OH) + H <sub>2</sub> O ↔ CHOCOC(OH)(OH)CO(OH)	T(388)	1.5 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCOCO(OH) + H <sub>2</sub> O ↔ CHOC(OH)(OH)COCO(OH)	T(389)	1.7 10 <sup>3</sup>		Estimated with GROMHE	

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CHOCOCOCO(OH) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCO(OH)	T(390)	4.0 10 <sup>5</sup>		Estimated with GROMHE	
CHOCOCOCO(OH) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COC(OH)(OH)CO(OH)	T(391)	1.0 10 <sup>6</sup>		Estimated with GROMHE	
CHOCOCOCO(OH) + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)C(OH)(OH)CO(OH)	T(392)	6.5 10 <sup>5</sup>		Estimated with GROMHE	
CHOCOCOCO(OH) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH)	T(393)	7.5 10 <sup>7</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)COCOCO(O <sup>-</sup> )	T(157)	6.3 10 <sup>2</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CHOCOC(OH)(OH)CO(O <sup>-</sup> )	T(158)	1.0 10 <sup>1</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CHOC(OH)(OH)COCO(O <sup>-</sup> )	T(159)	2.3 10 <sup>2</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> )	T(160)	2.4 10 <sup>4</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CH(OH)(OH)COC(OH)(OH)CO(O <sup>-</sup> )	T(161)	3.0 10 <sup>3</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ CHOC(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(162)	5.7 10 <sup>2</sup>		Estimated with GROMHE	
CHOCOCOCO(O <sup>-</sup> ) + 3 H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )	T(163)	2.9 10 <sup>4</sup>		Estimated with GROMHE	
CO(OH)COCOCO(OO <sup>•</sup> ) ↔ CO(O <sup>-</sup> )COCOCO(OO <sup>•</sup> ) + H <sup>+</sup>	T(394)	4.1 10 <sup>-3</sup>			= K <sub>a</sub> (CHOCOCOCO(OH)/CHOCOCOCO(O <sup>-</sup> ))
CO(OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)COCOC(OH)(OH)(OO <sup>•</sup> )	T(395)	1.0 10 <sup>-3</sup>			2
CO(OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)COCO(OO <sup>•</sup> )	T(396)	1.5 10 <sup>3</sup>			1
CO(OH)COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(OH)COC(OH)(OH)CO(OO <sup>•</sup> )	T(397)	1.7 10 <sup>3</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CHOCOC(OH)(OH)CO(OH)) 1
CO(OH)COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(OH)COC(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(398)	4.0 10 <sup>5</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CHOC(OH)(OH)COCO(OH)) 1
CO(OH)COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(399)	1.0 10 <sup>6</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CH(OH)(OH)C(OH)(OH)COCO(OH)) 1
CO(OH)COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(400)	6.5 10 <sup>5</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CH(OH)(OH)COC(OH)(OH)CO(OH)) 1
CO(OH)COCOCO(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CO(OH)C(OH)(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(401)	7.5 10 <sup>7</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CHOC(OH)(OH)C(OH)(OH)CO(OH)) 1
CO(O <sup>-</sup> )COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COCOC(OH)(OH)(OO <sup>•</sup> )	T(402)	1.0 10 <sup>-3</sup>			= K <sub>h</sub> (CHOCOCOCO(OH)/CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(OH)) 2
CO(O <sup>-</sup> )COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)COCO(OO <sup>•</sup> )	T(403)	1.0 10 <sup>1</sup>			1
CO(O <sup>-</sup> )COCOCO(OO <sup>•</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COC(OH)(OH)CO(OO <sup>•</sup> )	T(404)	2.3 10 <sup>2</sup>			= K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CHOCOC(OH)(OH)CO(O <sup>-</sup> )) 1
CO(O <sup>-</sup> )COCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )COC(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(405)	2.4 10 <sup>4</sup>			= K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CHOC(OH)(OH)COCO(O <sup>-</sup> )) 1

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CO(O <sup>-</sup> )COCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)COC(OH)(OH)(OO <sup>•</sup> )	T(406)	3.0 10 <sup>3</sup>			= K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CH(OH)(OH)C(OH)(OH)COCO(O <sup>-</sup> )) 1
CO(O <sup>-</sup> )COCOCOCO(OO <sup>•</sup> ) + 2 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)CO(OO <sup>•</sup> )	T(407)	5.7 10 <sup>2</sup>			= K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CH(OH)(OH)COC(OH)(OH)CO(O <sup>-</sup> )) 1
CO(O <sup>-</sup> )COCOCOCO(OO <sup>•</sup> ) + 3 H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(OH)C(OH)(OH)C(OH)(OH)(OO <sup>•</sup> )	T(408)	2.9 10 <sup>4</sup>			= K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CHOC(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> )) 1 = K <sub>h</sub> (CHOCOCOCO(O <sup>-</sup> )/CH(OH)(OH)C(OH)(OH)C(OH)(OH)CO(O <sup>-</sup> ))
<b>2- Methylglyceric Acid (2-MG)</b>					
CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH) ↔ CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(409)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CH(OH)(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(OH) ↔ CH(OH)(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(410)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH)/CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ))
CH <sub>2</sub> (OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) ↔ CH <sub>2</sub> (OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(411)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH)/CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ))
<b>2-hydroxy,3-oxomethylpropanoic acid</b>					
CHOC(OH)(CH <sub>3</sub> )CO(OH) ↔ CHOC(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(412)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CHOC(OH)(CH <sub>3</sub> )CO(OH) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>3</sub> )CO(OH)	T(413)	4.6 10 <sup>1</sup>		Estimated with GROMHE	
CHOC(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> )	T(414)	6.1		Estimated with GROMHE	
CO(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(OH) ↔ CO(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(415)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CHOC(OH)(CH <sub>3</sub> )CO(OH)/CHOC(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ))
CO(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(OH) + H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(OH)	T(416)	1.0 10 <sup>-3</sup>			2
CO(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ C(OH)(OH)(OO <sup>•</sup> )C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> )	T(417)	1.0 10 <sup>-3</sup>			2
CHOC(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) ↔ CHOC(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(418)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CHOC(OH)(CH <sub>3</sub> )CO(OH)/CHOC(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ))
CHOC(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(OH)	T(419)	4.6 10 <sup>1</sup>			1 = K <sub>h</sub> (CHOC(OH)(CH <sub>3</sub> )CO(OH)/CH(OH)(OH)C(OH)(CH <sub>3</sub> )CO(OH))
CHOC(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>2</sub> (OO <sup>•</sup> ))CO(O <sup>-</sup> )	T(420)	6.1			1 = K <sub>h</sub> (CHOC(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> )/CH(OH)(OH)C(OH)(CH <sub>3</sub> )CO(O <sup>-</sup> ))
<b>2-hydroxy-2-(hydroxymethyl)-3-oxopropanoic acid</b>					
CHOC(OH)(CH <sub>2</sub> (OH))CO(OH) ↔ CHOC(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(421)	3.0 10 <sup>-4</sup>			= K <sub>a</sub> (CH <sub>2</sub> (OH)CH(OH)CO(OH)/CH <sub>2</sub> (OH)CH(OH)CO(O <sup>-</sup> ))
CHOC(OH)(CH <sub>2</sub> (OH))CO(OH) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	T(422)	8.4 10 <sup>1</sup>		Estimated with GROMHE	
CHOC(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> )	T(423)	1.1 10 <sup>1</sup>		Estimated with GROMHE	
CHOC(OH)(CH(OH)(OO <sup>•</sup> ))CO(OH) ↔ CHOC(OH)(CH(OH)(OO <sup>•</sup> ))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(424)	3.0 10 <sup>-4</sup>			3 = K <sub>a</sub> (CHOC(OH)(CH <sub>2</sub> (OH))CO(OH)/CHOC(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ))
CHOC(OH)(CH(OH)(OO <sup>•</sup> ))CO(OH) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH(OH)(OO <sup>•</sup> ))CO(OH)	T(425)	8.4 10 <sup>1</sup>			1 = K <sub>h</sub> (CHOC(OH)(CH <sub>2</sub> (OH))CO(OH)/CH(OH)(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) )
CHOC(OH)(CH(OH)(OO <sup>•</sup> ))CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CH(OH)(OH)C(OH)(CH(OH)(OO <sup>•</sup> ))CO(O <sup>-</sup> )	T(426)	1.1 10 <sup>1</sup>			1

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH}) \leftrightarrow \text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-) + \text{H}^+$	T(427)	$3.0 \cdot 10^{-4}$			$= K_h(\text{CHOC}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-)/\text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-))$ 3
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH}) + \text{H}_2\text{O} \leftrightarrow \text{C}(\text{OH})(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH})$	T(428)	$1.0 \cdot 10^{-3}$			$= K_a(\text{CHOC}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH})/\text{CHOC}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-))$ 2
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-) + \text{H}_2\text{O} \leftrightarrow \text{C}(\text{OH})(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-)$	T(429)	$1.0 \cdot 10^{-3}$			2
<b>2,3-hydroxy-2-(hydroxymethyl)propanoic acid</b>					
$\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH}) \leftrightarrow \text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-) + \text{H}^+$	T(430)	$3.0 \cdot 10^{-4}$			$= K_a(\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{OH})/\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{O}^-))$ 3
$\text{CH}(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH}) \leftrightarrow \text{CH}(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-) + \text{H}^+$	T(431)	$3.0 \cdot 10^{-4}$			$= K_a(\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{OH})/\text{CH}_2(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OH}))\text{CO}(\text{O}^-))$ 3
<b>Methyltartronic acid</b>					
$\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{OH}) \leftrightarrow \text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{O}^-) + \text{H}^+$	T(432)	$3.8 \cdot 10^{-3}$			$= K_a(\text{CO}(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{OH})/\text{CO}(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{O}^-))$
$\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{O}^-) \leftrightarrow \text{CO}(\text{O}^-)\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{O}^-) + \text{H}^+$	T(433)	$2.9 \cdot 10^{-5}$			$= K_a(\text{CO}(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{O}^-)/\text{CO}(\text{O}^-)\text{CH}(\text{OH})\text{CO}(\text{O}^-))$
$\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OO}^*))\text{CO}(\text{OH}) \leftrightarrow \text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OO}^*))\text{CO}(\text{O}^-) + \text{H}^+$	T(434)	$3.8 \cdot 10^{-3}$			3
$\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_2(\text{OO}^*))\text{CO}(\text{O}^-) \leftrightarrow \text{CO}(\text{O}^-)\text{C}(\text{OH})(\text{CH}_2(\text{OO}^*))\text{CO}(\text{O}^-) + \text{H}^+$	T(435)	$2.9 \cdot 10^{-5}$			$= K_a(\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{OH})/\text{CO}(\text{OH})\text{C}(\text{OH})(\text{CH}_3)\text{CO}(\text{O}^-))$ 3
<b>2- hydroxyl-2-(oxomethyl)-3-oxopropanoic acid</b>					
$\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) \leftrightarrow \text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + \text{H}^+$	T(436)	$3.0 \cdot 10^{-4}$			$= K_a(\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{OH})/\text{CH}_2(\text{OH})\text{CH}(\text{OH})\text{CO}(\text{O}^-))$
$\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) + \text{H}_2\text{O} \leftrightarrow \text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH})$	T(437)	$7.3 \cdot 10^2$		Estimated with GROMHE	
$\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) + 2 \text{H}_2\text{O} \leftrightarrow \text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{OH})$	T(438)	$1.1 \cdot 10^5$		Estimated with GROMHE	
$\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + \text{H}_2\text{O} \leftrightarrow \text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-)$	T(439)	$9.8 \cdot 10^1$		Estimated with GROMHE	
$\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + 2 \text{H}_2\text{O} \leftrightarrow \text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{O}^-)$	T(440)	$2.0 \cdot 10^3$		Estimated with GROMHE	
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) \leftrightarrow \text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + \text{H}^+$	T(441)	$3.0 \cdot 10^{-4}$			3
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) + \text{H}_2\text{O} \leftrightarrow \text{C}(\text{OH})(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH})$	T(442)	$1.0 \cdot 10^{-3}$			$= K_a(\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH})/\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-))$ 2
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) + \text{H}_2\text{O} \leftrightarrow \text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{OH})$	T(443)	$7.3 \cdot 10^2$			1
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH}) + 2 \text{H}_2\text{O} \leftrightarrow$ $\text{C}(\text{OH})(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{OH})$	T(444)	$1.1 \cdot 10^5$			$= K_h(\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH})/\text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{OH}))$ 1
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + \text{H}_2\text{O} \leftrightarrow \text{C}(\text{OH})(\text{OH})(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-)$	T(445)	$1.0 \cdot 10^{-3}$			$=$ $K_h(\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{OH})/\text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{OH}))$ 2
$\text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-) + \text{H}_2\text{O} \leftrightarrow \text{CO}(\text{OO}^*)\text{C}(\text{OH})(\text{CH}(\text{OH})(\text{OH}))\text{CO}(\text{O}^-)$	T(446)	$9.8 \cdot 10^1$			1
					$= K_h(\text{CHOC}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-)/\text{CH}(\text{OH})(\text{OH})\text{C}(\text{OH})(\text{CHO})\text{CO}(\text{O}^-))$

Species		K <sub>a</sub> or K <sub>h</sub>	-ΔH/R (K)	References	Notes
CO(OO•)C(OH)(CHO)CO(O <sup>-</sup> ) + 2 H <sub>2</sub> O ↔ C(OH)(OH)(OO•)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> )	T(447)	2.0 10 <sup>3</sup>			1 = K <sub>h</sub> (CHOC(OH)(CHO)CO(O <sup>-</sup> )/CH(OH)(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> ))
<b>2-(hydroxymethyl)-tartronic acid</b>					
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH) ↔ CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(448)	3.8 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)CH(OH)CO(OH)/CO(OH)CH(OH)CO(O <sup>-</sup> ))
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(449)	2.9 10 <sup>-5</sup>			= K <sub>a</sub> (CO(OH)CH(OH)CO(O <sup>-</sup> )/CO(O <sup>-</sup> )CH(OH)CO(O <sup>-</sup> ))
CO(OH)C(OH)(CH(OH)(OO•))CO(OH) ↔ CO(OH)C(OH)(CH(OH)(OO•))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(450)	3.8 10 <sup>-3</sup>			3 = K <sub>a</sub> (CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)/CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ))
CO(OH)C(OH)(CH(OH)(OO•))CO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(CH(OH)(OO•))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(451)	2.9 10 <sup>-5</sup>			3 = K <sub>a</sub> (CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> )/CO(O <sup>-</sup> )C(OH)(CH <sub>2</sub> (OH))CO(O <sup>-</sup> ))
<b>2-(oxomethyl)-tartronic acid</b>					
CO(OH)C(OH)(CHO)CO(OH) ↔ CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) + H <sup>+</sup>	T(452)	3.8 10 <sup>-3</sup>			= K <sub>a</sub> (CO(OH)CH(OH)CO(OH)/CO(OH)CH(OH)CO(O <sup>-</sup> ))
CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ) + H <sup>+</sup>	T(453)	2.9 10 <sup>-5</sup>			
CO(OH)C(OH)(CHO)CO(OH) + H <sub>2</sub> O ↔ CO(OH)C(OH)(CH(OH)(OH))CO(OH)	T(454)	3.4 10 <sup>2</sup>		Estimated with GROMHE	
CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)C(OH)(CH(OH)(OH))CO(O <sup>-</sup> )	T(455)	4.6 10 <sup>1</sup>		Estimated with GROMHE	
CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(CH(OH)(OH))CO(O <sup>-</sup> )	T(456)	6.1		Estimated with GROMHE	
CO(OH)C(OH)(CO(OO•))CO(OH) ↔ CO(OH)C(OH)(CO(OO•))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(457)	3.8 10 <sup>-3</sup>			3 = K <sub>a</sub> (CO(OH)C(OH)(CHO)CO(OH)/CO(OH)C(OH)(CHO)CO(O <sup>-</sup> ))
CO(OH)C(OH)(CO(OO•))CO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(CO(OO•))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(458)	2.9 10 <sup>-5</sup>			3 = K <sub>a</sub> (CO(OH)C(OH)(CHO)CO(O <sup>-</sup> )/CO(O <sup>-</sup> )C(OH)(CHO)CO(O <sup>-</sup> ))
CO(OH)C(OH)(CO(OO•))CO(OH) + H <sub>2</sub> O ↔ CO(OH)C(OH)(C(OH)(OH)(OO•))CO(OH)	T(459)	1.0 10 <sup>-3</sup>			2
CO(OH)C(OH)(CO(OO•))CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(OH)C(OH)(C(OH)(OH)(OO•))CO(O <sup>-</sup> )	T(460)	1.0 10 <sup>-3</sup>			2
CO(O <sup>-</sup> )C(OH)(CO(OO•))CO(O <sup>-</sup> ) + H <sub>2</sub> O ↔ CO(O <sup>-</sup> )C(OH)(C(OH)(OH)(OO•))CO(O <sup>-</sup> )	T(461)	1.0 10 <sup>-3</sup>			2
<b>Hydroxymethanetricarboxylic acid</b>					
CO(OH)C(OH)(CO(OH))CO(OH) ↔ CO(OH)C(OH)(CO(OH))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(462)	7.2 10 <sup>-4</sup>			= K <sub>a1</sub> (citric acid)
CO(OH)C(OH)(CO(OH))CO(O <sup>-</sup> ) ↔ CO(OH)C(OH)(CO(O <sup>-</sup> ))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(463)	1.7 10 <sup>-5</sup>			= K <sub>a2</sub> (citric acid)
CO(OH)C(OH)(CO(O <sup>-</sup> ))CO(O <sup>-</sup> ) ↔ CO(O <sup>-</sup> )C(OH)(CO(O <sup>-</sup> ))CO(O <sup>-</sup> ) + H <sup>+</sup>	T(464)	4.0 10 <sup>-7</sup>			= K <sub>a3</sub> (citric acid)
<b>Methacrylic acid</b>					
CH <sub>2</sub> =C(CH <sub>3</sub> )CO(OH) ↔ CH <sub>2</sub> =C(CH <sub>3</sub> )CO(O <sup>-</sup> ) + H <sup>+</sup>	T(465)	1.3 10 <sup>-5</sup>			= K <sub>a</sub> (CH <sub>3</sub> CH <sub>2</sub> CO(OH)/CH <sub>3</sub> CH <sub>2</sub> CO(O <sup>-</sup> ))

1 - For peroxy radicals, we assumed that the hydration constant is similar to the parent species.

2 - For acyl peroxy radicals, we assumed that hydration is not favored on the -CO(OO•) moiety. This is based on the similarity between the CO moiety in this function and the CO moiety in carboxylic (-CO(OH)) or percarboxylic acid (-CO(OOH)) organic functions which is not readily hydrated. Therefore we apply an arbitrarily low value (K<sub>h</sub> = 1.0 10<sup>-3</sup>) to the hydration constant of these species.

3 - For peroxy radicals, we assumed that the acidity constant is similar to the parent species.

## Henry's law constants

Species		H (298K) (M atm <sup>-1</sup> )	-ΔH/R (K)	References	Notes
<b>C4 compounds</b>					
<b>Methacrolein</b> CH <sub>2</sub> =C(CH <sub>3</sub> )CHO	T(70)	4.8 10 <sup>-2</sup>	4300	Ji and Evans, 2007	
<b>Hydroxymethacrolein</b> CH <sub>2</sub> =C(CH <sub>2</sub> (OH))CHO	T(71)	6.9 10 <sup>4</sup>	6014	Estimated	1 - 2 - 3
<b>Methylvinylketone</b> CH <sub>2</sub> =CHCOCH <sub>3</sub>	T(72)	2.6 10 <sup>-1</sup>	4800	Ji and Evans, 2007	
<b>Hydroxymethylvinylketone</b> CH <sub>2</sub> =CHCOCH <sub>2</sub> (OH)	T(73)	1.3 10 <sup>3</sup>	6014	Estimated	1 - 2 - 3
<b>Hydroxybutandione</b> CH <sub>3</sub> COCOCH <sub>2</sub> (OH)	T(74)	5.4 10 <sup>5</sup>	6014	Estimated	1 - 3
<b>3,4-dihydroxybutan-2-one</b> CH <sub>2</sub> (OH)CH(OH)COCH <sub>3</sub>	T(75)	1.1 10 <sup>5</sup>	6014	Estimated	1 - 2 - 3
<b>1,4-dihydroxybutanedione</b> CH <sub>2</sub> (OH)COCOCH <sub>2</sub> (OH)	T(76)	1.9 10 <sup>8</sup>	6014	Estimated	1 - 2 - 3
<b>1,3,4-trihydroxybutanone</b> CH <sub>2</sub> (OH)COCH(OH)CH <sub>2</sub> (OH)	T(77)	9.1 10 <sup>8</sup>	6014	Estimated	1 - 2 - 3
<b>2,4-dihydroxy-3-oxobutanal</b> CH <sub>2</sub> (OH)COCH(OH)CHO	T(78)	3.5 10 <sup>8</sup>	6014	Estimated	1 - 2 - 3
<b>2-oxo-3,4-dihydroxybutanal</b> CH <sub>2</sub> (OH)CH(OH)COCHO	T(79)	1.5 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3
<b>2-oxo-3-hydroxybutanedial</b> CHOCH(OH)COCHO	T(80)	3.6 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3
<b>2,4-dioxo-3-hydroxybutanoic acid</b> CHOCH(OH)COCO(OH)	T(81)	5.2 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3
<b>2,3-dioxobutanal</b> CH <sub>3</sub> COCOCHO	T(82)	6.3 10 <sup>8</sup>	6014	Estimated	1 - 2 - 3
<b>2-hydroxy, 3-oxobutanal</b> CH <sub>3</sub> COCH(OH)CHO	T(83)	2.0 10 <sup>4</sup>	6014	Estimated	1 - 2 - 3
<b>2-hydroxy,3-oxobutanoic acid</b> CH <sub>3</sub> COCH(OH)CO(OH)	T(84)	2.0 10 <sup>5</sup>	6014	Estimated	1 - 2 - 3
<b>2,4-dihydroxy, 3-oxobutanoic acid</b> CO(OH)CH(OH)COCH <sub>2</sub> (OH)	T(85)	2.3 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3
<b>2-hydroxy, 3,4-dioxobutanoic acid</b> CO(OH)CH(OH)COCHO	T(86)	5.8 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3

Species		H (298K) (M atm <sup>-1</sup> )	-ΔH/R (K)	References	Notes
<b>2-oxomalic acid</b>					
CO(OH)CH(OH)COCO(OH)	T(87)	2.0 10 <sup>10</sup>	6014	Estimated	1 - 2 - 3
<b>Dioxosuccinic acid</b>					
CO(OH)COCOCO(OH)	T(88)	1.3 10 <sup>16</sup>	6014	Estimated	1 - 2 - 3
<b>2,4-dioxobutanedial</b>					
CHOCOCOCHO	T(89)	3.5 10 <sup>6</sup>	6014	Estimated	1 - 2 - 3
<b>2,3-dioxobutanoic acid</b>					
CH <sub>3</sub> COCOCO(OH)	T(90)	3.9 10 <sup>9</sup>	6014	Estimated	1 - 2 - 3
<b>2,3-dioxo-4-hydroxybutanal</b>					
CH <sub>2</sub> (OH)COCOCHO	T(91)	1.3 10 <sup>12</sup>	6014	Estimated	1 - 2 - 3
<b>2,3-dioxo-4-hydroxybutanoic acid</b>					
CH <sub>2</sub> (OH)COCOCO(OH)	T(92)	1.4 10 <sup>12</sup>	6014	Estimated	1 - 2 - 3
<b>2,3,4-trioxobutanoic acid</b>					
CHOCOCOCO(OH)	T(93)	2.1 10 <sup>17</sup>	6014	Estimated	1 - 2 - 3
<b>Methacrylic Acid Epoxide</b>					
CH <sub>3</sub> C1(CO(OH))-O-C1H <sub>2</sub>	T(94)	3.4 10 <sup>2</sup>	6014	Estimated	1 - 3
<b>Hydroxymethyl-methyl-α-lactone</b>					
CH <sub>3</sub> C1(CH <sub>2</sub> (OH))-O-C1O	T(95)	6.5	6014	Estimated	1 - 3
<b>2- Methylglyceric Acid</b>					
CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH)	T(96)	6.0 10 <sup>6</sup>	6014	Estimated	1 - 3
<b>2-hydroxy-3-oxomethylpropanoic acid</b>					
CHOC(OH)(CH <sub>3</sub> )CO(OH)	T(97)	1.1 10 <sup>6</sup>	6014	Estimated	1 - 2 - 3
<b>2-hydroxy-2-(hydroxymethyl)-3-oxopropanoic acid</b>					
CHOC(OH)(CH <sub>2</sub> (OH))CO(OH)	T(98)	2.4 10 <sup>10</sup>	6014	Estimated	1 - 2 - 3
<b>2,3-hydroxy-2-(hydroxymethyl)-propanoic acid</b>					
CH <sub>2</sub> (OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	T(99)	8.8 10 <sup>9</sup>	6014	Estimated	1 - 3
<b>Methyltartronic acid</b>					
CO(OH)C(OH)(CH <sub>3</sub> )CO(OH)	T(100)	7.6 10 <sup>6</sup>	6014	Estimated	1 - 3
<b>2- hydroxy-2-(oxomethyl)-3-oxopropanoic acid</b>					
CHOC(OH)(CHO)CO(OH)	T(101)	2.2 10 <sup>11</sup>	6014	Estimated	1 - 2 - 3
<b>2-(hydroxymethyl)-tartronic acid</b>					
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	T(102)	9.2 10 <sup>9</sup>	6014	Estimated	1 - 3
<b>2-(oxomethyl)-tartronic acid</b>					
CO(OH)C(OH)(CHO)CO(OH)	T(103)	2.2 10 <sup>11</sup>	6014	Estimated	1 - 2 - 3
<b>Hydroxymethanetricarboxylic acid</b>					
CO(OH)C(OH)(CO(OH))CO(OH)	T(104)	2.0 10 <sup>11</sup>	6014	Estimated	1 - 3
<b>Methacrylic Acid</b>					
CH <sub>2</sub> =C(CH <sub>3</sub> )CO(OH)	T(105)	1.3 10 <sup>3</sup>	6014	Estimated	1 - 3



- 
- 1 - Estimated by the SAR GROMHE (Raventos-Duran et al., 2010).
  - 2 - Effective Henry's law constant.
  - 3 - When unavailable, the temperature dependence (enthalpy of dissolution) is set at 50 kJ mol<sup>-1</sup>;  $-\Delta H/R = 6014$  K.

---

References:

---

Ji, C., Evans, E. M.: Using an internal standard method to determine Henry's law constants, *Environmental Toxicology and Chemistry*, 26-2, 231-236, 2007.

## Accommodation coefficients

Species		$\alpha$ (298K)	$-\Delta H$ (J/mol)	$-\Delta S$ (J/mol/K)	References	Notes
<b>C4 compounds</b>		1				
<b>Methacrolein</b> <chem>CH2=C(CH3)CHO</chem>	T(70)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>Hydroxymethacrolein</b> <chem>CH2=C(CH2(OH))CHO</chem>	T(71)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>Methylvinylketone</b> <chem>CH2=CHCOCH3</chem>	T(72)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>Hydroxymethylvinylketone</b> <chem>CH2=CHCOCH2(OH)</chem>	T(73)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>Hydroxybutandione</b> <chem>CH3COCOCH2(OH)</chem>	T(74)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>3,4-dihydroxybutan-2-one</b> <chem>CH2(OH)CH(OH)COCH3</chem>	T(75)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>1,4-dihydroxybutanedione</b> <chem>CH2(OH)COCOCH2(OH)</chem>	T(76)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>1,3,4-trihydroxybutanone</b> <chem>CH2(OH)COCH(OH)CH2(OH)</chem>	T(77)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2,4-dihydroxy-3-oxobutanal</b> <chem>CH2(OH)COCH(OH)CHO</chem>	T(78)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2-oxo-3,4-dihydroxybutanal</b> <chem>CH2(OH)CH(OH)COCHO</chem>	T(79)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2-oxo-3-hydroxybutanedial</b> <chem>CHOCH(OH)COCHO</chem>	T(80)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2,4-dioxo-3-hydroxybutanoic acid</b> <chem>CHOCH(OH)COCO(OH)</chem>	T(81)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2,3-dioxobutanal</b> <chem>CH3COCOCHO</chem>	T(82)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2-hydroxy, 3-oxobutanal</b> <chem>CH3COCH(OH)CHO</chem>	T(83)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2-hydroxy,3-oxobutanoic acid</b> <chem>CH3COCH(OH)CO(OH)</chem>	T(84)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2,4-dihydroxy, 3-oxobutanoic acid</b> <chem>CO(OH)CH(OH)COCH2(OH)</chem>	T(85)	$5.0 \cdot 10^{-2}$			Estimated	2
<b>2-hydroxy, 3,4-dioxobutanoic acid</b> <chem>CO(OH)CH(OH)COCHO</chem>	T(86)	$5.0 \cdot 10^{-2}$			Estimated	2

Species		$\alpha$ (298K)	$-\Delta H$ (J/mol)	$-\Delta S$ (J/mol/K)	References	Notes
<b>2-oxomalic acid</b>						
CO(OH)CH(OH)COCO(OH)	T(87)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Dioxosuccinic acid</b>						
CO(OH)COCOCO(OH)	T(88)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,4-dioxobutanedial</b>						
CHOCOCOCHO	T(89)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,3-dioxobutanoic acid</b>						
CH <sub>3</sub> COCOCO(OH)	T(90)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,3-dioxo-4-hydroxybutanal</b>						
CH <sub>2</sub> (OH)COCOCHO	T(91)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,3-dioxo-4-hydroxybutanoic acid</b>						
CH <sub>2</sub> (OH)COCOCO(OH)	T(92)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,3,4-trioxobutanoic acid</b>						
CHOCOCOCO(OH)	T(93)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Methacrylic Acid Epoxide</b>						
CH <sub>3</sub> C1(CO(OH))-O-C1H <sub>2</sub>	T(94)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Hydroxymethyl-methyl-<math>\alpha</math>-lactone</b>						
CH <sub>3</sub> C1(CH <sub>2</sub> (OH))-O-C1O	T(95)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2- Methylglyceric Acid</b>						
CH <sub>2</sub> (OH)C(OH)(CH <sub>3</sub> )CO(OH)	T(96)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2-hydroxy-3-oxomethylpropanoic acid</b>						
CHOC(OH)(CH <sub>3</sub> )CO(OH)	T(97)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2-hydroxy-2-(hydroxymethyl)-3-oxopropanoic acid</b>						
CHOC(OH)(CH <sub>2</sub> (OH))CO(OH)	T(98)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2,3-hydroxy-2-(hydroxymethyl)-propanoic acid</b>						
CH <sub>2</sub> (OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	T(99)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Methyltartronic acid</b>						
CO(OH)C(OH)(CH <sub>3</sub> )CO(OH)	T(100)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2- hydroxy-2-(oxomethyl)-3-oxopropanoic acid</b>						
CHOC(OH)(CHO)CO(OH)	T(101)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2-(hydroxymethyl)-tartronic acid</b>						
CO(OH)C(OH)(CH <sub>2</sub> (OH))CO(OH)	T(102)	5.0 10 <sup>-2</sup>			Estimated	2
<b>2-(oxomethyl)-tartronic acid</b>						
CO(OH)C(OH)(CHO)CO(OH)	T(103)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Hydroxymethanetricarboxylic acid</b>						
CO(OH)C(OH)(CO(OH))CO(OH)	T(104)	5.0 10 <sup>-2</sup>			Estimated	2
<b>Methacrylic Acid</b>						
CH <sub>2</sub> =C(CH <sub>3</sub> )CO(OH)	T(105)	5.0 10 <sup>-2</sup>			Estimated	2

- 
- 1 -  $\alpha$  can be calculated with  $\Delta H$  and  $\Delta S$ ; this allows considering the temperature dependency of  $\alpha$  following Jayne et al. (1997):  $\frac{\alpha}{1-\alpha} = \exp\left(\frac{-\Delta G}{RT}\right)$ ;  $\Delta G = \Delta H - T\Delta S$
  - 2 - Estimated equal  $5.0 \cdot 10^{-2}$  following Lelieveld and Crutzen (1991) and Davidovits et al. (2011).

## REFERENCES

---

Schöne, L., Schindelka, J., Szeremeta, E., Schaefer, T., Hoffmann, D., Rudzinski, K. J., Szmigielski, R., and Herrmann, H.: Atmospheric aqueous phase radical chemistry of the isoprene oxidation products methacrolein, methyl vinyl ketone, methacrylic acid and acrylic acid - kinetics and product studies, *Physical Chemistry Chemical Physics*, 16, 6257-6272, 10.1039/c3cp54859g, 2014.